

Guidelines for using the checklist

Accepted genus and species names are in bold print, for example **Cyperus albostratus**.

Synonyms are listed in italics below accepted names, for example *Protasparagus laricinus*. Not all synonyms for a species are listed.

Naturalised taxa are marked by an asterisk, for example **Eucalyptus *rubida**. These are species that were introduced from outside Lesotho but now occur in the wild as part of the natural flora.


The occurrence of some species recorded from Lesotho and along the South African border is doubtful, since they were not found among herbarium specimens during the compilation of the list.

The following shortened references are used in the checklist. For a full list of references, see “References and further reading”.

Arnold & De Wet—Arnold & De Wet (1993)
Bromilow—Bromilow (1995)
Fabian & Germishuizen—Fabian & Germishuizen (1997)
Germishuizen & Meyer—Germishuizen & Meyer (2003)
Gordon-Gray—Gordon-Gray (1995)
Hilliard—Hilliard (1983)
Hilliard & Burt—Hilliard & Burt (1987)
Kobisi & Kose—Kobisi & Kose (2002)
Pooley (1993)—Pooley (1993)
Pooley (1998)—Pooley (1998)
Pooley (2003)—Pooley (2003)
Sheat—Sheat (1982)
Smith *et al.*—Smith *et al.* (1998)
Van Wyk & Gericke—Van Wyk & Gericke (2000)
Van Wyk & Smith—Van Wyk & Smith (1996)
Van Wyk & Van Wyk—Van Wyk & Van Wyk (1997)
Venter & Venter—Venter & Venter (1996)
Von Breitenbach—Von Breitenbach (1984)

Letters below the literature references indicate the distribution of species within Lesotho, as reflected by the ROML, MASE, and SNPH collections, or the distribution of species that are known but not collected:

L—Lowlands
F—Foothills
M—Mountains
S—Senqu Valley



Zones of Lesotho based on agricultural practices. (After the *Primary Atlas for Lesotho*)

Preliminary checklist of the plants of Lesotho

Preliminary checklist of the plants of Lesotho

by

Khotso Kobisi



National University of Lesotho



2005

Southern African Botanical Diversity Network Report No. 34

Recommended citation format

KOBISI, K. 2005. Preliminary checklist of the plants of Lesotho. *Southern African Botanical Diversity Network Report* No. 34. SABONET, Pretoria & Roma.

Produced by

The National University of Lesotho Herbarium
Biology Department
National University of Lesotho
P.O. Roma 180
LESOTHO
Tel.: (266) 22 213452/340601
Fax: (266) 22 340000

Published by

Southern African Botanical Diversity Network (SABONET)
c/o South African National Biodiversity Institute, Private Bag X101, 0001, Pretoria
and National University of Lesotho Herbarium, Roma.
Printed in 2005 in the Republic of South Africa by Capture Press, Pretoria, (27) 12 349-1802

ISBN 1-919795-67-7

© 2005 SABONET. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the permission of the copyright holder.

Editor-in-chief: Marthina Mössmer

Scientific editor: Gerrit Germishuizen

Subeditors: Lidia Gibson & Hanlie van Heerden

Text design and layout: Antoinette Burkhardt

Cover design: Antoinette Burkhardt, Pretoria, South Africa (27) 82 909-0109.

Front cover: TOP, L-R: *Disa fragrans* (Moretloa Polaki), *Gladiolus saundersii* (Moretloa Polaki), *Kniphofia northiae* (Khotso Kobisi). CENTRE, L-R: *Helichrysum ecklonis* (Moretloa Polaki), *Euphorbia clavarioides* (Moretloa Polaki), *Haplocarpha nervosa* (Moretloa Polaki), *Aloe polyphylla* (Tau Mahlelebe). BOTTOM, L-R: *Euphorbia pulvinata*, (Tau Mahlelebe), *Xysmalobium stockenstromense* (Moretloa Polaki).

Back cover: TOP-BOTTOM: *Protea roupelliae* (Khotso Kobisi), *Lessertia depressa* (Tau Mahlelebe), *Cotyledon orbiculata* var. *oblonga* (Moretloa Polaki), *Rabiea lesliei* (Moretloa Polaki), shrub thicket in Tsehlanyane Nature Reserve (Tau Mahlelebe).

SABONET website: www.sabonet.org


This report is a joint product of the National University of Lesotho Herbarium, Roma, and the Southern African Botanical Diversity Network (SABONET) and was made possible through support provided by the Global Environment Facility (GEF)/United Nations Development Programme (UNDP) and the United States Agency for International Development (USAID)/World Conservation Union-Regional Office for southern Africa (IUCN ROSA) (Plot no. 14818 Lebatlane Road, Gaborone West, Extension 6 Gaborone, Botswana), under the terms of Grant No. 690-0283-A-00-5950. The opinions expressed herein are those of the authors and do not necessarily reflect the views of USAID, the SABONET Steering Committee or SABONET National Working Groups.

IUCN
The World Conservation Union



Contents

Contents	1
Acknowledgements	2
Introduction	3
Guidelines for using the checklist	9
References and further reading.....	10
 BRYOPHYTA	 12
HEPATOPHYTA	17
ANTHOCEROPHYTA	18
PTERIDOPHYTES	18
GYMNOSPERMS	20
DICOTYLEDONS	20
MONOCOTYLEDONS	57
 Numerical index	 74
Alphabetical index	78
The National University of Lesotho Herbarium and Botanical Garden	83



Shrub thicket in Tsehlanyane Nature Reserve. (Photo: Tau Mahlelebe)

Acknowledgements

Khotso Kobisi did an internship at the Natal Herbarium (now KwaZulu-Natal Herbarium) from 19–31 August 2003 in preparation of this checklist. Sincere thanks to the following individuals for their contributions: Yashica Singh, Carol Appolos, Hassina Aboobaker, Alfred Ngwenya and Melusi Mazibuko of KwaZulu-Natal Herbarium (NH); Dr T.J. Edwards and Ms Christina Potgieter of the Bews Herbarium of the University of KwaZulu-Natal, Pietermaritzburg; Mr Rob Scott-Shaw of the Donald Killick Herbarium, KwaZulu-Natal Nature Conservation Service; and Prof. Snowy Baijnath of the University of KwaZulu-Natal. Gerrit Germishuizen of the South African National Biodiversity Institute in Pretoria is thanked for his meticulous scientific editing. The members of the SABONET-Lesotho National Working Group are also thanked for their support, patience, and generosity during the compilation of this checklist.



Hirpicium armerioides at Mohale Dam. (Photo: Moretloa Polaki)



Harveya speciosa at Mohale Dam. (Photo: Moretloa Polaki)



Lessertia depressa. (Photo: Tau Mahlelebe)



Xysmalobium stockenstromense at Mohale catchment. (Photo: Moretloa Polaki)



Geum capense. (Photo: Tau Mahlelebe)



Euryops evansii at Tsehlanyane Nature Reserve. (Photo: Khotso Kobisi)

Introduction

Lesotho, formerly Basutoland, is a small country of about 30,355 km² and is divided into ten districts. It lies between 28–30°S and 27–29°E and is surrounded by the Republic of South Africa. The country experiences extremes of temperatures, with sometimes snow in the winter. It receives its rain during the summer months.

Flora of Lesotho

The flora of Lesotho comprises about 3,000 plant species, belonging to 800 genera and 200 families (figures are based on the ROML record of higher plants).

The general appearance of the vegetation in Lesotho is grassland with small thickets and woodlands found in the gul-

lies and valleys of the foothills and on krantzes, steep cliffs, and hill slopes of the lowlands. *Leucosidea sericea* is often the main constituent of these woodlands, especially in the southern part of the country.

Introduced trees include poplars, wattles, willows, and peach trees; these are mostly found near villages, in gullies, and along rivers forming small plantations.

There are many interesting plants to be found in the mountain area, for example *Rhodohypoxis baurii*, *Gladiolus saundersii*, *Guthriea capensis*, various species of *Helichrysum*, and orchids. One conspicuous feature of the Lesotho flora is the large area covered by *Kniphofia caulescens* along the streams, wetlands, or seepage areas.




Figure 1: The six ecological zones of Lesotho based on topography. (After Mokuku 1997)



A gorge with alpine vegetation at Mphosong. (Photo: Tau Mahlelebe)



Buddleja salviifolia in the ROML Botanical Garden. (Photo: Khotso Kobisi)



Helichrysum ecklonis at Semonkong. (Photo: Moretloa Polaki)



Brachystelma foetidum. (Photo: Tau Mahlelebe)



Guthriea capensis at Qiloane Waterfall behind Machache Moutain. (Photo: Moretloa Polaki)



Protea roupelliae in the ROML Botanical Garden (Photo: Khotso Kobisi)



Harveya pulchra at Semonkong. (Photo: Moretloa Polaki)



Salix babylonica at Thaba Bosiu Ha Mohalenyanane. (Photo: Moretloa Polaki)



Aloe ferox at Pokane in Quthing. (Photo: Khotso Kobisi)

When all the plants are in full bloom, blanketing acres of ground, they provide a most colourful and memorable sight. Various species of *Senecio* grow in the same way and may cover a hillside in yellow or change a valley into a blaze of magenta. *Watsonia* and *Dierama* species may also be seen in a solid mass. One pass across the mountains has received the Sesotho name of Likhahaneng meaning “the place of *Watsonia*”. Species of *Lobelia*, *Nemesia*, *Arctotis*, and *Wahlenbergia* may at times be seen in full flower covering unploughed fields.

Ecological Zones

Lesotho can be divided into several ecological zones—some authors (for example, Mokuku 1997) divide the flora of Lesotho into six zones based on topography (Figure 1), whereas others, such as Longman Lesotho (2001), use four distinct zones based on agricultural practices. For this checklist, we have followed the division into four ecological zones—Lowlands, Foothills, Mountains, and Senqu Valley (Figure 2)—which are described in more detail below.

Lowlands

The Lowlands, with an altitude of 1,520–1,820 m, cover about a quarter of Lesotho and lie along the western side of the country between the Caledon (Mohokare) River and the foothills of the Maluti Mountain Range. Most parts have soils derived from cave sandstone and the rocks of riverbeds. The predominant vegetation is grass, with some patches of indigenous trees and shrubs, which are usually found in the sheltered valleys and gorges, especially on the southern aspects. This region is extensively cultivated and heavily grazed.

Foothills

The Foothills run along the western side of the Maluti Mountains, forming an intermediate zone between the Highlands and the Lowlands, with an average altitude of 1,880 m. Trees and shrubs dominate the vegetation in this zone. *Aloe ferox* is conspicuous on some hill slopes. *Hyparrhenia* species form dense stands, especially on the northeastern slopes.




Figure 2: Zones of Lesotho based on agricultural practices. (After the *Primary Atlas for Lesotho*)

Mountains

At the top of the hills, the vegetation changes abruptly from the trees and shrubby bush of the Foothills to the typical mountain grassland. High solar radiation, strong winds, basaltic soils, and low temperatures characterise the Mountain zone. These factors limit plant growth in terms of height; vegetation in this region is short except in the sheltered valleys where trees and shrubs grow successfully. Apart from Poaceae, this area is dominated by members of Asteraceae (Compositae). The mountainous area is suitable for aloes, *Merxmüllera* species, and different types of *Erica* species. It also receives more rainfall in summer than any other zone in Lesotho. Higher rainfall supports large peat wetlands, seepage areas, streams, and flowing rivers with clean wa-

ter. Wetlands have high species diversity and form a good habitat for tiny plants such as *Limosella* and *Lobelia* species.

Senqu Valley

The Senqu Valley lies along the Senqu River from Mokhotlong District down to Quthing. This is the driest and most degraded region of Lesotho. It is also warmer than other zones and hence supports trees, shrubs, and grass species, like *Hyparrhenia*, that tolerate such high temperatures. Succulents such as aloes, *Crassula* species, various mesembryanthemums, and some *Anacampseros* species are moderately common in all parts of this region. Non-succulent plants include bulbous and tuberous plants that store water and food reserves in underground stems, like *Brachystelma*, *Ipomoea*, *Xysmalobium* and *Raphionacme*.

Checklist Compilation

Our first step was to extract records on Lesotho flora from different sources and put them together as a baseline. We concentrated on distribution maps showing species occurrence in quarter-degree squares. According to the quarter-degree squares, some species were mapped on Lesotho borders with South Africa, and it was impossible to determine whether they actually occurred in Lesotho or not. We decided to record them as occurring in South Africa pending findings to verify their occurrence in Lesotho. The South African provinces in question are the following:

EC—Eastern Cape

FS—Free State

KN—KwaZulu-Natal

The next steps were to check the existence of species recorded for Lesotho, and map them on ecological zones from which they were collected using herbarium specimens from our three herbaria, namely ROML, MASE, and SNPH. Quality control on initial identification of specimens was also carried out during this process. Looking at the species records from the reference material, it became apparent that some records do not have accompanying voucher specimens in Lesotho herbaria. This could be attributed to one or all of three possible reasons:

- Such species may not have been collected for Lesotho

herbaria but do exist in Lesotho.

- Such species do not exist in Lesotho and hence were not collected.
- Such species may exist in Lesotho but may have been collected by expatriates and thus kept elsewhere outside the country.

We visited herbaria in South Africa to check and reconfirm their occurrence in Lesotho.

In order to capture species recorded in Lesotho, Khotso Kobisi did an internship in Natal Herbarium (now KwaZulu-Natal Herbarium). During the internship, he also visited the Bews Herbarium at the University of Natal-Pietermaritzburg (now University of KwaZulu-Natal), the Donald Killick Herbarium, and the KwaZulu-Natal Nature Conservation Service where he obtained a vast amount of information. Some useful data that were not found during the internship were derived from encoded specimens at the National Herbarium in Pretoria.

Nevertheless, there is some doubt about the occurrence of some species in Lesotho. These species are not included in this checklist, but we hope that more attempts would be made in future to verify their distribution.



Gunnera perperisa at Likhahlaneng behind Machache Mountain.
(Photo: Moretloa Polaki)




Crassula setulosa flowering at Thaba Putsoa.
(Photo: Moretloa Polaki)



Aloe ecklonis at Ha Ranoto near Qiloane Waterfalls. (Photo: Khotso Kobisi)



Aloe polyphylla in its natural habitat at Sosa Thaba Putsoa. (Photo: Tau Mahlelebe)



Androcymbium striatum—Semonkong. (Photo: Moretloa Polaki)



Haplocarpha nervosa in the Semonkong wetlands. (Photo: Moretloa Polaki)



A colony of *Bulbine abyssinica*. (Photo: Tau Mahlelebe)



Euphorbia clavarioides at Thaba Putsoa (Blue Mountain). (Photo: Moretloa Polaki)



Euphorbia pulvinata at Quthing Gorge. (Photo: Tau Mahlelebe)



Gladiolus saundersii at Meletsuinyane Waterfalls—Semonkong. (Photo: Moretloa Polaki)



Inflorescence of Agapanthus campanulatus. (Photo: Moretloa Polaki)




Cotyledon orbiculata var. *oblonga* at Mohale Dam. (Photo: Moretloa Polaki)



Eucomis autumnalis subsp. *clavata*. (Photo: Tau Mahlelebe)



Brunsvigia radulosa at Mahlabatheng Ha Liile. (Photo: Moretloa Polaki)



Disa fragrans—a sweetly scented orchid. (Photo: Moretloa Polaki)



Kniphofia northiae at Qiloane Waterfalls. (Photo: Khotso Kobisi)

Guidelines for using the checklist

Accepted genus and species names are in bold print, for example **Cyperus albostriatus**.

Synonyms are listed in italics below accepted names, for example *Protasparagus laricinus*. Not all synonyms for a species are listed.

Naturalised taxa are marked by an asterisk, for example **Eucalyptus *rubida**. These are species that were introduced from outside Lesotho but now occur in the wild as part of the natural flora.

The occurrence of some species recorded from Lesotho and along the South African border is doubtful, since they were not found among herbarium specimens during the compilation of the list.

The following shortened references are used in the checklist. For a full list of references, see “References and further reading”.

Arnold & De Wet—Arnold & De Wet (1993)

Bromilow—Bromilow (1995)

Fabian & Germishuizen—Fabian & Germishuizen (1997)

Germishuizen & Meyer—Germishuizen & Meyer (2003)

Gordon-Gray—Gordon-Gray (1995)

Hilliard—Hilliard (1983)

Hilliard & Burt—Hilliard & Burt (1987)

Kobisi & Kose—Kobisi & Kose (2002)

Pooley (1993)—Pooley (1993)

Pooley (1998)—Pooley (1998)

Pooley (2003)—Pooley (2003)

Sheat—Sheat (1982)

Smith *et al.*—Smith *et al.* (1998)

Van Wyk & Gericke—Van Wyk & Gericke (2000)

Van Wyk & Smith—Van Wyk & Smith (1996)

Van Wyk & Van Wyk—Van Wyk & Van Wyk (1997)

Venter & Venter—Venter & Venter (1996)

Von Breitenbach—Von Breitenbach (1984)

Letters below the literature references indicate the distribution of species within Lesotho, as reflected by the ROML, MASE, and SNPH collections, or the distribution of species that are known but not collected (the map on page 3 shows these geographical divisions):

L—Lowlands

F—Foothills

M—Mountains

S—Senqu Valley



Qiloane Waterfalls. (Photo: Khotso Kobisi)

References and further reading

- ADAMS, J. 1976. *Wild flowers of the northern Cape*. The Department of Nature and Environmental Conservation of the Provincial Administration of the Cape of Good Hope, Cape Town.
- ARNOLD, T.H. & DE WET, B.C. (eds). 1993. Plants of southern Africa: names and distribution. *Memoirs of the Botanical Survey of South Africa* No. 62. National Botanical Institute, Pretoria.
- ARNOLD, T.H., PRENTICE, C.A., HAWKER, L.C., SNYMAN, E.E., TOMALIN, M., CROUCH, N.R. & POTTAS-BIRCHER, C. 2002. Medicinal and magical plants of southern African: an annotated checklist. *Strelitzia* 13. National Botanical Institute, Pretoria.
- BROMILOW, C. 1995. *Problem plants of South Africa*. Briza, Pretoria.
- BRUMMITT, R.K. (compiler) 1992. *Vascular plant families and genera*. Royal Botanic Gardens, Kew.
- BRUMMITT, R.K. & POWELL, C.E. (eds). 1992. *Authors of plant names*. Royal Botanic Gardens, Kew.
- COATES PALGRAVE, M. 2002. *Keith Coates Palgrave Trees of southern Africa*, edn 3. Struik, Cape Town.
- CODD, L.E. (ed.). 1973–1974. *Bothalia* 11: 1–370. Botanical Research Institute, Department of Agricultural Technical Services, Pretoria.
- CODD, L.E. 1985. Lamiaceae. *Flora of southern Africa* 28,4. Department of Agriculture and Water Supply, Pretoria.
- DAHLGREN, R. 1988. Papilionoideae, Crotalariaeae (*Aspalathus*). *Flora of southern Africa*, 16,3,6. Department of Agriculture and Water Supply, Pretoria.
- FABIAN, A. & GERMISHUIZEN G. 1982. *Transvaal wild flowers*. Macmillan South Africa, Johannesburg.
- FABIAN, A. & GERMISHUIZEN, G. 1997. *Wild flowers of northern South Africa*. Fernwood Press, Vlaeberg.
- GERMISHUIZEN, G. & MEYER, N.L. (eds). 2003. Plants of southern Africa: an annotated check list. *Strelitzia* 14. National Botanical Institute, Pretoria.
- GERMISHUIZEN, G. & MOMBERG, B.A. (eds). 1998. *Bothalia* 28: 1–297.
- GOLDBLATT, P. & MANNING, J. 1998. *Gladiolus in southern Africa*. Fernwood Press, Vlaeberg.
- GORDON-GRAY, K.D. 1995. Cyperaceae in Natal. *Strelitzia* 2. National Botanical Institute, Pretoria.
- HARGREAVES, B., CARTER, S., BISSERET, P., GERHARD, M., RON, L., EGGLI, U., JACOBSEN, N., LINDEN, S., JONKERS, B., LAVRANOS, J., RAUH, W. & GERCAMA, G. 1994. *The Euphorbia Journal* 9. Strawberry Press, California.
- HENDERSON, L. 2001. Alien weeds and invasive plants. *Plant Protection Research Institute Handbook* No. 12. Agricultural Research Council, Pretoria.
- HILLIARD, O.M. 1983. Asteraceae, Inuleae, Gnaphaliinae. *Flora of southern Africa* 33. Department of Agriculture, Pretoria.
- HILLIARD, O.M. & BURTT, B.L. 1987. *The botany of the southern Natal Drakensberg*. National Botanic Gardens, Cape Town.
- HUTCHINSON, J. 1964. *The genera of flowering plants (Angiosperm)*. Clarendon Press, Oxford.
- JACOT GUILLARMOD, A. 1971. *Flora of Lesotho*. Verlag von Cramer, Lehre, Germany.
- KILLICK, D.J.B. (ed.). 1975. *Bothalia* 11: 371–586. Botanical Research Institute, Department of Agricultural Technical Services, Pretoria.
- KILLICK, D.J.B. (ed.). 1976–1979. *Bothalia* 12: 1–775. Botanical Research Institute, Department of Agricultural Technical Services, Pretoria.
- KILLICK, D.J.B. (ed.). 1980–1981. *Bothalia* 13: 1–599. Botanical Research Institute, Pretoria.
- KILLICK, D.J.B. (ed.). 1982–1983. *Bothalia* 14: 1–1023. Botanical Research Institute, Pretoria.
- KILLICK, D.J.B. (ed.). 1984–1985. *Bothalia* 15: 1–779. Botanical Research Institute, Pretoria.
- KOBISI, K. & KOSE, L.E. 2002. A checklist of Lesotho grasses. *Southern African Botanical Diversity Network Report* No. 17. SABONET, Pretoria.
- LEISTNER, O.A. (ed.). 1986. *Bothalia* 16: 1–280. Botanical Research Institute, Pretoria.
- LEISTNER, O.A. (ed.). 1987. *Bothalia* 17: 1–304. Botanical Research Institute, Pretoria.
- LEISTNER, O.A. (ed.). 1988. *Bothalia* 18: 1–332. Botanical Research Institute, Pretoria.
- LONGMAN LESOTHO. 2001. *Primary atlas for Lesotho*. CTP Book Printers, Cape Town.
- LOW, A.B. & REBELO, A.G. (eds). 1996. *Vegetation of South Africa, Lesotho and Swaziland*. Map scale 1:2,000,000. Department of Environmental Affairs & Tourism, Pretoria.
- MAGILL, R.E. 1981. *Flora of southern Africa*, Bryophyta, part 1, fascicle 1. Botanical Research Institute, Department of Agriculture and Fisheries, Pretoria.
- MAGILL, R.E. 1987. *Flora of southern Africa*, Bryophyta, part 1, fascicle 2. Botanical Research Institute, Department of Agriculture and Water Supply, Pretoria.
- MALIEHE, E.B. 1997. *Medicinal plants and herbs of Lesotho, a visual guide to 60 species from around the country*. Mafeteng Development Project, Lesotho.
- MAY, E.D. 2000. *The indigenous forests of Lesotho*. Morija Printing Works, Morija, Lesotho.
- MOFFET, R.O. 1993. *Rhus*. *Flora of southern Africa* 19,3,1. National Botanical Institute, Pretoria.
- MOKUKU, C. 1997. Biodiversity and protected areas. In Q.K. Chakela, *State of environment in Lesotho*: 145–161. National Environmental Secretariat, Maseru.
- MORLEY, B.D. 1974. *Wild flowers of the world*. Mandarin Publishers, Hong Kong.
- OBERMEYER, A.A., IMMELMAN, K.L. & BOS, J.J. 1992. Dracaenaceae, Asparagaceae, Luzuriagaceae and Smilacaceae. *Flora of southern Africa* 5,3. National Botanical Institute, Pretoria.
- OBERMEYER, A.A., LEWIS, J. & FADEN, R.B. 1985. Xyridaceae–Juncaceae. *Flora of southern Africa* 4,2. Department of Agriculture and Water Supply, Pretoria.
- PHILLIPS, E.P. 1917. A contribution to the Flora of the Leribe Plateau and environs. *Annals of the South African Museum* 16: 1–379. Adlard & West Newman, London.
- PHILLIPS, E.P. 1951. The genera of South African flowering plants, edn 2. *Memoirs of the Botanical Survey of South Africa* No. 25.
- POOLEY, E. 1993. *The complete field guide to trees of Natal, Zululand and Transkei*. Natal Flora Publications Trust,

- Durban.
- POOLEY, E. 1998. *A field guide to wild flowers of KwaZulu-Natal and the eastern region*. Natal Flora Publications Trust, Durban.
- POOLEY, E. 2003. *Mountain flowers. A field guide to the flora of the Drakensberg and Lesotho*. The Flora Publications Trust, Durban.
- PUFF, C. 1986. Rubiaceae. *Flora of southern Africa* 31,1,2, Rubioideae (second part). Botanical Research Institute, Department of Agriculture and Water Supply, Pretoria.
- REYNOLDS, G.W. 1950. *The aloes of South Africa*. The Trustees of the Aloes of South Africa Book Fund, Johannesburg.
- REYNOLDS, G.W. 1966. *The aloes of tropical Africa and Madagascar*. The Trustees of the Aloes Book Fund, Mbabane, Swaziland.
- SCHELPE, E.A.C.L.E. & ANTHONY, N.C. 1986. *Flora of southern Africa*, Pteridophyta. Botanical Research Institute, Department of Agriculture and Water Supply, Pretoria.
- SCHMITZ, M.O. 1982. *Wild flowers of Lesotho*. ESSA, Roma, Lesotho.
- SHEAT, W.G. 1982. *The A-Z of gardening in South Africa*. Struik, Cape Town.
- SMIT, N. 1999. *Guide to the acacias of South Africa*. Briza, Pretoria.
- SMITH, G.F., CHESSELET, P., VAN JAARSVELD, E.J., HARTMANN, H., HAMMER, S., VAN WYK, B.-E., BURGOYNE, P., KLAKE, C. & KURZWEIL, H. 1998. *Mesems of the world*. Briza, Pretoria.
- SMITH, G.F., VAN JAARSVELD, E.J., ARNOLD, T.H., STEFFENS, F.E., DIXON, R.D. & RETIEF, J.A. 1998. *List of southern African succulent plants*. Umdaus Press, Hatfield, South Africa.
- STAPLES, R.R. & HUDSON, W.K. 1938. *An ecological survey of the mountain area of Basutoland*. Garden City Press, Hertfordshire.
- STEWART, J. & HENNESSY, E.F. 1981. *Orchids of Africa*. Macmillan South Africa, Johannesburg.
- TOELKEN, H.R. 1985. Crassulaceae. *Flora of southern Africa* 14. Department of Agriculture and Water Supply, Pretoria.
- VAN WYK, B. & VAN WYK, P. 1997. *Field guide to trees of southern Africa*. Struik, Cape Town.
- VAN WYK, B.-E. & GERICKE, N. 2000. *People's plants. A guide to useful plants of southern Africa*. Briza, Pretoria.
- VAN WYK, B.-E. & SMITH, G. 1996. *Guide to the aloes of South Africa*. Briza, Pretoria.
- VAN WYK B.-E., VAN OUDTSHOORN, B. & GERICKE, N. 1997. *Medicinal plants of South Africa*. Briza, Pretoria.
- VENTER, F. & VENTER, J.-A. 1996. *Making the most of indigenous trees*. Briza, Pretoria.
- VON BREITENBACH, F. 1984. *National list of introduced trees*. Dendrological Foundation, Pretoria.
- WILD, H. 1984. Tiliaceae. *Flora of southern Africa* 21,1. Department of Agriculture, Pretoria.



Rabiea lesliei near Koro-Koro River—Mokema.
(Photo: Moretloa Polaki)



Erica cerinthoides with its beautiful flowers.
(Photo: Moretloa Polaki)

BRYOPHYTA

ANDREAEACEAE

- ANDREAEA** Hedw. **9734800**
rupestris Hedw.
(A. petrophila (Ehrh.) Fuernr.)
 Arnold & De Wet: 17 M

ARCHIDIACEAE

- ARCHIDIUM** Brid. **9736100**
capense Hornsch.
(A. campylopodium Müll.Hal.)
(A. compactum Müll.Hal. forma tenerior Müll.Hal.)
 Arnold & De Wet: 19 M
julicaule Müll.Hal.
 Arnold & De Wet: 19 M

BARTRAMIACEAE

- ANACOLIA** Schimp. **9754900**
breutelii (Schimp. ex Müll.Hal.) Magill var. **breutelii**
(Bartramia afrostricta Müll.Hal.)
(Breutelia breutelii (Müll.Hal.) Broth.)
 Arnold & De Wet: 35 L, F, M
breutelii (Schimp. ex Müll.Hal.) Magill var. **squarrifolia**
 (Sim) Magill
(Bartramia squarrifolia Sim)
 Arnold & De Wet: 35 M

- BARTRAMIA** Hedw. **9755000**
hampeana Müll.Hal.
(B. asperrima Müll.Hal.)
(B. penicillata Müll.Hal.)
(B. ramentosa Müll.Hal.)
 Arnold & De Wet: 34 M

- BREUTELIA** (Bruch & Schimp.) Schimp. **9755200**
substricta (Schimp.) Magill
(B. afroscoparia (Müll.Hal.) Paris)
(Philonotis afrofontana (Müll.Hal.) Paris var. breviseta (Müll.Hal.) Paris)
 Arnold & De Wet: 34 M

- CONOSTOMUM** Sw. **9755300**
pentastichum (Brid.) Lindb.
 Arnold & De Wet: 35 M

- PHILONOTIS** Brid. **9755400**
dregeana (Müll.Hal.) A.Jaeger
 Arnold & De Wet: 34 M
falcata (Hook.) Mitt.
 Arnold & De Wet: 34 L, F, M
globosa (Müll.Hal.) D.G.Griffin & W.R.Buck
(Bartramidula globosa (Müll.Hal.) Broth.)
 Arnold & De Wet: 34 F, M
hastata (Duby) Wijk & Margad.
 Arnold & De Wet: 34 F
scabrifolia (Hook.f. & Wilson) Braithw.
 Arnold & De Wet: 34 M

- PLAGIOPUS** Brid. **9755500**
oederianus (Sw.) H.A.Crum & L.E.Anderson
 Germishuizen & Meyer: 4 M

- QUATHLAMBA** Magill **9755600**
debilicostata Magill
 Arnold & De Wet: 35 M

BRACHYTHECIACEAE

- BRACHYTHECIUM** Schimp. **9775400**
implicatum (Hornsch. ex Müll.Hal.) A.Jaeger
 Arnold & De Wet: 43 F
plumosum (Hedw.) Schimp.
 Arnold & De Wet: 43 M
subrutabulum (Müll.Hal.) A.Jaeger
 Arnold & De Wet: 43 L

- PALAMOCLADIUM** Müll.Hal. **9775700**
leskeoides (Hook.) E.Britton
(Homalothecium afrostriatum (Müll.Hal.) Ochyra)
(P. sericeum (A.Jaeger) Müll.Hal.)
(Pleuropus sericeus (A.Jaeger) Broth.)
 Germishuizen & Meyer: 5 L, M

BRUCHIACEAE

- CLADOPHASCUM** Dixon **9739000**
gymnomitrioides (Dixon) Dixon
(Aongstroemia gymnomitrioides Dixon)
 Arnold & De Wet: 22 L, F

BRYACEAE

- ANOMOBRYUM** Schimp. **9750000**
drakensbergense Van Rooy
 Arnold & De Wet: 30 M
julaceum (Schrad. ex P.Gartn., B.Mey. & Scherb.) Schimp.
(A. filiforme (Dicks.) Husn., nom. illeg.)
(A. promontorii (Müll.Hal.) Dixon)
 Germishuizen & Meyer: 6 L, F

- BRACHYMENIUM** Schwägr. **9750100**
acuminatum Harv.
(B. borgenianum Hampe)
(B. lonchopus P.de la Varde)
(B. pallidojulaceum (Müll.Hal.) Paris)
(Mielichhoferia squarrulosa Müll.Hal.)
 Arnold & De Wet: 31 M

- BRYUM** Hedw. **9750200**
alpinum Huds. ex With.
(B. afroalpinum Rehmann Müll.Hal.)
(B. wilmsii Müll.Hal.)
(Pohlia simii Schelpe)
 Arnold & De Wet: 31 M, S
andicola Hook.
(B. pumiliroseum Dixon)
 Arnold & De Wet: 31 M

argenteum Hedw.(B. *argenteum* Hedw. var. *proliferum* Sim)(B. *argenteum* Hedw. var. *viride* Sim)(B. *capensiargenteum* Müll.Hal.)

Arnold & De Wet: 31

L, F, M, S

aubertii (Schwägr.) Brid.(Mnium *aubertii* Schwägr.)

Arnold & De Wet: 31

L, M

caespiticium Hedw.

Arnold & De Wet: 31

M, S

canariense Brid.(B. *canariensisiforme* Dixon)(B. *mundii* Müll.Hal.)(B. *pervirens* Müll.Hal.)

Arnold & De Wet: 31

L

capillare Hedw.

Arnold & De Wet: 31

L

cellulare Hook.(B. *argenteum* Hedw. var. *rotundifolium* Sim)

Arnold & De Wet: 31

F, M, S

pseudotriquetrum (Hedw.) P.Gaertn., B.Mey. & Scherb.(B. *aulacomnioides* Müll.Hal.)(B. *aulacomnioides* Müll.Hal. var. *limbatum* Sim)(B. *bracymeniaceum* Müll.Hal.)

Arnold & De Wet: 32

F, M

pycnophyllum (Dixon) Mohamed(B. *truncorum* (Brid.) Brid. var. *pycnophyllum* Dixon)

Arnold & De Wet: 32

L, F, M, S

torquescens Bruch ex De Not.(B. *aterrimum* Müll.Hal. ex Sim)(B. *decursivum* Müll.Hal.)(B. *lonchopyxis* Müll.Hal.)

Arnold & De Wet: 32

M

turbinatum (Hedw.) Turner(B. *radicale* Rehmann ex Dixon)

Arnold & De Wet: 32

M

PLAGIOBRYUM Lindb.**9750800****zierii** (Dicks. ex Hedw.) Lindb.

Arnold & De Wet: 32

M

RHODOBRYUM (Schimp.) Limpr.**9751000****roseum** (Hedw.) Limpr.(R. *leucothrix* (Müll.Hal.) Broth.)(R. *spatulatum* (Hornsch.) Pócs in Bizot & Pócs)

Arnold & De Wet: 33

M

DICRANACEAE

AMPHIDIUM Schimp.**9757900****lapponicum** (Hedw.) Schimp.

Arnold & De Wet: 36

M

tortuosum (Hornsch.) Cufod.(A. *cyathicarpum* (Mont.) Broth.)

Arnold & De Wet: 36

M

AONGSTROEMIA Bruch & Schimp.**9738500****julacea** (Hook.) Mitt.

Arnold & De Wet: 20

M

CAMPYLOPUS Brid.**9738800****bicolor** (Hornsch ex Müll.Hal.) Wilson subsp.**atroluteus** (Müll.Hal.) J.-P.Frahm(C. *atroluteus* (Müll.Hal.) Paris)

Germishuizen & Meyer: 9L, F, M

introflexus (Hedw.) Brid.(C. *bartramiaceus* (Müll.Hal.) Thér., nom. illeg.)(C. *echinatus* Rehmann ex Sim, nom. illeg.)(C. *lepidophyllus* (Müll.Hal.) A.Jaeger)

Arnold & De Wet: 21

F, M

pilifer Brid.(C. *bewsii* Sim)(C. *griseolus* (Müll.Hal.) Paris)(C. *leucobasis* Paris)(C. *polytrichoides* De Not.)(C. *weisiopsis* (Müll.Hal.) Paris)

Arnold & De Wet: 21

L, F, M

pyriformis (F.W.Schultz) Brid.(C. *leptotrichaceus* (Müll.Hal.) Paris)

Germishuizen & Meyer: 10

thwaitesii (Mitt.) A.Jaeger(C. *capensis* Broth.)(C. *chlorotrichus* (Müll.Hal.) Paris)(C. *stenopelma* (Müll.Hal.) Rehmann ex Paris)(C. *tenax* (Müll.Hal.) Paris)

Germishuizen & Meyer: 10

M

DICRANELLA (Müll.Hal.) Schimp.**9739100****cardotii** (R.Br.) Dixon(Anisothecium *symonsii* (Dixon) Broth.)(D. *symonsii* Dixon)

Germishuizen & Meyer: 11

M

LEPTOTRICHELLA (Müll.Hal.) Lindb.**9739450****minuta** (Hampe) Ochyra(Dicranella *minuta* (Hampe) A.Jaeger)(Microdus *minutus* (Hampe) Besch.)

Germishuizen & Meyer: 11

M

OREOWEISIA (Bruch & Schimp.) De Not.**9739900****erosa** (Hampe ex Müll.Hal.) Kindb.

Arnold & De Wet: 23

F, M

SPHAEROTHECIUM Hampe**9740100****subchlorophyllosum** (Müll.Hal.) J.-P.Frahm(Campylopus *basalticolus* (Müll.Hal.) Paris)(Campylopus *subchlorophyllosum* Müll.Hal.)

Arnold & De Wet: 23

M

DITRICHACEAE

CERATODON Brid.**9736700****purpureus** (Hedw.) Brid. subsp. **stenocarpus** (Bruch & Schimp. ex Müll.Hal.) Dixon(C. *stenocarpus* Bruch & Schimp. ex Müll.Hal.)

Arnold & De Wet: 19

M, S

DISTICHIMUM Bruch & Schimp.**9736900****capillaceum** (Hedw.) Bruch & Schimp.

Arnold & De Wet: 19

M, S

DITRICHUM Hampe**9737000****strictum** (Hook.f. & Wilson) Hampe

Arnold & De Wet: 20

M

PLEURIDIUM Rabenh. **9737200**
nervosum (Hook.) Mitt.
 Arnold & De Wet: 20 M

SAELANIA Lindb. **9737300**
glaucescens (Hedw.) Broth.
(Ditrichum glaucescens (Hedw.) Hampe)
 Arnold & De Wet: 20 M

TRISTICHIMUM Müll.Hal. **9737400**
mirabile (Müll.Hal.) Herzog
 Arnold & De Wet: 20 M

ENCALYPTACEAE

ENCALYPTA Hedw. **9741600**
ciliata Hedw.
 Arnold & De Wet: 24 M
vulgaris Hedw.
 Arnold & De Wet: 24 M

ENTODONTACEAE

ENTODON Müll.Hal. **9776500**
cymbifolius Wager & Dixon
 Arnold & De Wet: 43 M
natalensis Rehmann ex Müll.Hal.
 Arnold & De Wet: 43 L

EPHEMERACEAE

EPHEMERUM Hampe **9747900**
capense Müll.Hal.
 Arnold & De Wet: 29 L, M, S

EUSTICHIACEAE

EUSTICHIA (Brid.) Brid. **9752700**
longirostris (Brid.) Brid.
(E. africana (Müll.Hal.) Paris)
 Arnold & De Wet: 33 M

FABRONIACEAE

FABRONIA Raddi **9769700**
abyssynica Müll.Hal.
 Arnold & De Wet: 41 L
pilifera Hornsch.
 Arnold & De Wet: 41 M

FISSIDENTACEAE

FISSIDENS Hedw. **9735400**
bogosicus Müll.Hal.
(F. calochlorus Dixon)
(F. microandrogynus Dixon)
(F. parvilimbatus Sim)
(F. pectinidens Dixon)
 Germishuizen & Meyer: 15 F, M
bryoides Hedw.
(F. androgynus Bruch. ex Krauss)
(F. gueinzii Müll.Hal.)

(F. malacobryoides Müll.Hal.)
 Arnold & De Wet: 18 L
ovatus Brid.
(F. cymatophyllus Müll.Hal.)
(F. glaucescens Hornsch.)
(F. lanceolatus Hampe)
(F. mucronatus Schimp. ex Müll.Hal.)
 Germishuizen & Meyer: 15 M
rufescens Hornsch.
(F. minutiretis Dixon)
 Arnold & De Wet: 19 S

FUNARIACEAE

FUNARIA Hedw. **9748600**
bergiana (Hornsch.) Broth.
(Entosthodon bergianus (Hornsch.) Müll.Hal.)
(F. gymnostoma Dixon)
 Arnold & De Wet: 29 L, S
hygrometrica Hedw.
(F. gracilescens Schimp. ex Müll.Hal.)
(F. lonchopelma Müll.Hal.)
 Arnold & De Wet: 30 L, M
rottleri (Schwägr.) Broth.
(Entosthodon campylopodioides Müll.Hal.)
(Entosthodon rottleri (Schwägr.) Müll.Hal.)
 Arnold & De Wet: 30 F, M
spathulata Schimp. ex Müll.Hal.
(Entosthodon spathulatus (Schimp. ex Müll.Hal.) Sim)
 Arnold & De Wet: 30 M
succuleata (Wager & C.H.Wright) Broth. ex Magill
(F. harveyana Magill)
 Arnold & De Wet: 30 S

GONIOMITRIUM Hook.f & Wilson **9748700**
africanum (Müll.Hal.) Broth.
 Arnold & De Wet: 30 M

GIGASPERMACEAE

GIGASPERMUM Lindb. **9747300**
repens (Hook.) Lindb.
(G. breutelli (Müll.Hal.) Paris)
 Arnold & De Wet: 29 S

OEDIPODIELLA Dixon **9747400**
australis (Wager & Dixon) Dixon
 Arnold & De Wet: 29 S

GRIMMIACEAE

GRIMMIA Hedw. **9746400**
laevigata (Brid.) Brid.
(G. campestris Burch. ex Hook.)
(G. senilis J.Shaw)
 Arnold & De Wet: 28 F, M, S
pulvinata (Hedw.) Sm.
(G. drakensbergensis Sim)
(G. leptotricha Müll.Hal.)
(G. pulvinata (Hedw.) Sm. var. africana (Hedw.) Hook. & Wilson)
 Arnold & De Wet: 28 L, F, M, S

RACOMITRIUM Brid. **9746600**
crispulum (Hook.f. & Wilson) Hook.f. & Wilson
(R. austropatens Broth.)
(R. capense Lor.)
(R. drakensbergense Sim)
 Arnold & De Wet: 28 M

SCHISTIDIUM Bruch & Schimp. **9746700**
apocarpum (Hedw.) Bruch & Schimp.
(Grimmia apocarpa Hedw.)
(Grimmia boschbergiana Müll.Hal.)
(Grimmia caffra Müll.Hal.)
(Grimmia depilis Müll.Hal.)
 Arnold & De Wet: 29 L, M

HEDWIGIACEAE

HEDWIGIA P.Beauv. **9761300**
ciliata (Hedw.) P.Beauv.
(H. macowaniana Müll.Hal.)
 Arnold & De Wet: 37 M

HEDWIGIDIUM Bruch & Schimp. **9761400**
integrifolium (P.Beauv.) Dixon
(Braunia erosa Müll.Hal.)
(Braunia macowaniana Müll.Hal.)
(H. maritimum (Müll.Hal.) Paris)
 Arnold & De Wet: 37 M

RHACOCARPUS Lindb. **9761500**
purpurascens (Brid.) Paris
(R. breutelianus (Müll.Hal.) Broth.)
(R. ecklonianus (Müll.Hal.) Broth.)
(R. gracillimus (Müll.Hal.) Broth.)
 Arnold & De Wet: 37 M

HYPNACEAE

HYPNUM Hedw. **9779700**
cupressiforme Hedw. var. **cupressiforme**
 Germishuizen & Meyer: 19 M
cupressiforme Hedw. var. **lacunosum** Brid.
 Germishuizen & Meyer: 19 L, M

LESKEACEAE

LINDBERGIA Kindb. **9771800**
patentifolia Dixon
 Arnold & De Wet: 41 M
pseudoleskeoides Dixon
 Arnold & De Wet: 41 F

PSEUDOLESKEA Bruch & Schimp. **9771900**
leskeoides (Paris) Müll.Hal.
(P. macowaniana Müll.Hal.)
 Arnold & De Wet: 41 F

PSEUDOLESKEOPSIS Broth. **9772000**
claviramea (Müll.Hal.) Thér.
(Pseudoleskea claviramea (Müll.Hal.) A.Jaeger)
 Arnold & De Wet: 41 L

pseudo-attenuata (Müll.Hal.) Thér.
 Arnold & De Wet: 41 L

MEESIACEAE

LEPTOBRYUM (Schimp.) Wilson **9750400**
pyriforme (Hedw.) Wilson
 Arnold & De Wet: 32; Germishuizen & Meyer: 22 M

MNIACEAE

MIELICHHOFERIA Nees & Hornsch. **9750500**
bryoides (Harv.) Wijk & Margad.
(M. ecklonii Hornsch.)
(M. rehmannii Müll.Hal.)
(M. transvaaliensis Müll.Hal.)
 Arnold & De Wet: 32; Germishuizen & Meyer: 23 L, F, M
subnuda Sim
(M. cholnokyi P.de la Varde)
 Arnold & De Wet: 32; Germishuizen & Meyer: 23 F, M

PLAGIOMNIUM T.J.Kop. **9752200**
rhynchophorum (Hook.) T.J.Kop. var. **reidii** (Dixon)
 T.J.Kop.
(Mnium ecklonii Müll.Hal.)
(Mnium rostratum Schrad. var. *reidii* Dixon)
 Arnold & De Wet: 33 M

POHLIA Hedw. **9750900**
baronii Wijk & Margad.
 Arnold & De Wet: 32; Germishuizen & Meyer: 23 M
cruda (Hedw.) Lindb.
(P. depauperata (Sim) Schelpe)
(Webera cruda (Hedw.) Fürnr.)
 Arnold & De Wet: 32; Germishuizen & Meyer: 23 F, M
elongata Hedw.
(Webera elongata (Hedw.) Schwägr.)
(W. leptoblepharon (Müll.Hal.) A.Jaeger)
(W. mielichhoferia (Müll.Hal.) Paris)
 Arnold & De Wet: 32; Germishuizen & Meyer: 23 M

ORTHOTRICHACEAE

MACROCOMA (Hornsch. ex Müll.Hal.) Grout **9758100**
tenuis (Hook. & Grev.) Vitt subsp. **tenuis**
 Germishuizen & Meyer: 24 M

ORTHOTRICHUM Hedw. **9758300**
oreophilum Lewinsky & Van Rooy
 Arnold & De Wet: 36 M
rupestre Schleich. ex Schwägr.
(O. macleai Rehmann ex Sim)
 Arnold & De Wet: 36 M

ZYGODON Hook. & Taylor **9758700**
intermedius Bruch & Schimp.
(Z. transvaaliensis Rehmann ex Sim)
 Germishuizen & Meyer: 25 M

POLYTRICHACEAE

ATRICHUM P.Beauv. **9781100**

Arnold & De Wet: 27

L, F, M, S

TRIQUETRELLA Müll.Hal.**9745200****tristicha** (Müll.Hal.) Müll.Hal.*(T. strictissima* Rehmann ex Müll.Hal.)

Arnold & De Wet: 27

F

WEISSIA Hedw.**9745400****controversa** Hedw.*(W. oranica* Müll.Hal.)*(W. vallis-gratiae* Müll.Hal.)*(W. viridula* Hewd. ex Brid.)

Arnold & De Wet: 27

M, S

dieterlenii Thér.*(W. controversa* Hedw. var. *pillansii* Schelpe)

Arnold & De Wet: 28

F, M

PTYCHOMITRIACEAE

PTYCHOMITRIUM Fürnr.**9757400****crispatum** (Hedw.) A.Jaeger

Arnold & De Wet: 35

M

cucullatifolium (Müll.Hal.) A.Jaeger*(P. obtusatum* (Müll.Hal.) Paris)

Arnold & De Wet: 35

L, F, M, S

diexaratum Magill

Arnold & De Wet: 35

M

subcrispatum Thér. & P.de la Varde*(P. marginatum* (Wager ex Dixon) Dixon)

Arnold & De Wet: 35

L, M

SELIGERIACEAE

BLINDIA Bruch & Schimp.**9737900****magellanica** Schimp.

Arnold & De Wet: 20

F, M

SEMATOPHYLLACEAE

SEMATOPHYLLUM Mitt.**9778800****brachycarpum** (Hampe) Broth.

Arnold & De Wet: 44

M

WIJKIA H.A.Crum**9779000****trichocolea** (Müll.Hal.) H.A.Crum*(Acanthocladium trichocolea* (Müll.Hal.) Broth.)

Arnold & De Wet: 45

M

THUIDIACEAE

ABIETINELLA Müll.Hal.**9772500****abietina** (Hedw.) M.Fleisch.

Arnold & De Wet: 42

Possibly occurring in Lesotho

THUIDIUM Bruch & Schimp.**9773000****matarumense** Besch.*(T. promontorii* (Müll.Hal.) Paris)

Arnold & De Wet: 42

F, M

HEPATOPHYTA

ADELANTHACEAE

ADELANTHUS Mitt.**9729100****lindenbergianus** (Lehm.) Mitt.*(A. sphalerus* (Hook.f. & Taylor) Steph.)*(A. unciformis* (Hook.f. & Taylor) Spruce)

Arnold & De Wet: 13

M

AYTONIACEAE

ASTERELLA P.Beauv.**9710700****bachmannii** (Steph.) S.W.Arnell

Arnold & De Wet: 7

F, M

PLAGIOCHASMA Lehm. & Lindenb.**9710900****rupestre** (J.R.Forst. & G.Forst.) Steph. var. **rupestre***(P. algericum* Steph.)*(P. dschallanum* Steph.)*(P. tenue* Steph.)

Arnold & De Wet: 7; Germishuizen & Meyer: 42

L, M

rupestre (J.R.Forst. & G.Forst.) Steph. var. **volkii**

Bischn.

Germishuizen & Meyer: 42

EXORMOTHECACEAE

EXORMOTHECA Mitt.**9712000****pustulosa** Mitt.*(E. africana* Steph.)

Arnold & De Wet: 8

F

GYMNOMITRIACEAE

STEPHANIELLA Jack**9725600****paraphyllina** Jack

Arnold & De Wet: 14

M

HERBERTACEAE

HERBERTUS Gray**9733200****capensis** (Steph.) Sim

Arnold & De Wet: 14

M

JUBULACEAE

FRULLANIA Raddi**9719600****ericoides** (Nees) Mont.*(F. squarrosa* Gottsche, Lindenb. & Nees)

Arnold & De Wet: 9

L

JUNGERMANNIACEAE

ANASTROPHYLLUM (Spruce) Steph.**9723500****auritum** (Lehm.) Steph.

Arnold & De Wet: 14

M

LOPHOZIA (Dumort.) Dumort.**9724000****argentina** (Steph.) R.M.Schust.*(L. montaguensis* S.W.Arnell)

Arnold & De Wet: 14

M

LOPHOCOLEACEAE

CLASMATOCOLEA Spruce **9727900**
vermicularis (Lehm.) Grolle
 Arnold & De Wet: 13 F

LOPHOCOLEA (Dumort.) Dumort. **9728000**
concreta Mont.
 (*L. rehmannii* Steph.)
 Arnold & De Wet: 13 L

MARCHANTACEAE

MARCHANTIA L. **9713200**
pappeana Lehm. subsp. **papeana**
 (*M. wilmsii* Steph.)
 Germishuizen & Meyer: 54 L

METZGERIACEAE

METZGERIA Raddi **9717400**
violacea (Ach.) Dumort.
 Arnold & De Wet: 8 Possibly occurring in Lesotho

RICCIACEAE

RICCIA L. **9714200**
ampullacea Perold
 Arnold & De Wet: 5 M

bullosa Link ex Lindenb.

(*R. montaguensis* S.W.Arnell)

Arnold & De Wet: 5 M

cavernosa Hoffm. emend. Raddi

(*R. rautanenii* Steph.)

Arnold & De Wet: 6 M

crinita Taylor

(*R. canescens* Steph.)

Germishuizen & Meyer: 58

crystallina L. emend. Raddi

(*R. plana* Taylor)

Arnold & De Wet: 6 M

montana Perold

Arnold & De Wet: 6 F, M

nigrella DC.

Arnold & De Wet: 6 M

sorocarpa Bisch.

Arnold & De Wet: 6 M

stricta (Lindenb.) Perold

Arnold & De Wet: 6 F

trachyglossum Perold

Arnold & De Wet: 6 M

TARGIONIACEAE

TARGIONIA L. **9710200**
hypophylla L.

(*T. capensis* Huebener)

Arnold & De Wet: 7 M

ANTHOCEROPHYTA

ANTHOCEROTACEAE

PHAEOCEROS Prosk. **9733800**

carolinianus (Michx.) Prosk.

(*P. laevis* (L.) Prosk. subsp. *carolinianus* (Michx.) Prosk.)

Germishuizen & Meyer: 64 L

PTERIDOPHYTES

ANEMIACEAE

MOHRIA Sw. **0128000**
nudiuscula J.P.Roux
 (*M. caffrorum* (L.) Desv. var. *ferruginea* J.E.Burrows &
 S.M.Burrows)
 Germishuizen & Meyer: 66 L, M
rigida J.P.Roux
 Arnold & De Wet: 49; Germishuizen & Meyer: 66 L, M

ASPLENIACEAE

ASPLENIUM L. **0201400**
aethiopicum (Burm.f.) Bech. subsp. **dodecaploideum**
 A.F.Braithw.
 Germishuizen & Meyer: 66 L, M
aethiopicum (Burm.f.) Bech. subsp. **filare** (Forssk.)
 A.F.Braithw.
 Germishuizen & Meyer: 66 L, M
cordatum (Thunb.) Sw.
 (*Ceterach cordatum* (Thunb.) Desv.)
 Germishuizen & Meyer: 67 L
monanthes L.

Arnold & De Wet: 56 L

platyneuron (L.) Britton, Sterns & Poggenb.

Germishuizen & Meyer: 67 L, M

splendens Kuntze

Arnold & De Wet: 56 L, M

trichomanes L.

Arnold & De Wet: 56 L, M

BLECHNACEAE

BLECHNUM L. **0200000**
australe L.

Germishuizen & Meyer: 68 L

punctulatum Sw. var. **punctulatum**

Arnold & De Wet: 60 L

DRYOPTERIDACEAE

DRYOPTERIS Adans. **0190500**

athamantica (Kuntze) Kuntze

Arnold & De Wet: 58; Germishuizen & Meyer: 70 F

dracomontana Schelpe & N.C.Anthony

Arnold & De Wet: 58; Germishuizen & Meyer: 70 M

inequalis (Schltdl.) Kuntze

Arnold & De Wet: 58; Germishuizen & Meyer: 70

L, F

POLYSTICHUM Roth**0190900****luctuosum** (Kuntze) T.Moore

Arnold & De Wet: 59; Germishuizen & Meyer: 71

L

pungens (Kaulf.) C.Presl*(P. lucidum* sensu Schelpe, non (Burm.f.) Bech.)

Arnold & De Wet: 59; Germishuizen & Meyer: 71

L, M

transvaalense N.C.Anthony

Arnold & De Wet: 59; Germishuizen & Meyer: 71

L

EQUISETACEAE**EQUISETUM** L.**0111100****ramosissimum** Desf.

Arnold & De Wet: 48

L, F

GLEICHENIACEAE**GLEICHENIA** Sm.**0118700****polypodioides** (L.) Sm.

Arnold & De Wet: 49

L

ISOETACEAE**ISOETES** L.**0114100****transvaalensis** Jermy & Schelpe

Arnold & De Wet: 48

M

LOMARIOPSIDACEAE**ELAPHOGLOSSUM** Schott ex J.Sm.**0198600****acrostichoides** (Hook. & Grev.) Schelpe

Arnold & De Wet: 58

L

LYCOPODIACEAE**HUPERZIA** Bernh.**0112000****saururus** (Lam.) Trevis.*(Lycopodium saururus* Lam.)

Germishuizen & Meyer: 75

L

LYCOPodium L.**0112200****clavatum** L.

Arnold & De Wet: 47

M

MARSILEACEAE**MARSILEA** L.**0203100****macrocarpa** C.Presl

Arnold & De Wet: 50

L

OPHIOGLOSSACEAE**OPHIOGLOSSUM** L.**0115200****polyphyllum** A.Braun

Arnold & De Wet: 48

L

vulgatum L. subsp. **africanum** Pocock ex J.E.Burrows
var. **africanum**

Germishuizen & Meyer: 78

L

POLYPODIACEAE**PLEOPELTIS** Humb. & Bonpl. ex Willd.**0164900****macrocarpa** (Bory ex Willd.) Kaulf.

Arnold & De Wet: 55

L

POLYPODIUM L.**0163700****vulgare** L.

Arnold & De Wet: 55

M

PSILOTACEAE**PSILOTUM** Sw.**0110100****nudum** (L.) P.Beauv.

Germishuizen & Meyer: 80

L

PTERIDACEAE**ADIANTUM** L.**0138500****capillus-veneris** L.

Germishuizen & Meyer: 80

L, M, S

poiretii Wikstr.*(A. thalictroides* sensu Sim)

Arnold & De Wet: 52; Germishuizen & Meyer: 80

L, F, M

ANOGRAMMA Link**0132200****leptophylla** (L.) Link

Germishuizen & Meyer: 80

L

CHEILANTHES Sw.**0136000****capensis** (Thunb.) Sw.

Germishuizen & Meyer: 81

F

eckloniana (Kuntze) Mett.*(Notholaena eckloniana* Kuntze)

Arnold & De Wet: 52; Germishuizen & Meyer: 81

L, F, M, S

hirta Sw.

Germishuizen & Meyer: 81

M

multifida (Sw.) Sw.*(C. multifida* (Sw.) Sw. subsp. *lacerata* N.C.Anthony & Schelpe)

Germishuizen & Meyer: 81

L

quadripinnata (Forssk.) Kuhn*(Pellaea quadripinnata* (Forssk.) Prantl)

Germishuizen & Meyer: 81

L, F, M

viridis (Forssk.) Sw. var. **viridis***(Pellaea viridis* (Forssk.) Prantl var. *viridis*)

Germishuizen & Meyer: 82

L, S

PELLAEA Link**0136800****calomelanos** (Sw.) Link var. **calomelanos**

Germishuizen & Meyer: 82

L, S

PTERIS L.**0140600****cretica** L.

Germishuizen & Meyer: 83

L, F, M

vittata L.

Germishuizen & Meyer: 83

L

SELAGINELLACEAE**SELAGINELLA** P.Beauv.**0113200****caffrorum** (Milde) Hieron.

Arnold & De Wet: 47	L	schimperii Moug. ex Fée	
dregei (C.Presl) Hieron.		Germishuizen & Meyer: 86	M
Arnold & De Wet: 47	L		
mittenii Baker		CYSTOPTERIS Bernh.	0195100
Arnold & De Wet: 47	L	fragilis (L.) Bernh.	
		Germishuizen & Meyer: 86	L, M
WOODSIACEAE		WOODSIA R.Br.	0195500
ATHYRIUM Roth	0194100	montevidensis (Spreng.) Hieron.	
scandicinum (Willd.) C.Presl		(<i>W. montevidensis</i> (Spreng.) Hieron. var. <i>burgessiana</i> (Gerrard ex	
Germishuizen & Meyer: 86	M	Hook. & Baker) Schelpe)	
		Germishuizen & Meyer: 86	M

GYMNOSPERMS

CUPRESSACEAE		Germishuizen & Meyer: 88	L, F, M, S
CUPRESSUS L.	0043000	*patula Schltdl. & Cham. var. patula	
*arizonica Greene		Germishuizen & Meyer: 88	L, F, M, S
(<i>P. glabra</i> Sudw.)		*pinaster Aiton	
Arnold & De Wet: 62	L	(<i>P. maritima</i> Poir)	
*sempervirens L. var. sempervirens		Von Breitenbach: 11	L, F, M, S
Von Breitenbach: 16	L	*radiata D.Don	
		(<i>P. insignis</i> Dougl.)	
		Arnold & De Wet: 62	L, F, M, S
PINACEAE		*roxburghii Sarg.	
PINUS L.	0022000	(<i>P. longifolia</i> Roxb.)	
*halepensis Mill. var. halepensis		Von Breitenbach: 11	L, F, M, S

DICOTYLEDONS

ACANTHACEAE		AMARANTHACEAE	
ADHATODA Mill.	8094020	ACHYRANTHES L.	2328000
andromeda (Lindau) C.B.Clarke		*aspera L. var. aspera	
(<i>Duvernoia andromeda</i> Lindau)		(<i>A. aspera</i> L. var. <i>obtusifolia</i> (Lam.) Suess.)	
Pooley (1998): 202		Pooley (1998): 528	L
BLEPHARIS Juss.	7980000	*aspera L. var. sicula L.	
espinosa E.Phillips		(<i>A. argentea</i> Lam.)	
Germishuizen & Meyer: 95		(<i>A. sicula</i> (L.) All.)	
subvolubilis C.B.Clarke		Arnold & De Wet: 248	L
Arnold & De Wet: 659; Germishuizen & Meyer: 96		ALTERNANTHERA Forssk.	2335000
Possibly occurring in Lesotho		*nodiflora R.Br.	
CRABBEA Harv.	7972000	(<i>A. sessilis</i> L. var. <i>nodiflora</i> (R.Br.) Kuntze)	
acaulis N.E.Br.		Arnold & De Wet: 249	L
Arnold & De Wet: 656	L	*pungens Kunth	
ISOGLOSSA Oerst.	8079000	(<i>Achyranthes repens</i> L.)	
grantii C.B.Clarke		(<i>A. repens</i> sensu (L.) Link, non J.F.Gmel.)	
Arnold & De Wet: 663	L	(<i>A. achyrantha</i> R.Br.)	
macowanii C.B. Clarke		Arnold & De Wet: 249	L, F
Arnold & De Wet: 663	F	AMARANTHUS L.	2299000
ACHARIACEAE		*deflexus L.	
GUTHRIEA Bolus	5376000	(<i>A. viridis</i> sensu T.Cooke & C.H.Wright, non L.)	
capensis Bolus		Arnold & De Wet: 245	L
Arnold & De Wet: 512	F, M	*hybridus L. subsp. hybridus var. hybridus	
		(<i>A. paniculatus</i> sensu T.Cooke & C.H.Wright)	
		(<i>A. powellii</i> S.Watson)	
		Arnold & De Wet: 245	L
		thunbergii Moq.	
		Arnold & De Wet: 246	L, F

CYATHULA Blume	2312000		
cylindrica Moq. var. cylindrica			
(<i>Achyranthes cylindrical</i> Bojer)			
(<i>C. albid</i> a Lopr.)			
(<i>Pupalia alopecurus</i> Fenzl ex Drège)			
Germishuizen & Meyer: 113		L	
uncinulata (Schrad.) Schinz			
(<i>C. globulifera</i> Moq.)			
Arnold & De Wet: 247		L, F	
GOMPHRENA L.	2338000		
* celosioides Mart.			
(<i>G. celosioides</i> Mart. forma <i>villosa</i> Suess.)			
(<i>G. decumbens</i> Jacq.)			
Arnold & De Wet: 249		L	
ANACARDIACEAE			
RHUS L.	4594000		
burchellii Sond. ex Engl.			
(<i>R. undulata</i> Jacq. var. <i>burchellii</i> (Sond) Schönland)			
(<i>R. undulata</i> Jacq. var. <i>tricrenata</i> (Engl.) R.Fern.)			
Arnold & De Wet: 476		L, F, S	
dentata Thunb.			
Arnold & De Wet: 477		L, F, M, S	
discolor E.Mey. ex Sond.			
Arnold & De Wet: 477		M	
divaricata Eckl. & Zeyh.			
(<i>R. dentata</i> Thunb. var. <i>fulvescens</i> (Engl.) Burtt Davy)			
Arnold & De Wet: 477		L, F, M, S	
dregeana Sond.			
Arnold & De Wet: 477		L, F, M, S	
erosa Thunb.			
Arnold & De Wet: 477		L, F, S	
gerrardii (Harv. ex Engl.) Diels			
(<i>R. gerrardii</i> (Harv. ex Engl.) Diels var. <i>basutorum</i> Schönland)			
(<i>R. gerrardii</i> (Harv. ex Engl.) Diels var. <i>latifolia</i> Schönland)			
(<i>R. montana</i> Diels var. <i>basutorum</i> (Schönland) R.Fern.)			
(<i>R. montana</i> Diels var. <i>gerrardii</i> (Harv. ex Engl.) R.Fern.)			
(<i>R. montana</i> Diels var. <i>latitifolia</i> (Schönland) R.Fern.)			
Pooley (1993): 254		L, S	
grandidens Harv. ex Engl.			
Pooley (1993): 254		L	
lancea L.f.			
Venter & Venter: 102		L, M	
leptodictya Diels			
Van Wyk & Van Wyk: 404		L	
pyroides Burch. var. gracilis (Engl.) Burtt Davy			
(<i>R. pyroides</i> Burch. var. <i>transvaalensis</i> Schönland)			
Arnold & De Wet: 478		L, M, S	
pyroides Burch. var. pyroides			
Arnold & De Wet: 478		L, F, S	
SCHINUS L.	4582000		
* molle L.			
Van Wyk & Van Wyk: 434		L	
APIACEAE			
ALEPIDEA F.Delaroche	5922000		
amatymbica Eckl. & Zeyh. var. amatymbica			
Arnold & De Wet: 527		F, M	
galpinii Dummer			
Arnold & De Wet: 528		M	
longifolia E.Mey. var. angusta Dummer			
Arnold & De Wet: 528		F	
longifolia E.Mey. var. longifolia			
Arnold & De Wet: 528		F	
natalensis J.M.Wood & M.S.Evans			
(<i>A. baurii</i> Kuntze)			
Pooley (1998): 160		M	
pilifera Weim.			
(<i>A. ciliaris</i> F.Delaroche)			
Arnold & De Wet: 528		L	
pusilla Weim.			
Arnold & De Wet: 528		M	
serrata Eckl. & Zeyh. var. serrata			
Arnold & De Wet: 528		L, F	
setifera N.E.Br.			
Arnold & De Wet: 528		L, M	
thodei Dummer			
Arnold & De Wet: 528		M	
woodii Oliv.			
(<i>A. tysonii</i> Dummer)			
Arnold & De Wet: 528		F, M	
ANTHRISCUS Pers.	5938000		
* sylvestris (L.) Hoffm. var. sylvestris			
Germishuizen & Meyer: 125		F	
APIUM L.	6004000		
* graveolens L.			
Arnold & De Wet: 530		S	
BERULA W.D.J.Koch	6038010		
erecta (Huds.) Coville subsp. thunbergii (DC.)			
B.L.Burtt			
(<i>Sium thunbergii</i> DC.)			
Pooley (1998): 296		L, M	
BUPLEURUM L.	5994000		
mundii Cham. & Schltdl.			
Arnold & De Wet: 529		L, M	
CENTELLA L.	5894000		
asiatica (L.) Urb.			
Arnold & De Wet: 526		L	
coriacea Nannf.			
Arnold & De Wet: 526		M, S	
glabrata L. var. natalensis Adamson			
Arnold & De Wet: 526		M	
CICLOSPERMUM Lag.	6004010		
* leptophyllum (Pers.) Sprague			
(<i>Apium leptophyllum</i> (Pers.) F.Muell. ex Benth.)			
Arnold & De Wet: 530		L, M	
CONIUM L.	5970000		
chaerophylloides (Thunb.) Sond.			
Arnold & De Wet: 529		L, F, M	
fontanum Hilliard & B.L.Burtt var. alticola Hilliard & B.L.Burtt			
Arnold & De Wet: 529		M	

fontanum Hilliard & B.L.Burt var. fontanum Arnold & De Wet: 529	M	humilis (E.Mey.) Schltr. Arnold & De Wet: 571	M
HETEROMORPHA Cham. & Schltdl. 5992000 arborescens (Spreng.) Cham. & Schltdl. var. abyssinica (<i>Bupleurum trifoliatum</i> H.L.Wendl.) (<i>H. trifoliata</i> (H.L.Wendl.) Eckl. & Zeyh.) Germishuizen & Meyer: 129	M	macropus (Schltr.) Schltr. Arnold & De Wet: 571	M
arborescens (Spreng.) Cham. & Schltdl. var. arborescens (<i>Bupleurum arborescens</i> Thunb., non Jacq., nom. illeg.) Germishuizen & Meyer: 129	L, M, S	multicaulis (E.Mey) Schltr. Arnold & De Wet: 571	L, F, M, S
PEUCEDANUM L. 6116000 caffrum (Meisn.) E.Phillips (<i>P. connatum</i> E.Mey.) (<i>Seseli caffrum</i> Meisn.) Arnold & De Wet: 533	L, F	stellifera Schltr. Pooley (1998): 418	L, F, M
capense (Thunb.) Sond. var. lanceolatum Sond. (<i>P. laevigatum</i> (Aiton) H. Wolff) Arnold & De Wet: 533	L, S	xysmalobioides Hilliard & B.L.Burt Arnold & De Wet: 572	M
thodei Arnold Arnold & De Wet: 533	M	ASPIDOGLOSSUM E.Mey. 6778010 araneiferum (Schltr.) Kupicha (<i>Schizoglossum araneiferum</i> Schltr.) Arnold & De Wet: 568	M
PIMPINELLA L. 6033000 caffra (Eckl. & Zeyh.) D.Dietr. Arnold & De Wet: 531	L, M	biflorum E.Mey. Arnold & De Wet: 568	L, F
stadensis Eckl. & Zeyh. D.Dietr. Arnold & De Wet: 531	M	interruptum (E.Mey.) Bullock (<i>Schizoglossum altissimum</i> Schltr.) (<i>Schizoglossum barberae</i> Schltr.) (<i>Schizoglossum interruptum</i> (E.Mey.) Schltr.) Arnold & De Wet: 569	L
POLEMANNIA Eckl. & Zeyh. 6045000 montana Schltr. & H. Wolff Arnold & De Wet: 531	F, M	lamellatum (Schltr.) Kupicha (<i>Schizoglossum lamellatum</i> Schltr.) Arnold & De Wet: 569	L, F
simplicior Hilliard & B.L.Burt Arnold & De Wet: 531	M	BRACHYSTELMA R.Br. 6870000 alpinum R.A.Dyer Arnold & De Wet: 573	M
SANICULA L. 5918000 elata Buch.-Ham. ex D.Don (<i>S. europaea</i> sensu Sond.) Arnold & De Wet: 527	M	circinatum E.Mey. (<i>B. galpinii</i> (Schltr.) N.E.Br.) (<i>B. pallidum</i> (Schltr.) N.E.Br.) (<i>Dichaelia circinata</i> (E.Mey.) Schltr.) Arnold & De Wet: 573	F
APOCYNACEAE		foetidum Schltr. (<i>B. rehmannii</i> Schltr.) Arnold & De Wet: 573	F, M, S
ANISOTOMA Fenzl 6868000 pedunculata N.E.Br. Pooley (1998): 582	L, F	praelongum S.Moore Arnold & De Wet: 574	F
ARAUJIA Brot. 6771000 *sericifera Brot. Arnold & De Wet: 566	L	CORDYLOGYNE E.Mey. 6783000 globosa E.Mey. Arnold & De Wet: 570	L, F
ASCLEPIAS L. 6791000 adscendens (Schltr.) Schltr. Arnold & De Wet: 571	M	CYNANCHUM L. 6834000 virens (E.Mey.) D.Dietr. Arnold & De Wet: 572	L
aurea (Schltr.) Schltr. Arnold & De Wet: 571	L, F	GOMPHOCARPUS R.Br. 6787000 fruticosus (L.) Aiton f. subsp. decipiens (N.E.Br.) Goyder & Nicholas (<i>Asclepias decipiens</i> N.E.Br.) Germishuizen & Meyer: 149	F, M
cucullata (Schltr.) Schltr. Arnold & De Wet: 571	M	fruticosus (L.) Aiton f. subsp. fruticosus (<i>Asclepias fruticosa</i> L.) Germishuizen & Meyer: 149	L, F, M, S
eminens (Harv.) Schltr. Arnold & De Wet: 571	L, M	MIRAGLOSSUM Kupicha 6778020 pulchellum (Schltr.) Kupicha (<i>Schizoglossum pulchellum</i> Schltr.) Arnold & De Wet: 569	F, M
gibba (E.Mey.) Schltr. var. gibba Arnold & De Wet: 571	L, F, M, S		

PACHYCARPUS E.Mey.	6787010	Arnold & De Wet: 573	F
concolor E.Mey.		randii S.Moore	
Pooley (1998): 580	M	Arnold & De Wet: 573	F
dealbatus E.Mey.			
Pooley (1998): 548	M		
grandiflorus (L.f.) E.Mey. subsp. grandiflorus		STAPELIA L.	6885000
Pooley (1998): 580	M	grandiflora Masson	
macrochilus (Schltr) N.E.Br.		(<i>S. ambigua</i> Masson var. <i>ambigua</i>)	
Arnold & De Wet: 570	L, F, M	(<i>S. ambigua</i> Masson var. <i>fulva</i> Sweet)	
natalensis N.E.Br.		(<i>S. desmetiana</i> N.E.Br.)	
Pooley (1998): 548	L	(<i>S. desmetiana</i> N.E.Br. var. <i>apicalis</i> N.E.Br.)	
rigidus E.Mey.		(<i>S. desmetiana</i> N.E.Br. var. <i>desmetiana</i>)	
Arnold & De Wet: 570	L	(<i>S. desmetiana</i> N.E.Br. var. <i>fergusoniae</i> R.A.Dyer)	
vexillaris E.Mey.		(<i>S. desmetiana</i> N.E.Br. var. <i>pallida</i> N.E.Br.)	
Arnold & De Wet: 571	M	(<i>S. flavirostris</i> N.E.Br.)	
		(<i>S. senilis</i> N.E.Br.)	
		Arnold & De Wet: 581	L, S
PARAPODIUM E.Mey.	6762000	STENOSTELMA Schltr.	6789000
costatum E.Mey.		corniculatum (E.Mey.) Bullock	
Arnold & De Wet: 566	L	(<i>Schizoglossum corniculatum</i> (E.Mey.) R.A.Dyer)	
		Arnold & De Wet: 571	L
PENTARRHINUM E.Mey.	6810000	XYSMALOBIMUM R.Br.	6777000
insipidum E.Mey.		involutcratum (E.Mey.) Decne.	
Germishuizen & Meyer: 161	L	Arnold & De Wet: 566	F
		parviflorum Harv. ex Scott-Elliot	
PERIGLOSSUM Decne.	6783010	Arnold & De Wet: 566	M
angustifolium Decne.		prunelloides Turcz.	
Arnold & De Wet: 570	F	Arnold & De Wet: 566	M
mackenii Harv.		stockenstromense Scott-Elliot	
Arnold & De Wet: 570	L	Arnold & De Wet: 566	F, M
		undulatum (L.) Aiton f. var. undulatum	
RAPHIONACME Harv.	6747000	Germishuizen & Meyer: 177	L, M
hirsuta (E.Mey.) R.A.Dyer ex E.Phillips			
(<i>R. divaricata</i> Harv.)			
Arnold & De Wet: 565	L, M, S		
RIOCREUXIA Decne.	6875000		
burchellii K.Schum.			
(<i>R. flanaganii</i> Schltr. subsp. <i>segregata</i> R.A.Dyer)			
Arnold & De Wet: 576	L, M		
torulosa Decne.			
(<i>R. torulosa</i> Decne. var. <i>longidens</i> N.E.Br.)			
(<i>R. torulosa</i> Decne. var. <i>obsoleta</i> N.E.Br.)			
(<i>R. torulosa</i> Decne. var. <i>tomentosa</i> N.E.Br.)			
Arnold & De Wet: 576	L, F		
SARCOSTEMMA R.Br.	6849000		
viminale (L.) R.Br. subsp. viminale			
Germishuizen & Meyer: 165	F		
SCHIZOGLOSSUM E.Mey.	6778000		
atropurpureum E.Mey. subsp. atropurpureum			
Arnold & De Wet: 566	L, F, M		
bidens E.Mey. subsp. bidens			
(<i>S. truncatum</i> Schltr.)			
Arnold & De Wet: 567	F, M, S		
elingue N.E.Br. subsp. elingue			
Pooley (1998): 166			
Possibly occurring in Lesotho			
elingue N.E.Br. subsp. purpureum Kupicha			
Arnold & De Wet: 567	M		
SISYRANTHUS E.Mey.	6861000		
imberbis Harv.			

AQUIFOLIACEAE

ILEX L.	4614000
mitis (L.) Radlk. var. mitis	
(<i>I. capensis</i> Sond.)	
Germishuizen & Meyer: 177	L

ARALIACEAE

CUSSONIA Thunb.	5872000
paniculata Eckl. & Zeyh. subsp. sinuata (Reyneke & Kok) De Winter	
(<i>C. paniculata</i> Eckl. & Zeyh. var. <i>sinuate</i> Reyneke & Kok)	
Arnold & De Wet: 525	L, F, M, S

ASTERACEAE

ACANTHOSPERMUM Schrank	9130000
*glabratum (DC.) Wild	
(<i>A. austale</i> auctt., non (Loefl.) Kuntze)	
Arnold & De Wet: 743	L
ACHILLEA L.	9332000
*millefolium L.	
(<i>A. millefolium</i> L. subsp. <i>lanulosa</i> (Nutt.) Piper)	
Arnold & De Wet: 751	L

AMBROSIA L.	9146000
*psilostachya DC.	
Arnold & De Wet: 743	F
AMPHIGLOSSA DC.	9046000
triflora DC.	
(<i>Helichrysum armatum</i> Dinter ex Merxm., nom. nud.)	
(<i>Pterothrix spinescens</i> DC.)	
Germishuizen & Meyer: 181	L, F, M
ARCTOTHECA J.C.Wendl.	9432020
calendula (L.) Levyns	
(<i>A. calendulaceum</i> (L.) Lewin)	
(<i>Arctotis calendula</i> L.)	
(<i>Cryptostemma calendulaceum</i> (L.) R.Br.)	
Arnold & De Wet: 788	M
ARCTOTIS L.	9432000
arctotoides (L.f.) O.Hoffm.	
(<i>Osteopermum arctotoides</i> L.f.)	
(<i>Venidium arctotoides</i> (L.f.) Less.)	
(<i>Venidium decurrens</i> Less.)	
Arnold & De Wet: 786	L, M
leiocarpa Harv.	
(<i>A. karasmontana</i> Dinter)	
(<i>A. macrostylis</i> Lewin)	
(<i>A. microcephala</i> S.Moore)	
Arnold & De Wet: 787	Possibly occurring in Lesotho
microcephala (DC.) Beauverd	
(<i>Venidium microcephalum</i> DC.)	
Arnold & De Wet: 787	M
venusta Norl.	
(<i>A. stoechadifolia</i> auctt., non P.J.Bergius)	
Arnold & De Wet: 788	L, F
ARTEMISIA L.	9358000
afra Jacq. ex Willd.	
Arnold & De Wet: 755	L, F, M, S
ASTER L.	8900000
bakerianus Burtt Davy ex C.A.Sm.	
(<i>A. asper</i> J.M.Wood & M.S.Evans)	
(<i>A. bakerianus</i> Burtt Davy ex C.A.Sm. subsp. <i>angustifolius</i> Lippert)	
(<i>A. bakerianus</i> Burtt Davy ex C.A.Sm. subsp. <i>intermedius</i> Lippert)	
Arnold & De Wet: 706	F, M, S
erucifolius (Thell.) Lippert	
(<i>Felicia erucifolia</i> Thell.)	
(<i>Felicia pinnatifida</i> J.M.Wood & M.S.Evans)	
Arnold & De Wet: 707	M
perfoliatus Oliv.	
Arnold & De Wet: 707	M
*squamatus (Spreng.) Hieron.	
(<i>Conyza squamata</i> Spreng.)	
Arnold & De Wet: 708	L
ATHRIXIA Ker Gawl.	9055000
angustissima DC.	
Arnold & De Wet: 738	M
arachnoidea J.M.Wood & M.S.Evans ex J.M.Wood	
Arnold & De Wet: 738	Possibly occurring in Lesotho
elata Sond.	
Arnold & De Wet: 738	L, F

fontana MacOwan	
(<i>A. drakensbergensis</i> Thell.)	
Arnold & De Wet: 738	F, M
BERKHEYA Ehrh.	9438000
bupthalmoides (DC.) Schltr.	
(<i>Stobaea bupthalmoides</i> DC.)	
Arnold & De Wet: 793	L
cirsiifolia (DC.) Roessler	
(<i>B. alba</i> E.Phillips)	
(<i>Stobaea cirsiifolia</i> DC.)	
Arnold & De Wet: 793	F, M
discolor (DC.) O.Hoffm. & Muschl.	
(<i>B. kuntzei</i> O.Hoffm.)	
(<i>B. microcephala</i> (DC.) R.A.Dyer)	
(<i>B. polyacantha</i> S.Moore)	
Arnold & De Wet: 794	L, F, M
maritima J.M.Wood & M.S.Evans	
Pooley (1998): 336	L, M
montana J.M.Wood & M.S.Evans	
(<i>B. arctifolia</i> O.Hoffm.)	
(<i>B. bilabiata</i> N.E.Br.)	
Arnold & De Wet: 794	M
multijuga (DC.) Roessler	
(<i>Stobaea grandifolia</i> DC.)	
(<i>Stobaea multijuga</i> DC.)	
Arnold & De Wet: 794	F, M
onopordifolia (DC.) O.Hoffm. ex Burtt Davy var.	
onopordifolia	
(<i>Stobaea onopordifolia</i> DC.)	
Arnold & De Wet: 795	L
pinnatifida (Thunb.) Thell. subsp. stobaeoides (Harv.)	
Roessler	
(<i>B. stobaeoides</i> Harv.)	
Arnold & De Wet: 795	L
purpurea (DC.) Mast.	
(<i>Stobaea purpurea</i> DC.)	
Arnold & De Wet: 795	M
rhapontica (DC.) Hutch. & Burtt Davy subsp. aristosa	
(DC.) Roessler var. aristosa	
(<i>Stobaea aristosa</i> DC.)	
Arnold & De Wet: 795	F, M
rhapontica (DC.) Hutch. & Burtt Davy subsp. aristosa	
(DC.) Roessler var. exalata Roessler	
(<i>B. evansii</i> Schltr.)	
Arnold & De Wet: 795	F
rhapontica (DC.) Hutch. & Burtt Davy subsp.	
rhapontica	
(<i>Stobaea rhapontica</i> DC.)	
Arnold & De Wet: 795	F
rosulata Roessler	
(<i>B. grandiflora</i> Willd. var. <i>alternifolia</i> E.Phillips)	
Arnold & De Wet: 795	F, M
setifera DC.	
(<i>Crocodilodes setiferum</i> (DC.) Kuntze)	
Arnold & De Wet: 795	L, F, M, S
speciosa (DC.) O.Hoffm. subsp. speciosa	
(<i>Stobaea speciosa</i> DC.)	
Arnold & De Wet: 795	F
BIDENS L.	9237000
*bipinnata L.	

Arnold & De Wet: 746	L, M	(<i>C. microcephala</i> DC.)	
*pilosa L.		Arnold & De Wet: 753	L
(<i>B. leucantha</i> (L.) Willd.)		australis (Spreng.) Hook.f.	
Arnold & De Wet: 746	L	(<i>Anacyclus australis</i> Spreng.)	
		Arnold & De Wet: 753	L
CHRYSANTHEMOIDES Fabr.	9427020	hispida (DC.) Harv.	
monilifera (L.) Norl. subsp. canescens (DC.) Norl.		(<i>Tanacetum hispidum</i> DC.)	
(<i>Osteospermum pisiferum</i> L. var. <i>canescens</i> DC.)		Arnold & De Wet: 753	M
Arnold & De Wet: 782	L, F	lineariloba (DC.) Hilliard	
		(<i>C. sericea</i> Thunb., nom. nud.)	
CHRYSOCOMA L.	8930000	(<i>Tanacetum linearilobum</i> DC.)	
ciliata L.		Arnold & De Wet: 753	M
(<i>Aster discoideus</i> Sond.)		paludosa Hilliard	
(<i>C. microcephala</i> DC.)		Arnold & De Wet: 753	M
(<i>C. tenuifolia</i> P.J.Bergius)		radicalis (Killick & C.Claassen) Hilliard & B.L.Burt	
Arnold & De Wet: 715	L, F, M, S	(<i>Schistostephium radicale</i> Killick & C.Claassen)	
		Arnold & De Wet: 754	M
CINERARIA L.	9406000	socialis Hilliard	
aspera Thunb.		Arnold & De Wet: 754	L
Arnold & De Wet: 759	L, F, M		
britteniae Hutch. & R.A.Dyer	M	CREPIS L.	9605000
Arnold & De Wet: 759	M	hypochaeridea (DC.) Thell.	
dieterlenii E.Phillips		(<i>Anisoramphus hypochaerideus</i> DC.)	
Arnold & De Wet: 759	L, M	(<i>C. hypochaeridea</i> (DC.) Thell. var. <i>genuina</i> Thell.)	
geifolia (L.) L.	F	(<i>C. hypochaeridea</i> (DC.) Thell. var. <i>junodiana</i> Thell.)	
Arnold & De Wet: 759	F	Arnold & De Wet: 802	F
lobata L'Hér.	M		
Arnold & De Wet: 759	M	DENEKIA Thunb.	8949000
lyratiformis Cron		capensis Thunb.	
(<i>C. lyrata</i> DC.)		(<i>Amphidoxa glandulosa</i> Klatt)	
Germishuizen & Meyer: 203	L, M	(<i>D. glabrata</i> DC.)	
		Arnold & De Wet: 717	L, F, M
CIRSIIUM Mill. emended Scop.	9462000		
*vulgare (Savi) Ten.		DICOMA Cass.	9501000
(<i>Carduus vulgare</i> Savi)		anomala Sond. subsp. anomala	
Arnold & De Wet: 798	L, F, M, S	(<i>D. anomala</i> Sond. subsp. <i>cirsiioides</i> (Harv.) Wild)	
		(<i>D. anomala</i> Sond. var. <i>cirsiioides</i> Harv.)	
CONYZA Less.	8926000	Arnold & De Wet: 799	L, F, M, S
*bonariensis (L.) Cronquist			
Arnold & De Wet: 714	L	DIMORPHOTHECA Vaill. ex Moench	9425000
*canadensis (L.) Cronquist		caulescens (Harv.) Harv.	
(<i>Erigeron canadensis</i> L.)		(<i>Dimorphotheca dekindtii</i> O.Hoffm.)	
Arnold & De Wet: 714	L	(<i>Osteospermum caulescens</i> Harv.)	
*chilensis Spreng.	F	Pooley (1998): 218	L, M, F
Arnold & De Wet: 714	F	jucunda E.Phillips	
obscura DC.		(<i>Osteospermum jucundum</i> (E.Phillips) Norl.)	
(<i>Webbia kraussii</i> Sch.Bip.)		Germishuizen & Meyer: 211	F, M
Arnold & De Wet: 714	F	zeyheri Sond.	
pinnata (L.f.) Kuntze		Germishuizen & Meyer: 212	L, M
(<i>C. pinnatilobata</i> DC.)			
Arnold & De Wet: 714	F, M	ERIOCEPHALUS L.	9320000
(<i>Erigeron pinnatus</i> L.f.)		eximius DC.	
podocephala DC.		Arnold & De Wet: 747	F, M
Arnold & De Wet: 714	L, F, M	tenuifolius DC.	
		(<i>E. punctulatus</i> DC. var. <i>tenuifolius</i> (DC.) Harv.)	
COSMOS Cav.	9238000	Arnold & De Wet: 747	L, F, M, S
*bipinnatus Cav.			
(<i>Bidens formosa</i> (Bonato) Sch.Bip.)		EUMORPHIA DC.	9323000
Germishuizen & Meyer: 205	L, F	prostrata Bolus	
		Arnold & De Wet: 748	M
COTULA L.	9351000	sericea J.M.Wood & M.S.Evans subsp. sericea	
anthemoides L.		Arnold & De Wet: 748	M

EURYOPS (Cass.) Cass.	9417000		monocephala Grau	
acraeus M.D.Hend.			Arnold & De Wet: 771	L, M
Arnold & De Wet: 770	M		muricata (Thunb.) Nees subsp. muricata	
annae E.Phillips			(<i>Aster muricatus</i> Thunb.)	
(<i>E. oligoglossus</i> DC., pro parte)			(<i>Aster muricatus</i> Thunb. var. <i>chrysocomoides</i> Sond.)	
(<i>E. racemosus</i> auctt., non DC.)			(<i>Aster villosus</i> Thunb., pro parte)	
Arnold & De Wet: 770	L, M		Arnold & De Wet: 771	L, F, M
candollei Harv.			petiolata (Harv.) N.E.Br.	
(<i>E. galpinii</i> E.Phillips, nom. illeg.)			(<i>Aster petiolatus</i> Harv.)	
Arnold & De Wet: 770	M		Arnold & De Wet: 771	L, F, M
decumbens B.Nord.			quinquenervia (Klatt) Grau	
(<i>E. montanus</i> auctt., pro parte, non Schltr.; E.Phillips)			(<i>Aster quinquenervius</i> Klatt)	
Arnold & De Wet: 770	F, M		(<i>Aster woodii</i> Klatt)	
empetrifolius DC.			Arnold & De Wet: 771	M
(<i>E. ciliatus</i> Harv.)			rosulata Yeo	
(<i>E. densifolius</i> Sond. ex Harv.)			(<i>Agathaea natalensis</i> Sch.Bip.)	
(<i>E. sulcatus</i> auctt., non (Thunb.) Harv.)			(<i>Aster natalensis</i> (Sch.Bip.) Harv.)	
Arnold & De Wet: 771	M		(<i>F. natalensis</i> (Sch.Bip.) Schltr.)	
evansii Schltr. subsp. dendroides B.Nord.			Arnold & De Wet: 771	M
Arnold & De Wet: 771	F, M, S		uliginosa (J.M.Wood & M.S.Evans) Grau	
evansii Schltr. subsp. evansii			(<i>Aster uliginosus</i> J.M.Wood & M.S.Evans)	
(<i>E. dieterleniae</i> J.M.Wood)			Arnold & De Wet: 712	M
Arnold & De Wet: 771	F		GALINSOGA Ruíz & Pav.	9246000
evansii Schltr. subsp. parvus B.Nord.			*parviflora Cav.	
Arnold & De Wet: 771	M		(<i>Adventina ciliata</i> Raf.)	
inops B.Nord.			Arnold & De Wet: 746	L, F
Arnold & De Wet: 771	M		GARULEUM Cass.	9426000
montanus Schltr.			woodii Schinz	
Arnold & De Wet: 771	M		Arnold & De Wet: 779	L, M
oligoglossus DC. subsp. oligoglossus			GAZANIA Gaertn.	9434000
(<i>E. triqueter</i> Less. ex Harv.)			krebsiana Less. subsp. krebsiana	
Arnold & De Wet: 772	S		(<i>G. lineariloba</i> DC.)	
tysonii E.Phillips			(<i>G. mucronata</i> DC.)	
(<i>E. krookii</i> Gand.)			(<i>G. oxyloba</i> DC.)	
(<i>E. lateriflorus</i> auctt., non (L.f.) DC.)			Arnold & De Wet: 790	L, F, M, S
(<i>E. lateriflorus</i> (L.f.) DC. var. <i>oblongifolia</i> O.Hoffm.)			krebsiana Less. subsp. serrulata (DC.) Roessler	
Arnold & De Wet: 773	F, M, S		(<i>G. bracteata</i> N.E.Br.)	
virgineus (L.f.) DC.			(<i>G. canescens</i> Harv.)	
(<i>E. flabelliformis</i> Cass., nom. illeg.)			(<i>G. montana</i> Spreng.)	
(<i>Othonna virginea</i> L.f.)			(<i>G. nivea</i> auctt., non Less.)	
Arnold & De Wet: 773		Possibly occurring in Lesotho	(<i>G. pygmaea</i> Sond.)	
FELICIA Cass.	8919000		(<i>G. schinzii</i> O.Hoffm.)	
caespitosa Grau			(<i>G. serrulata</i> DC.)	
Arnold & De Wet: 709	M		Arnold & De Wet: 790	L, F
drakensbergensis J.M.Wood & M.S.Evans			linearis (Thunb.) Druce var. linearis	
(<i>F. amelloides</i> Schltr.)			(<i>G. kraussii</i> Sch.Bip.)	
Arnold & De Wet: 709	M		(<i>G. longiscapa</i> DC.)	
filifolia (Vent.) Burt Davy subsp. filifolia			(<i>G. pinnata</i> (Thunb.) Less. var. <i>multijuga</i> (DC.) Harv.)	
(<i>Aster filifolius</i> Vent.)			(<i>G. subulata</i> R.Br.)	
(<i>Diplopappus filifolius</i> (Vent.) DC.)			(<i>Gorteria linearis</i> Thunb.)	
(<i>Diplopappus teretifolius</i> Less.)			Germishuizen & Meyer: 229	L
Arnold & De Wet: 710	L, F, M, S		GEIGERIA Griess.	9090000
hyssopifolia (P.J.Bergius) Nees subsp. polyphylla			aspera Harv. var. aspera	
(Harv.) Grau			Arnold & De Wet: 741	L
(<i>Aster serrulatus</i> Harv. var. <i>densus</i> Harv.)			filifolia Mattf.	
(<i>Aster serrulatus</i> Harv. var. <i>polyphyllus</i> Harv.)			(<i>G. africana</i> Griess. subsp. <i>filifolia</i> (Mattf.) Merxm.)	
Arnold & De Wet: 710	L		(<i>G. passerinoides</i> Harv., pro parte)	
linearis N.E.Br.			Arnold & De Wet: 741	S
(<i>F. lingulata</i> Klatt ex Schinz)				
Arnold & De Wet: 711	M			

[illegible]

Arnold & De Wet: 726	M	Arnold & De Wet: 728	L, F, M, S
griseolanatum Hilliard		oreophilum Klatt	
(<i>H. epapposum</i> Bolus var. <i>robustum</i> Bolus)		Arnold & De Wet: 728	M
(<i>H. inerme</i> Moeser var. <i>brachycladum</i> Moeser)		pagophilum M.D.Hend.	
Arnold & De Wet: 726	M	Arnold & De Wet: 728	M
gymnocomum DC.		paleatum Hilliard	
Arnold & De Wet: 726	M	Arnold & De Wet: 728	M
herbaceum (Andrews) Sweet		pallidum DC.	
(<i>H. squamosum</i> auctt., non (Jacq.) Thunb.)		(<i>H. agrostophilum</i> Klatt, pro parte)	
(<i>Xeranthemum herbaceum</i> Andrews)		(<i>H. agrostophilum</i> Klatt var. <i>nemorosum</i> Bolus)	
Arnold & De Wet: 726	F	(<i>H. undatum</i> (J.M.Gmel.) Less. var. <i>agrostophilum</i> (Klatt) Moeser)	
heterolasium Hilliard		Arnold & De Wet: 728	L, M
Arnold & De Wet: 726	M	palustre Hilliard	
infaustum J.M.Wood & M.S.Evans		Arnold & De Wet: 728	M
(<i>Calomeria infausta</i> (J.M.Wood & M.S.Evans) Heine)		paronychioides DC.	
(<i>Humea infausta</i> (J.M.Wood & M.S.Evans) S.Moore)		Arnold & De Wet: 728	L
Arnold & De Wet: 726	F, M	pedunculatum Hilliard & B.L.Burt	
inornatum Hilliard & B.L.Burt		(<i>H. pedunculare</i> auctt., non (L.) DC.)	
Arnold & De Wet: 726	Possibly occurring in Lesotho	Arnold & De Wet: 728	L
krOOKii Moeser		platypterum DC.	
Arnold & De Wet: 726	L, F, M	(<i>Cassinia alba</i> O.Hoffm.)	
lineare DC.		(<i>Gnaphalium amplum</i> Kuntze)	
(<i>H. seineri</i> Moeser)		Arnold & De Wet: 728	F, M
Arnold & De Wet: 727	M	praecurrens Hilliard	
lineatum Bolus		Arnold & De Wet: 728	M
Arnold & De Wet: 727	M	psilolepis Harv.	
marginatum DC.		Arnold & De Wet: 728	F, M
Arnold & De Wet: 727	M	retortoides N.E.Br.	
melanacme DC.		Arnold & De Wet: 729	M
(<i>H. kuntzei</i> (Kuntze) Moeser)		rugulosum Less.	
(<i>H. pullulum</i> Burt Davy)		Arnold & De Wet: 729	L, F, M
(<i>H. tenuiculum</i> sensu Hilliard, non DC.)		sessilioides Hilliard	
Arnold & De Wet: 727	L, F, M, S	(<i>H. aretioides</i> Thell.)	
miconiifolium DC.		(<i>H. sessile</i> auctt., non DC.)	
Arnold & De Wet: 727	L, F, M	Arnold & De Wet: 729	M
milfordiae Killick		simillimum DC.	
Arnold & De Wet: 727	M	Arnold & De Wet: 729	M
montanum DC.		spiralepis Hilliard & B.L.Burt	
(<i>H. splendidum</i> (Thunb.) Less. var. <i>montanum</i> (DC.) Harv.)		(<i>H. involucreatum</i> Klatt)	
Arnold & De Wet: 727	M	(<i>Leontonyx squarrosus</i> DC.)	
monticola Hilliard		(<i>Leontonyx tomentosus</i> Cass.)	
Arnold & De Wet: 727	M	Arnold & De Wet: 730	F, M
mundtii Harv.		splendidum (Thunb.) Less.	
Arnold & De Wet: 727	F	(<i>Gnaphalium splendidum</i> Thunb.)	
nanum Klatt		(<i>H. strictum</i> (Lam.) Druce)	
Arnold & De Wet: 727	M	Arnold & De Wet: 730	L, F, M
nudifolium (L.) Less. var. nudifolium		spodiophyllum Hilliard & B.L.Burt	
(<i>Gnaphalium nudifolium</i> L.)		Arnold & De Wet: 730	M
(<i>Gnaphalium plantaginifoliatum</i> Kuntze)		subfalcatum Hilliard	
(<i>H. asperifolium</i> Moeser)		Arnold & De Wet: 730	M
(<i>H. coriaceum</i> Harv.)		subglomeratum Less.	
(<i>H. leiopodium</i> DC.)		(<i>H. subglomeratum</i> Less. var. <i>lingulatum</i> Harv.)	
(<i>H. plantaginifolium</i> O.Hoffm. ex Moeser)		Arnold & De Wet: 730	L, M
Germishuizen & Meyer: 242	L, F, M,	sutherlandii Harv.	
nudifolium (L.) Less. var. pilosellum (L.f.) Beentje		(<i>H. pulvinatum</i> O.Hoffm. ex Kuntze)	
(<i>Gnaphalium pilosellum</i> L.f.)		(<i>H. sutherlandii</i> Harv. var. <i>semiglaurum</i> N.E.Br.)	
(<i>H. latifolium</i> (Thunb.) Less.)		Arnold & De Wet: 730	L, F, M
(<i>H. pedunculare</i> (L.) DC. var. <i>pilosellum</i> (L.f.) Harv.)		swynnertonii S.Moore	
(<i>H. pilosellum</i> (L.f.) Less.)		Hilliard: 258	M
Germishuizen & Meyer: 242	F, M	tenax M.D.Hend. var. tenax	
odoratissimum (L.) Sweet		(<i>H. fulgidum</i> (L.f.) Willd. var. <i>subnudatum</i> DC.)	
(<i>Gnaphalium odoratissimum</i> L.)		Arnold & De Wet: 730	M

trilineatum DC.			(<i>Gnaphalium muricatum</i> L.)	
Arnold & De Wet: 730	M		(<i>M. ericoides</i> Sieber ex DC.)	
umbraculigerum Less.			(<i>M. umbellata</i> Cass.)	
(<i>H. coactum</i> M.D.Hend.)			Van Wyk & Van Wyk: 60	Possibly occurring in Lesotho
Pooley (1998): 316	M			
witbergense Bolus			NIDORELLA Cass.	8925000
(<i>H. splendidum</i> (Thunb.) Less. var. <i>basuticum</i> E.Phillips)			agria Hilliard	
Arnold & De Wet: 730	M		Arnold & De Wet: 713	M
zeyheri Less.			anomala Steetz	
(<i>H. zeyheri</i> Less. var. <i>burchellii</i> (DC.) Harv.)			(<i>N. angustifolia</i> O.Hoffm.)	
(<i>H. zeyheri</i> Less. var. <i>intermedium</i> (DC.) Harv.)			(<i>N. depauperata</i> Harv.)	
Arnold & De Wet: 731	S		(<i>N. solidaginea</i> auctt., non DC.; Wild)	
			Arnold & De Wet: 713	L, F, M
HETEROMMA Benth.	8931000		auriculata DC.	
decurrens (DC.) O.Hoffm.			(<i>N. auriculata</i> DC. subsp. <i>polycephala</i> (DC.) Wild)	
(<i>Chrysocoma decurrens</i> DC.)			(<i>N. diversifolia</i> Spreng. ex Steetz)	
(<i>Senecio evansii</i> N.E.Br.)			(<i>N. kraussii</i> (Sch.Bip. ex Walp.) Harv.)	
Arnold & De Wet: 715	M		Arnold & De Wet: 713	L, F, M
HYPOCHAERIS L.	9572000		resedifolia DC. subsp. resedifolia	
*glabra L.			(<i>N. densifolia</i> O.Hoffm.)	
(<i>H. capensis</i> Less.)			(<i>N. hirta</i> DC.)	
Arnold & De Wet: 801	L		(<i>N. krookii</i> O.Hoffm.)	
*radicata L.			Arnold & De Wet: 713	L, M
Arnold & De Wet: 801	L, F, M		undulata (Thunb.) Sond. ex Harv.	
INULANTHERA Källersjö	9326010		(<i>Chrysocoma undulata</i> Thunb.)	
thodei (Bolus) Källersjö			(<i>N. amplexicaulis</i> DC.)	
(<i>Athanasia thodei</i> Bolus)			(<i>N. longifolia</i> DC.)	
Arnold & De Wet: 750	F, M		Arnold & De Wet: 713	M
LACTUCA L.	9596000		NOLLETIA Cass.	8929000
inermis Forssk.			ciliaris (DC.) Steetz	
(<i>L. capensis</i> Thunb.)			(<i>Leptothamnus ciliaris</i> DC.)	
(<i>L. pallidicoerulea</i> Dinter)			Arnold & De Wet: 714	L
Germishuizen & Meyer: 251	M		ONCOSIPHON Källersjö	9366020
*serriola L.			piluliferum (L.f.) Källersjö	
(<i>L. scariola</i> L.)			(<i>Cotula globifera</i> Thunb.)	
(<i>L. virosa</i> auctt., non L.)			(<i>Cotula pilulifera</i> L.f.)	
Arnold & De Wet: 802	F, M		(<i>Matricaria globifera</i> (Thunb.) Fenzl ex Harv.)	
LASIOSPERMUM Lag.	9321000		Arnold & De Wet: 756	L
bipinnatum (Thunb.) Druce			OSTEOSPERMUM L.	9427000
(<i>Lidbeckia bipinnata</i> Thunb.)			muricatum E.Mey. ex DC. subsp. muricatum	
Arnold & De Wet: 747	L, F, M		(<i>O. hamiltoni</i> S.Moore)	
MACOWANIA Oliv.	9053000		(<i>Oligocarpus calendulaceus</i> auctt., non Less.; Dinter)	
glandulosa N.E.Br.		Possibly occurring in Lesotho	Arnold & De Wet: 781	M
Arnold & De Wet: 738			thodei Markötter	
pulvinaris N.E.Br.			(<i>O. monticola</i> Norl.)	
Arnold & De Wet: 738	L, M		Arnold & De Wet: 782	M
sororis Compton			OTHONNA L.	9420000
Arnold & De Wet: 738	M		carnosa Less. var. carnosa	
METALASIA R.Br.	9043000		(<i>Cineraria cacalioides</i> L.f.)	
densa (Lam.) P.O.Karis			Arnold & De Wet: 774	M
(<i>Gnaphalium densum</i> Lam.)			natalensis Sch.Bip.	
(<i>M. aristata</i> DC.)			(<i>O. scapigera</i> Harv.)	
(<i>M. polyanthos</i> (Thunb.) D.Don)			Arnold & De Wet: 775	F, M
(<i>M. stricta</i> Less.)			PEGOLETTIA Cass.	9073000
Arnold & De Wet: 733	L, F		retrofracta (Thunb.) Kies	
muricata (L.) D.Don			(<i>Eupatorium retrofractum</i> Thunb.)	
			(<i>Fresenia foliosa</i> Klatt)	

(P. acuminata DC.)			
Arnold & De Wet: 740		M	
PENTZIA Thunb.	9366000		
cooperi Harv.			
Arnold & De Wet: 755		L, F, M	
globosa Less.			
(P. globifera Licht. ex Less.)			
Arnold & De Wet: 755		L	
tortuosa (DC.) Fenzl ex Harv.			
(Tanacetum tortuosum DC.)			
Arnold & De Wet: 756		L	
PRINTZIA Cass.	9059000		
auriculata Harv.			
(P. densifolia J.M.Wood & M.S.Evans)			
(P. laxa N.E.Br.)			
Arnold & De Wet: 739		L, F, M, S	
nutans (Bolos) Leins			
(Bojeria nutans Bolus)			
Arnold & De Wet: 739		M	
pyrifolia Less.			
Arnold & De Wet: 739		L, M	
PSEUDOGNAPHALIUM Kirp.	8992050		
luteo-album (L.) Hilliard & B.L.Burt			
(Gnaphalium luteo-album L.)			
Arnold & De Wet: 721		L, F, M	
oligandrum (DC). Hilliard & B.L.Burt			
(Gnaphalium oligandrum (DC.) Hilliard & B.L.Burt)			
Arnold & De Wet: 721		L	
undulatum (L.) Hilliard & B.L.Burt			
(Gnaphalium undulatum L.)			
(Helichrysum montosicolum Gand.)			
Arnold & De Wet: 721		L, M	
PULICARIA Gaertn.	9078000		
scabra (Thunb.) Druce			
(Erigeron scabrum Thunb.)			
(Inula capensis Spreng.)			
(P. capensis DC.)			
Arnold & De Wet: 740		L	
RELHANIA L'Hér. emended K.Bremer	9050000		
acerosa (DC.) K.Bremer			
(Nestlera acerosa (DC.) Harv.)			
(Polychaetia acerosa DC.)			
Arnold & De Wet: 736		L, F, M, S	
dieterlenii (E.Phillips) K.Bremer			
(Nestlera dieterlenii E.Phillips)			
Arnold & De Wet: 736		L, F, M, S	
SCHISTOSTEPHIUM Less.	9356000		
crataegifolium (DC.) Fenzl ex Harv.			
(S. villosum Hutch.)			
(Tanacetum consanguineum DC.)			
(Tanacetum crataegifolium DC.)			
Arnold & De Wet: 754		L, F, M	
griseum (Harv.) Hutch.			
(Tanacetum griseum Harv.)			
Arnold & De Wet: 754		M	
SCHKUHRIA Roth	9291000		
*pinnata (Lam.) Cabrera			
(S. bonariensis Hook. & Arn.)			
Arnold & De Wet: 746		L, M	
SENECIO L.	9411000		
achilleifolius DC.			
(S. achilleifolius DC. var. glanduloso-scaber Thell.)			
(S. achilleifolius DC. var. glaucescens (DC.) Harv.)			
Arnold & De Wet: 760		M	
adnatus DC.			
(S. pauciligulatus R.A.Dyer & C.A.Sm.)			
Arnold & De Wet: 760		M	
affinis DC.			
(Hertia natalensis O.Hoffm. ex Kuntze)			
(S. albanensis DC. var. leiophyllus Harv.)			
(S. albanensis DC. var. pseudodecurrens Thell.)			
Arnold & De Wet: 760		F	
albanensis DC. var. doroniciflorus (DC.) Harv.			
(S. doroniciflorus DC.)			
(S. firbrosus O.Hoffm. ex Kuntze)			
Arnold & De Wet: 760		L	
arabidifolius O.Hoffm.			
Arnold & De Wet: 761		L, M	
asperulus DC.			
Arnold & De Wet: 761		L, F, M, S	
barbatus DC.			
(S. thyrsoideus DC.)			
Arnold & De Wet: 761		M	
brachypodus DC.			
(S. natalensis Sch.Bip.)			
Arnold & De Wet: 761		F	
brevidentatus M.D.Hend.			
Arnold & De Wet: 761		L, F	
bupleuroides DC.			
(S. bupleuroides DC. var. denticulatus DC.)			
(S. bupleuroides DC. var. falcatus Sch.Bip.)			
Arnold & De Wet: 761		L, M, S	
burchellii DC.			
Arnold & De Wet: 761		L, F, M	
caloneotes Hilliard			
Arnold & De Wet: 761		M	
conrathii N.E.Br.			
(S. pachythesis E.Phillips & C.A.Sm.)			
Arnold & De Wet: 762		M	
coronatus (Thunb.) Harv.			
(Cineraria coronata Thunb.)			
(S. lasiorhizoides Sch.Bip.)			
(S. lasiorhizus DC.)			
Arnold & De Wet: 762		L	
crenulatus Thunb.			
Arnold & De Wet: 762		Possibly occurring in Lesotho	
cryptolanatus Killick			
Arnold & De Wet: 762		M	
decurrens DC.			
Arnold & De Wet: 762		M	
discodregeanus Hilliard & B.L.Burt			
(S. dregeanus DC. var. discoideus DC.)			
Arnold & De Wet: 762		F	
dissimulans Hilliard			
Arnold & De Wet: 762		L, M	
erubescens Aiton var. crepidifolius DC.			

Arnold & De Wet: 762	M	Arnold & De Wet: 766	M
erubescens Aiton var. dichotomus DC.		pterophorus DC.	
Germishuizen & Meyer: 285	L	(<i>S. pterophorus</i> DC. var. <i>apterus</i> DC.)	
erubescens Aiton var. erubescens		Arnold & De Wet: 766	S
(<i>S. erubescens</i> Aiton var. <i>lyratus</i> Harv.)		qathlambanus Hilliard	
(<i>S. vernoniodes</i> Sch.Bip.)		Arnold & De Wet: 767	M
Arnold & De Wet: 762	Possibly occurring in Lesotho	radicans (L.f.) Sch.Bip.	
glaberrimus DC.		(<i>Kleinia radicans</i> (L.f.) Haw.)	
(<i>S. bupleuriformis</i> Sch.Bip.)		(<i>S. adenocalyx</i> Dinter)	
(<i>S. bupleuroides</i> DC. var. <i>latifolius</i> Harv.)		Arnold & De Wet: 767	S
(<i>S. inophyllus</i> E.Phillips & C.A.Sm.)		reptans Turcz.	
Arnold & De Wet: 763	L, F, M	Arnold & De Wet: 767	M
gramineus Harv.		retrorsus DC.	
Arnold & De Wet: 763	M	(<i>S. graminicolus</i> C.A.Sm.)	
harveianus MacOwan		(<i>S. latifolius</i> DC. var. <i>retrorsus</i> (DC.) Harv.)	
(<i>S. vimineus</i> Harv., non DC)		(<i>S. latifolius</i> DC. var. <i>subdentulus</i> DC.)	
Arnold & De Wet: 763	L, M	Arnold & De Wet: 767	L
hastatus L.		rhomboideus Harv.	
(<i>S. hastulatus</i> L.)		(<i>S. dieterlenii</i> E.Phillips)	
Arnold & De Wet: 763	L, F, M	Arnold & De Wet: 767	L, F, M
hieracioides DC.		ruwenzoriensis S.Moore	
(<i>S. johannesburgensis</i> S.Moore)		(<i>S. othonniformis</i> Fourc.)	
Arnold & De Wet: 763	L, F, M	(<i>S. paucifolius</i> DC.)	
hypochoerideus DC.		Arnold & De Wet: 767	F
(<i>S. prionites</i> MacOwan)		saniensis Hilliard & B.L.Burt	
Arnold & De Wet: 764	L, M	Arnold & De Wet: 767	M
inaequidens DC.		scitus Hutch. & Burt Davy	
(<i>S. burchellii</i> DC., pro parte)		Arnold & De Wet: 767	M
Arnold & De Wet: 764	L, M	seminiveus J.M.Wood & M.S.Evans	
ingeliensis Hilliard		Arnold & De Wet: 767	M
Arnold & De Wet: 764	M	serratuloides DC.	
inornatus DC.		(<i>S. serratuloides</i> DC. var. <i>glabratus</i> DC.)	
(<i>S. caulopterus</i> DC.)		Pooley (1998): 328	F, M
(<i>S. diversidentatus</i> Muschl.)		serrulatus DC.	
(<i>S. fraudulentus</i> E.Phillips & C.A.Sm.)		Arnold & De Wet: 767	M
Arnold & De Wet: 764	L, F, M	speciosus Willd.	
isatideus DC.		(<i>S. concolor</i> DC.)	
Arnold & De Wet: 764	L, F, M	Arnold & De Wet: 768	L, M
macrocephalus DC.		subcoriaceus Schltr.	
(<i>S. gyrophyllus</i> Klatt)		(<i>S. basutensis</i> Thell.)	
Arnold & De Wet: 765	F, M	Arnold & De Wet: 768	F, S
macrospermus DC.		submontanus Hilliard & B.L.Burt	
Arnold & De Wet: 765	M	Arnold & De Wet: 768	Possibly occurring in Lesotho
madagascariensis Poir.		subrubriflorus O.Hoffm.	
(<i>S. burchellii</i> auct., non DC.)		(<i>S. pseudo-rhyncholaenus</i> Thell. excl. var. <i>auriculatus</i> Thell.)	
(<i>S. junodianus</i> O.Hoffm.)		Arnold & De Wet: 768	F, M
Pooley (1998): 326	L	tanacetopsis Hilliard	
othonniflorus DC.		(<i>S. tanacetoides</i> Sond. ex Harv.)	
(<i>Brachyrhynchus eupatorioides</i> Less.)		Arnold & De Wet: 768	L, F, M
(<i>Doria denticulata</i> Thunb.)		tugelensis J.M.Wood & M.S.Evans	
Arnold & De Wet: 765	L, F, M	Arnold & De Wet: 768	M
paucicalyculatus Klatt		*vulgaris L.	
(<i>S. launayaefolius</i> O.Hoffm.)		Arnold & De Wet: 769	L
Arnold & De Wet: 766	M		
polyodon DC. var. polyodon		SONCHUS L.	9595000
(<i>S. breyeri</i> S.Moore)		*asper (L.) Hill subsp. asper	
(<i>S. metallicorum</i> S.Moore)		(<i>S. oleraceus</i> L. var. <i>asper</i> L.)	
(<i>S. versicolor</i> Hiern)		Arnold & De Wet: 802	L
Arnold & De Wet: 766	M	dregeanus DC.	
polyodon DC. var. subglaber (Kuntze) Hilliard & B.L.Burt		(<i>S. ecklonianus</i> DC.)	
(<i>S. concolor</i> DC. var. <i>subglaber</i> O.Hoffm. ex Kuntze)		Arnold & De Wet: 802	L
		integrifolius Harv. var. integrifolius	

Arnold & De Wet: 802	L
integrifolius Harv. var. schlechteri R.E.Fr.	
Arnold & De Wet: 802	L
nanus Sond. ex Harv.	
Arnold & De Wet: 802	L
*oleraceus L.	
Pooley (1998): 338	L
STOEBE L.	9037000
vulgaris Levyns	
Arnold & De Wet: 732	L, F
TAGETES L.	9311000
*minuta L.	
Arnold & De Wet: 746	L, F, M
TARAXACUM F.H.Wigg.	9592000
*brachyglossum (Dahlst.) Dahlst.	
(<i>T. erythrospermum</i> Andr. ex Besser subsp. <i>brachyglossum</i> Dahlst.)	
Arnold & De Wet: 801	M
*eckmanii Dahlst.	
Arnold & De Wet: 801	M
*hamatiforme Dahlst.	
Arnold & De Wet: 801	L
*officinale Weber sensu lato	
Arnold & De Wet: 801	M, S
TARCHONANTHUS L.	8937000
camphoratus L.	
(<i>T. abyssinicus</i> Sch.Bip. ex Schweinf. & Asch., nom. nud.)	
(<i>T. camphoratus</i> L. var. <i>litakunensis</i> (DC.) Harv.)	
Arnold & De Wet: 716	L, M, S
minor Less.	
Germishuizen & Meyer: 300	L, M, S
TOLPIS Adans.	9561000
capensis (L.) Sch.Bip.	
(<i>Hieracium capense</i> L.)	
Arnold & De Wet: 800	L
TRAGOPOGON L.	9579000
*dubius Scop.	
(<i>T. majus</i> Jacq.)	
Pooley (1998): 338	L, F, M, S
*porrifolius L.	
Arnold & De Wet: 801	M
TRIPTERIS Less.	9428000
aghillana DC. var. aghillana	
(<i>Osteospermum picridioides</i> DC.)	
(<i>Osteospermum</i> . <i>scariosum</i> DC. var. <i>scariosum</i>)	
(<i>T. flexuosa</i> Harv.)	
Germishuizen & Meyer: 302	M
TROGLOPHYTON Hilliard & B.L.Burt	8992020
capillaceum (Thunb.) Hilliard & B.L.Burt subsp.	
diffusum (DC.) Hilliard	
(<i>Helichrysum capillaceum</i> (Thunb.) Less. var. <i>diffusum</i> DC.)	
Arnold & De Wet: 720	M

URSINIA Gaertn.	9431000
alpina N.E.Br.	
Arnold & De Wet: 783	M
montana DC. subsp. montana	
(<i>U. brevicaulis</i> J.M.Wood & M.S.Evans)	
(<i>U. jacottetiana</i> Thell.)	
(<i>U. subintegrifolia</i> Bolus)	
Arnold & De Wet: 784	M
nana DC. subsp. nana	
(<i>U. abyssinica</i> Sch.Bip. ex Walp.)	
(<i>U. affinis</i> Harv.)	
(<i>U. annua</i> Less. ex Harv.)	
Arnold & De Wet: 784	L, M
saxatilis N.E.Br.	
Arnold & De Wet: 785	S

VERNONIA Schreb.	8751000
capensis (Houtt.) Druce	
(<i>V. pinifolia</i> (Lam.) Less.)	
Arnold & De Wet: 699	L, F
hirsuta (DC.) Sch.Bip. ex Walp.	
(<i>V. hirsuta</i> (DC.) Sch.Bip. ex Walp. var. <i>obtusifolia</i> Harv.)	
Arnold & De Wet: 700	L
natalensis Oliv. & Hiern	
Arnold & De Wet: 700	M
oligocephala (DC.) Sch.Bip. ex Walp.	
(<i>V. kraussii</i> Sch.Bip. ex Walp.)	
Arnold & De Wet: 700	L

XANTHIUM L.	9148000
*spinosum L.	
Arnold & De Wet: 743	L
*strumarium L.	
(<i>X. natalense</i> Widder)	
(<i>X. pungens</i> Wallr.)	
Arnold & De Wet: 743	L, M

ZINNIA L.	9155000
*peruviana (L.) L.	
(<i>Z. multiflora</i> L.)	
Arnold & De Wet: 743	L, F, S

BALSAMINACEAE

IMPATIENS L.	4856000
hochstetteri Warb. subsp. hochstetteri	
(<i>I. capensis</i> Thunb.)	
(<i>I. duthieae</i> L.Bolus)	
(<i>I. marlothiana</i> G.M.Schulze)	
Arnold & De Wet: 487	L

BASELLACEAE

ANREDERA Juss.	2428000
*cordifolia (Ten.) Steenis	
Arnold & De Wet: 303	L

BORAGINACEAE

AFROTYSONIA Rauschert	7072010
glochidiata (R.R.Mill) R.R.Mill	

<i>(Tysonia glochidiata</i> R.R.Mill)			
Pooley (1998): 180		M	
ANCHUSA L.	7093000		
capensis Thunb.			
Arnold & De Wet: 598		L, F, M	
CYNOGLOSSUM L.	7064000		
alticola Hilliard & B.L.Burt			
Arnold & De Wet: 597		M	
austroafricanum Hilliard & B.L.Burt			
(<i>C. austroafricanum</i> Weim., nom. nud.)			
Arnold & De Wet: 597		L, F, M	
hispidum Thunb.			
(<i>C. enerve</i> Turcz.)			
Arnold & De Wet: 597		L	
lanceolatum Forssk.			
(<i>C. micranthum</i> Desf.)			
Arnold & De Wet: 597		L, M	
spelaeum Hilliard & B.L.Burt			
(<i>C. basuticum</i> Weim. ex Jacot Guill.)			
Arnold & De Wet: 597		M	
ECHIUM L.	7118000		
*plantagineum L.			
(<i>E. lycopsis</i> L.)			
(<i>E. violaceum</i> L.)			
Arnold & De Wet: 600		L	
*vulgare L.			
Arnold & De Wet: 600		L	
EHRETIA P.Browne	7043000		
rigida (Thunb.) Druce subsp. nervifolia Retief &			
A.E.van Wyk			
Germishuizen & Meyer: 316		L	
LAPPULA Moench	7073000		
*heteracantha Ledeb.			
(<i>L. echinata</i> Gilib.)			
(<i>L. squarrosa</i> (L.) Dumort. subsp. <i>heteracantha</i> (Ledeb.) Chater)			
Germishuizen & Meyer: 317		L, F, M	
LITHOSPERMUM L.	7109000		
afromontanum Weim.			
Arnold & De Wet: 598		M	
cinereum A.DC.			
Arnold & De Wet: 598		L, F, M	
papillosum Thunb.			
Arnold & De Wet: 598		F, M	
MYOSOTIS L.	7100000		
afropalustris C.H. Wright			
Arnold & De Wet: 598		L, M	
*sylvatica Hoffm.			
Arnold & De Wet: 598		L, F, M	
BRASSICACEAE			
APLANODES Marais	2875010		
doidgeana Marais			
Arnold & De Wet: 317			Possibly occurring in Lesotho
sisymbrioides (Schltr.) Marais			
(<i>Heliophila sisymbrioides</i> Schltr.)			
Arnold & De Wet: 317			F, M
BARBAREA R.Br.	2961000		
*verna (Mill.) Asch.			
Arnold & De Wet: 321		M	
CAPSELLA Medik.	2986000		
*bursa-pastoris (L.) Medik.			
(<i>Thlaspi bursa-pastoris</i> L.)			
Arnold & De Wet: 321		L, F	
CORONOPUS Zinn	2884000		
*didymus (L.) Sm.			
(<i>Lepidium didymus</i> (L.) Sm.)			
Arnold & De Wet: 319		L	
ERUCASTRUM (DC.) C.Presl	2947000		
strigosum (Thunb.) O.E.Schulz			
(<i>Brassica leptopetala</i> (DC.) Sond.)			
(<i>Brassica strigosa</i> (Thunb.) DC. var. <i>glabrata</i> Sond.)			
(<i>Sinapis leptopetala</i> DC.)			
Arnold & De Wet: 320		M, S	
HELIOPHILA L.	2875000		
alpina Marais			
Arnold & De Wet: 314		M	
carnosa (Thunb.) Steud.			
(<i>H. abrotanifolia</i> Banks ex DC., pro parte)			
(<i>H. abrotanifolia</i> Banks ex DC. var. <i>tenuiloba</i> Sond.)			
(<i>H. chamaemifolia</i> Eckl. & Zeyh.)			
Arnold & De Wet: 314		L, F, M, S	
formosa Hilliard & B.L.Burt			
Arnold & De Wet: 315		M	
rigidiuscula Sond.			
(<i>H. virgata</i> sensu Eckl. & Zeyh.)			
Arnold & De Wet: 316		L, F, M	
suavissima Burch. ex DC.			
(<i>H. basutica</i> E.Phillips)			
(<i>H. fascicularis</i> DC.)			
Arnold & De Wet: 317		L, M	
LEPIDIUM L.	2883000		
basuticum Marais			
Arnold & De Wet: 318		M	
*bonariense L.			
Arnold & De Wet: 318		L, M, S	
myriocarpum Sond.			
Arnold & De Wet: 319		F, M	
schinzii Thell.			
(<i>L. trifurcum</i> sensu Thell.)			
Arnold & De Wet: 319		F, M	
transvaalense Marais			
Arnold & De Wet: 319		F, M	
trifurcum Sond.			
(<i>L. divaricatum</i> Aiton subsp. <i>trifurcum</i> (Sond.) Marais)			
Arnold & De Wet: 319		L	
MATTHIOLA R.Br.	3042000		
torulosa (Thunb.) DC.			
Arnold & De Wet: 322		M, S	

NASTURTIIUM R.Br. **2965000**
***officinale** R.Br.
(Rorippa nasturtium-aquaticum (L.) Hayek)
 Germishuizen & Meyer: 328 L, M

RAPHANUS L. **2950000**
***raphanistrum** L.
 Arnold & De Wet: 320 M

RORIPPA Scop. **2965010**
fluviatilis (E.Mey. ex Sond.) Thell. var. **fluviatilis**
(Nasturtium fluviatile E.Mey. ex Sond.)
 Arnold & De Wet: 321 L, F
nudiuscula Thell.
(Nasturtium elongatum E.Mey. ex Burt Davy)
(Nasturtium fluviatile E.Mey. var. *brevistylum* Sond.)
(Nasturtium integrifolium Szyszyl.)
 Arnold & De Wet: 321 L, F, M

SISYMBRIUM L. **2917000**
capense Thunb.
 Arnold & De Wet: 319 L, F
***orientale** L.
(S. strigosum Thunb., pro parte)
 Arnold & De Wet: 319 L
thellungii O.E.Schulz
(Brassica pachypoda Thell.)
 Arnold & De Wet: 320 L, F, M
turczaninowii Sond.
(S. burchellii DC. var. *turczaninowii* (Sond.) O.E.Schulz)
 Arnold & De Wet: 320 L

TURRITIS L. **3000000**
***glabra** L.
(Arabis glabra (L.) Bernh.)
(Arabis perfoliata Lam.)
(T. dregeana Sond.)
 Arnold & De Wet: 322 F, M

BUDDLEJACEAE

BUDDLEJA L. **6473000**
loricata Leeuwenb.
(B. corrugata (Benth.) E.Phillips)
(Chilianthus corrugatus (Benth.) A.DC.)
 Arnold & De Wet: 558 L, F, M, S
salviifolia (L.) Lam.
 Arnold & De Wet: 558 L, F, M, S

GOMPHOSTIGMA Turcz. **6470000**
virgatum (L.f.) Baill.
 Arnold & De Wet: 558 L, M, S

CACTACEAE

OPUNTIA Mill. **5417000**
***ficus-indica** (L.) Mill.
 Van Wyk & Gericke: 50 L, F, S

CAMPANULACEAE

CRATEROCAPSA Hilliard & B.L.Burt **8668010**

congesta Hilliard & B.L.Burt
 Arnold & De Wet: 691 L, M
montana (A.DC.) Hilliard & B.L.Burt
(Wahlenbergia basutica E.Phillips)
(Wahlenbergia montana A.DC. var. *montana*)
 Arnold & De Wet: 691 L, M
tarsodes Hilliard & B.L.Burt
(Wahlenbergia montana A.DC. var. *angustisepala* Brehmer)
(Wahlenbergia montana A.DC. var. *glabrata* Sond.)
 Pooley (1998): 494 M

WAHLENBERGIA Schrad. ex Roth **8668000**
albans (Spreng. ex A.DC.) Lammers
(Lightfootia albans Spreng. ex A.DC.)
(Lightfootia laricina H.Buek, pro parte)
 Germishuizen & Meyer: 341 L
androsacea A.DC.
(W. arenaria A.DC.)
(W. nudicaulis A.DC.)
(W. perennis Brehmer)
(W. rosulata Brehmer)
 Arnold & De Wet: 688 L, F
appressifolia Hilliard & B.L.Burt
 Arnold & De Wet: 688 M
capillacea (L.f.) A.DC. subsp. **capillacea**
(Campanula capillacea L.f.)
(W. pinnata Compton var. *simplicifolia* Compton)
 Arnold & De Wet: 688 L, F
denticulata (Burch.) A.DC. var. **denticulata**
(Campanula denticulate Burch.)
(Lightfootia denticulata (Burch.) Sond. var. *denticulata*)
 Germishuizen & Meyer: 342 L, M
depressa J.M.Wood & M.S.Evans
 Arnold & De Wet: 689 F
dieterlenii (E.Phillips) Lammers
(Lightfootia caledonica Sond.)
(Lightfootia dieterlenii E.Phillips)
 Germishuizen & Meyer: 342: 691 L
doleritica Hilliard & B.L.Burt
 Arnold & De Wet: 689 Possibly occurring in Lesotho
fasciculata Brehmer
 Arnold & De Wet: 689 M
grandiflora Brehmer
 Pooley (1998): 206 L
huttonii (Sond.) Thulin
(Lightfootia huttonii Sond.)
 Pooley (1998): 494 L
krebsii Cham. subsp. **krebsii**
(W. zeyheri H.Buek)
 Arnold & De Wet: 689 L, F, M
lycopodioides Schltr. & Brehmer
 Arnold & De Wet: 689 F
paniculata (Thunb.) A.DC.
(Campanula paniculata Thunb.)
 Arnold & De Wet: 690 L
paucidentata Schinz
 Arnold & De Wet: 690 L, F, M
polytrichifolia Schltr. subsp. **dracomontana** Hilliard & B.L.Burt
 Arnold & De Wet: 690 M
polytrichifolia Schltr. subsp. **polytrichifolia**
 Arnold & De Wet: 690 L, M

pulvillus-gigantis Hilliard & B.L.Burt

Arnold & De Wet: 690

M

undulata (L.f.) A.DC.*(Campanula undulata* L.f.)*(W. caledonica* Sond.)*(W. dinteri* Brehmer)

Arnold & De Wet: 691

L, F, M

virgata Engl.*(W. subnuda* Conrath)

Arnold & De Wet: 691

F

CANNABACEAE

CANNABIS L.

1973000

***sativa** L. var. **sativa**

Germishuizen & Meyer: 346

L, F, M, S

CAPPARACEAE

CLEOME L.

3082000

monophylla L.

Pooley (1998): 384

F

CARYOPHYLLACEAE

CERASTIUM L.

2430000

arabidis E.Mey. ex Fenzl*(C. dregeanum* Fenzl)

Arnold & De Wet: 303

F, M

capense Sond.

Arnold & De Wet: 303

L, F, M

fontanum Baumg. subsp. **triviale** (Link) Jals*(C. caespitosum* Gilib. subsp. *triviale* (Link) Hiitonen)*(C. holosteoides* Fr.)*(C. holosteoides* Fr. subsp. *triviale* (Murb.) Möschl)

Arnold & De Wet: 304

L

indicum Wight & Arn.*(C. africanum* (Hook.f.) Oliv.)*(C. indicum* Wight & Arn. var. *ruwenzoriense* (F.N.Williams)

Möschl)

Arnold & De Wet: 304

L, M

DIANTHUS L.

2502000

basuticus Burt Davy subsp. **basuticus** var. **basuticus***(D. micropetalus* Ser. var. *galpinii* Burt Davy)

Arnold & De Wet: 306

M

basuticus Burt Davy subsp. **basuticus** var. **grandiflorus**

Hooper

Arnold & De Wet: 306

M

caespitosus Thunb. subsp. **caespitosus**

Arnold & De Wet: 306

F

micropetalus Ser.

Arnold & De Wet: 307

L, M

SILENE L.

2490000

bellidioides Sond.

Arnold & De Wet: 306

M

burchellii Otth var. **angustifolia** Sond.*(S. burchellii* Otth var. *macrorrhiza* R.E.Fr.)*(S. burchellii* Otth var. *pilosellaefolia* Sond.)

Arnold & De Wet: 306

L, M

burchellii Otth var. **burchellii***(S. dinteri* Engl.)

Arnold & De Wet: 306

L, M

***gallica** L.

Arnold & De Wet: 306

L

primuliflora Eckl. & Zeyh. var. **primuliflora**

Germishuizen & Meyer: 353

L, M

undulata Aiton*(S. capensis* Otth)

Arnold & De Wet: 306

M

SPERGULA L.

2449000

***arvensis** L.

Arnold & De Wet: 304

M

STELLARIA L.

2429000

***media** (L.) Vill.

Arnold & De Wet: 303

L, M

***pallida** (Dumort.) Piré

Arnold & De Wet: 303

L

CELASTRACEAE

GYMNOSPORIA (Wight & Arn.) Hook.f.

4627000

heterophylla (Eckl. & Zeyh.) Loes.*(Celastrus heterophyllus* Eckl. & Zeyh.)*(Maytenus heterophylla* sensu (Eckl. & Zeyh.) N.Robson)

Germishuizen & Meyer: 357

L, F, S

MAYTENUS Molina

4626000

acuminata (L.f.) Loes. var. **acuminata***(Celastrus acuminatus* L.f.)*(Gymnosporia acuminata* (L.f.) Szyszyl.)

Arnold & De Wet: 480

L

albata (N.E.Br.) E.Schmidt & M.Jordaan*(Gymnosporia albata* (N.E.Br.) Sim)

Germishuizen & Meyer: 359

undata (Thunb.) Blakelock*(Celastrus undatus* Thunb.)*(Celastrus zeyheri* Sond.)

Arnold & De Wet: 481

L

CELTIDACEAE

CELTIS L.

1898000

africana Burm.f.*(C. kraussiana* Bernh.)

Arnold & De Wet: 211

L, M, S

CHENOPODIACEAE

ATRIPLEX L.

2229000

semibaccata R.Br. var. **appendiculata** Aellen

Arnold & De Wet: 240

L

CHENOPODIUM L.

2223000

***album** L.

Arnold & De Wet: 238

L, F, M, S

***ambrosioides** L.

Arnold & De Wet: 238

L, M

***carinatum** R.Br.

Arnold & De Wet: 238

L, M

mucronatum Thunb.

(<i>C. vulvaria</i> auctt. non L.; Range)	
Arnold & De Wet: 238	L, M
*multifidum L.	
(<i>Roubieva multifida</i> (L.) Moq.)	
Arnold & De Wet: 238	L
*murale L. var. murale	
(<i>C. longidjawense</i> Peter)	
(<i>C. murale</i> L. var. <i>acutidentatum</i> Aellen)	
Germishuizen & Meyer: 364	L, F
*schraderianum Roem. & Schult.	
(<i>C. botrys</i> auctt., non L., Schinz)	
(<i>C. foetidum</i> Schrad.)	
(<i>C. foetidum</i> Schrad. subsp. <i>gracile</i> Aellen)	
Arnold & De Wet: 239	L, F, M

CONVOLVULACEAE

CONVOLVULUS L.	6993000
*arvensis L.	
Arnold & De Wet: 589	L, F
farinosus L.	
(<i>C. cordifolius</i> Thunb.)	
Pooley (1998): 176	L, M
sagittatus Thunb.	
(<i>C. sagittatus</i> Thunb. subsp. <i>sagittatus</i> var. <i>hirtellus</i> (Hallier f.) A.Meeuse)	
(<i>C. sagittatus</i> Thunb. subsp. <i>sagittatus</i> var. <i>ulosepalus</i> (Hallier f.) Verdc.)	
(<i>C. ulosepalus</i> Hallier f.)	
Germishuizen & Meyer: 373	L, F, M
thunbergii Roem. & Schult.	
Arnold & De Wet: 591	L, S
CUSCUTA L.	6968000
*campestris Yunck.	
Arnold & De Wet: 588	L, F, M
IPOMOEA L.	7003000
crassipes Hook.	
(<i>Aniseia calystegioides</i> E.Mey. ex Choisy)	
(<i>I. bellecomans</i> Rendle)	
Arnold & De Wet: 592	F
oblongata E.Mey. ex Choisy	
(<i>Ipomoea lambtoniana</i> Rendle)	
(<i>Turbina oblongata</i> (E.Mey. ex Choisy) A.Meeuse)	
Germishuizen & Meyer: 376	L, F, M
simplex Thunb.	
(<i>I. plantaginea</i> (Choisy) Hallier f.)	
Arnold & De Wet: 594	F
sinensis (Desr.) Choisy subsp. blepharosepala (Hochst. ex A.Rich.) Verdc. ex A.Meeuse	
(<i>I. blepharosepala</i> Hochst. ex A.Rich.)	
(<i>I. cardiosepala</i> Hochst. ex Baker & C.H.Wright)	
Bromilow: 182	L
MERREMIA Dennst.	6997000
verecunda Rendle	
(<i>Ipomoea quinquefolia</i> Hochst. ex Hallier f. var. <i>pubescens</i> Baker)	
(<i>Ipomoea verecunda</i> (Rendle) N.E.Br.)	
Arnold & De Wet: 591	F

CRASSULACEAE

ADROMISCHUS Lem.	3175000
maculatus (Salm-Dyck) Lem.	
(<i>A. rhombifolius</i> sensu C.A.Sm., non (Haw.) Lem.)	
(<i>Cotyledon maculata</i> Salm-Dyck)	
Arnold & De Wet: 341	Possibly occurring in Lesotho
COTYLEDON L.	3164000
orbiculata L. var. oblonga (Haw.) DC.	
(<i>C. coruscans</i> Haw.)	
(<i>C. decussata</i> sensu Jacot Guill., non Sims)	
(<i>C. leucophylla</i> C.A.Sm.)	
(<i>C. oblonga</i> Haw.)	
(<i>C. undulata</i> Haw.)	
(<i>C. virescens</i> Schönland & Baker f.)	
Arnold & De Wet: 329	F, M
orbiculata L. var. orbiculata x C. papillaris L.f.	
Arnold & De Wet: 329	S
CRASSULA L.	3168000
alba Forssk. var. alba	
(<i>C. recurva</i> N.E.Br.)	
(<i>C. rubicunda</i> Drège ex Harv.)	
(<i>C. stewartiae</i> Burt Davy)	
Arnold & De Wet: 332; Pooley (1998): 386	F, M
capitella Thunb. subsp. capitella	
(<i>C. albanensis</i> Schönland)	
(<i>C. turrita</i> sensu Harv., Schönland, non Thunb.)	
(<i>C. turrita</i> Thunb. var. <i>latifolia</i> Harv.)	
Arnold & De Wet: 333	L, F, M, S
dependens Bolus	
(<i>C. alpestris</i> sensu Harv.; Keissl., non Thunb.)	
(<i>C. harveyi</i> Britten & Baker f.)	
(<i>C. laxa</i> Schönland)	
Arnold & De Wet: 334	L, F, M
exilis Harv. subsp. cooperi (Regel) Tölken	
(<i>C. bolusii</i> Hook.)	
(<i>C. cooperi</i> Regel)	
Arnold & De Wet: 334	Possibly occurring in Lesotho
gemmifera Friedrich	
Arnold & De Wet: 335	L, F, M
hemisphaerica Thunb.	
Specimen: <i>Linder</i> 6267	M
inanis Thunb.	
(<i>Helophytum inane</i> (Thunb.) Eckl. & Zeyh.)	
(<i>Tillaea inanis</i> (Thunb.) Steud., comb. inval.)	
Arnold & De Wet: 335	F, M
lanceolata (Eckl. & Zeyh.) Endl. ex Walp. subsp. lanceolata	
(<i>C. filamentosa</i> Schönland)	
(<i>C. muscosa</i> sensu Harv., non L.)	
(<i>C. schimperi</i> Fisch. & C.A.Mey. var. <i>illecebroides</i> (Welw. ex Hiern.) G.D.Rowley)	
Arnold & De Wet: 335	L, F, M, S
lanceolata (Eckl. & Zeyh.) Endl. ex Walp. subsp. transvaalensis (Kuntze) Tölken	
(<i>C. schimperi</i> Fisch. & C.A.Mey. var. <i>schimperi</i> , pro parte)	
(<i>C. transvaalensis</i> (Kuntze) K.Schum)	
Arnold & De Wet: 335	L, M

muscosa L. var. **muscosa**(C. *anguina* Harv.)(C. *lycopodioides* Lam.)

Arnold & De Wet: 336

S

natalensis Schönland(C. *rubescens* Schönland & Baker f.)

Arnold & De Wet: 336

L, F, M, S

natans Thunb. var. **natans**(C. *natans* Thunb. subsp. *natans*)(Helophytum *natans* (Thunb.) Eckl. & Zeyh.)(Helophytum *natans* (Thunb.) Eckl. & Zeyh. var. *amphibia* Harv.)

Arnold & De Wet: 336

L, F, M, S

nudicaulis L. var. **nudicaulis**(C. *canescens* (Haw.) Schult.)(C. *obvallata* L.)(C. *platyphylla* sensu Schönland; Jacot Guill., non Harv.)

Arnold & De Wet: 336

L, F, M, S

pellucida L. subsp. **brachypetala** (Drège ex Harv.)

Tölken

(Bulliarda *dregei* Harv.)(C. *dregei* (Harv.) Schönland)(C. *involuta* Schönland)

Arnold & De Wet: 337

M

peploides Harv.(C. *galpinii* Schönland)

Arnold & De Wet: 337

F, M

sarcocaulis Eckl. & Zeyh. subsp. **rupicola** Tölken

Arnold & De Wet: 338

M

sarcocaulis Eckl. & Zeyh. subsp. **sarcocaulis**(C. *parvisepala* Schönland)(C. *sarcocaulis* Eckl. & Zeyh. var. *scaberula* Harv.)

Arnold & De Wet: 338

L, F, M

sediflora (Eckl. & Zeyh.) Endl. & Walp var. **sediflora**(C. *tenuifolia* Schönland)

Arnold & De Wet: 338

M

setulosa Harv. var. **longiciliata** Tölken

Arnold & De Wet: 338

M

setulosa Harv. var. **rubra** (N.E.Br.) G.D.Rowley

Arnold & De Wet: 338

M

setulosa Harv. var. **setulosa**(C. *ramuliflora* Link & Otto var. *transvaalensis* Schönland)(C. *setulosa* Harv. var. *basutica* Schönland)(C. *setulosa* Harv. var. *ovata* Schönland)(C. *stachyera* Eckl. & Zeyh. var. *pulchella* Harv.)

Arnold & De Wet: 338

L, F, M

tenuicaulis Schönland

Arnold & De Wet: 339

M

tuberella Tölken

Arnold & De Wet: 339

F, M

umbraticola N.E.Br.

Arnold & De Wet: 340

M

vaginata Eckl. & Zeyh. subsp. **vaginata**(C. *spectabilis* Schönland)

Arnold & De Wet: 340

M

***vaillantii** (Willd.) Roth(Bulliarda *vaillantii* (Willd.) DC.)(Bulliarda *vaillantii* (Willd.) DC. var. *subulata* Harv.)

Arnold & De Wet: 340

L, F, M

KALANCHOE Adans.**3166000****paniculata** Harv.(K. *oblongiflora* Harv.)

Arnold & De Wet: 331

L

thyrsiflora Harv.

Arnold & De Wet: 331

L, F

CUCURBITACEAE**CITRULLUS** Eckl. & Zeyh.**8598000****lanatus** (Thunb.) Matsum. & Nakai(C. *vulgaris* Eckl. & Zeyh.)(Colocynthis *citrullus* (L.) Kuntze)(Momordica *lanata* Thunb.)

Arnold & De Wet: 684

L

COCCINIA Wight & Arn.**8628000****adoensis** (A.Rich.) Cogn.(C. *parvifolia* Cogn.)(C. *pubescens* (Sond.) Eyles)(Momordica *adoensis* A.Rich.)

Pooley (1998): 308

L

hirtella Cogn.

Arnold & De Wet: 685

L

CUCUMIS L.**8599000****africanus** L.f.(C. *hookeri* Naudin)

Arnold & De Wet: 684

L

hirsutus Sond.(C. *sonderi* Cogn.)

Pooley (1998): 308

F

myriocarpus Naudin subsp. **myriocarpus**(C. *dissectifolius* Naudin)(C. *merxmulleri* Süss.)

Arnold & De Wet: 684

L, F, M

zeyheri Sond.(C. *africanus* L.f. var. *zeyheri* (Sond.) Burt Davy)(C. *prophetarum* L. subsp. *zeyheri* (Sond.) C.Jeffrey)

Arnold & De Wet: 684

L

KEDROSTIS Medik.**8568000****capensis** (Sond.) A.Meeuse(Pisosperma *capense* Sond.)

Arnold & De Wet: 682

M

nana (Lam.) Cogn. var. **zeyheri** (Schrad.) Cogn.(Coniandra *zeyheri* Schrad. apud Eckl. & Zeyh.)(K. *zeyheri* (Schrad.) Cogn.)

Arnold & De Wet: 682

S

ZEHNERIA Endl.**8564000****scabra** (L.f.) Sond. subsp. **scabra**(Bryonia *scabra* L.f.)(Melotheia *cordata* (Thunb.) Cogn)

Arnold & De Wet: 681

L, M

DIPSACACEAE**CEPHALARIA** Schrad.**8541000****galpiniana** Szabó subsp. **simplicior** B.L.Burt

Arnold & De Wet: 680

L, F, M

natalensis Kuntze

Arnold & De Wet: 680

F

pungens Szabó

Pooley (1998): 204

L

zeyheriana Szabó	
Arnold & De Wet: 680	L, F
SCABIOSA L.	8546000
columbaria L.	
(<i>S. anthemifolia</i> Eckl. & Zeyh.)	
(<i>S. austro-africana</i> Heine)	
Arnold & De Wet: 681	L, F, M, S
drakensbergensis B.L.Burt	
Pooley (2003): 98	L, F, M

DROSERACEAE

DROSERA L.	3136000
madagascariensis DC.	
(<i>D. curvipes</i> Planch.)	
(<i>D. madagascariensis</i> DC. var. <i>major</i> Burt Davy)	
Pooley (1998): 384	F
natalensis Diels	
Pooley (1998): 384	F, M

EBENACEAE

DIOSPYROS L.	6406000
austro-africana De Winter var. microphylla (Burch.) De Winter	
(<i>Royena microphylla</i> Burch.)	
Arnold & De Wet: 555	L, F, M, S
austro-africana De Winter var. rubriflora (De Winter) De Winter	
(<i>Royena hirsuta</i> L. var. <i>rubriflora</i> De Winter)	
Arnold & De Wet: 555	L, F, M, S
lycioides Desf. subsp. lycioides	
(<i>D. lycioides</i> Desf.)	
(<i>Royena lycioides</i> (Desf.) A.DC.)	
Arnold & De Wet: 556	L, F, M, S
lycioides Desf. subsp. sericea (Bernh.) De Winter	
(<i>Royena lyciodes</i> (Desf.) A.DC. subsp. <i>sericea</i> (Bernh.) De Winter)	
(<i>Royena sericea</i> Bernh.)	
Arnold & De Wet: 556	F

EUCLEA Murray	6404000
coriacea A.DC.	
Arnold & De Wet: 555	L, F, M, S
crispa (Thunb.) Gürke subsp. crispa	
Arnold & De Wet: 555	L, F, M, S

ERICACEAE

ERICA L.	6237000
algida Bolus	
Arnold & De Wet: 535	M
alopecurus Harv. var. alopecurus	
Arnold & De Wet: 535	F, M
caespitosa Hilliard & B.L.Burt	
(<i>Phillipia tristis</i> Bolus)	
Arnold & De Wet: 536	F
caffra L. var. caffra	
Arnold & De Wet: 536	S
caffrorum Bolus var. caffrorum	
Arnold & De Wet: 536	M
cerinthoides L. var. cerinthoides	

Arnold & De Wet: 536	L
dominans Killick	
Arnold & De Wet: 538	M
dracomontana E.G.H.Oliv.	
(<i>Phillipia drakensbergensis</i> E.G.H.Oliv.)	
Arnold & De Wet: 538	F, M
evansii (N.E.Br.) E.G.H.Oliv.	
(<i>Phillipia evansii</i> N.E.Br.)	
Arnold & De Wet: 538	Possibly occurring in Lesotho
flanaganii Bolus	
Arnold & De Wet: 539	F, M
frigida Bolus	
Arnold & De Wet: 539	F, M
glaphyra Killick	
Arnold & De Wet: 539	Possibly occurring in Lesotho
leucopelta Tausch var. leucopelta	
Arnold & De Wet: 541	F
maesta Bolus var. maesta	
Arnold & De Wet: 542	L, M
reenensis Zahlbr.	
Arnold & De Wet: 544	M
schlechteri Bolus	
Arnold & De Wet: 545	L, M
straussiana Gilg	
(<i>E. westii</i> L.Bolus)	
Arnold & De Wet: 545	M
thodei Guthrie & Bolus	
(<i>E. dykei</i> Bolus)	
Arnold & De Wet: 546	F, M
woodii Bolus var. woodii	
(<i>E. woodii</i> Bolus var. <i>rhodesiaca</i> (Alm & Fr.) Dulfer)	
Germishuizen & Meyer: 448	F

EUPHORBIACEAE

ACALYPHA L.	4407000
depressinerva (Kuntze) K.Schum.	
(<i>A. schinzii</i> Pax)	
Germishuizen & Meyer: 452M	
peduncularis E.Mey. ex Meisn.	
Arnold & De Wet: 465	M
punctata Meisn. var. punctata	
Arnold & De Wet: 465	F
CLUTIA L.	4448000
hirsuta (Sond.) Müll.Arg. var. hirsuta	
Arnold & De Wet: 467	S
nana Prain	
Arnold & De Wet: 467	F
natalensis Bernh.	
Arnold & De Wet: 467	M
pulchella L. var. obtusata Sond.	
Arnold & De Wet: 467	M
pulchella L. var. pulchella	
(<i>C. galpinii</i> Pax)	
Arnold & De Wet: 467	L, F, S
EUPHORBIA L.	4498000
clavariodes Boiss. var. clavariodes	
(<i>E. basutica</i> Marloth)	
Arnold & De Wet: 469	L, F, M, S
epicyparissias E.Mey. ex Boiss.	

Germishuizen & Meyer: 460	F, M	ericroides Lam.	
Arnold & De Wet: 469	F, M	inaequilatera Sond. var. inaequilatera	
(<i>Chamaesyce inaequilatera</i> (Sond.) Sojak)			
(<i>E. sanguinea</i> Boiss.)			
Germishuizen & Meyer: 462	L, F, M, S	mauritanica L. var. mauritanica	
Arnold & De Wet: 471	L	natalensis Bernh.	
Arnold & De Wet: 472	L, F, M	*peplus L.	
Arnold & De Wet: 472	L, F	pulvinata Marloth	
Arnold & De Wet: 472	S	striata Thunb. var. striata	
Arnold & De Wet: 473	L, F, M, S		
FABACEAE			
ACACIA Mill.	3446000	*baileyana F. Muell.	
Arnold & De Wet: 355	L	*dealbata Link	
(<i>A. decurrens</i> Willd. var. <i>mollis</i> Lindl.)			
Arnold & De Wet: 356	L, F, S	karroo Hayne	
(<i>A. capensis</i> (Burm.f.) Burch.)			
(<i>A. hirtella</i> E.Mey.)			
(<i>A. hirtella</i> Willd. var. <i>inermis</i> Walp.)			
(<i>A. horrida</i> Willd.)			
(<i>A. horrida</i> Willd. var. <i>transvaalensis</i> Burttt Davy)			
(<i>A. inconflagrabilis</i> Gerstner)			
(<i>A. karroo</i> Hayne var. <i>transvaalensis</i> (Burttt Davy) Burttt Davy)			
(<i>A. reticulata</i> (L.) Willd.)			
(<i>Mimosa capensis</i> Burm.f.)			
(<i>Mimosa leucantha</i> Jacq.)			
(<i>Mimosa nilotica</i> sensu Thunb., non L.)			
Van Wyk & Van Wyk: 494	L, F, M, S	*podalyriifolia A.Cunn.ex G.Don	
Arnold & De Wet: 358	L		
ARGYROLOBIUM Eckl. & Zeyh.	3673000	baptisioides Walp.	
Specimen: <i>Linder 6504</i>	M	candicans Eckl. & Zeyh.	
Arnold & De Wet: 397	L	collinum Eckl. & Zeyh.	
Arnold & De Wet: 397	M	crassifolium Eckl. & Zeyh.	
Specimen: <i>Linder 6322</i>	M	filiforme Eckl. & Zeyh.	
(<i>A. stenorrhizon</i> Oliv.)			
Specimen: <i>Linder 6323</i>	M	harveyanum Oliv.	
(<i>A. uniflorum</i> Harv.)			
Pooley (1998): 266	L, M	lotoides Harv.	
(<i>A. variopile</i> N.E.Br.)			
Germishuizen & Meyer: 481; Specimen: <i>Linder 6504</i> (BM)	M	pauciflorum Eckl. & Zeyh. var. pauciflorum	
Arnold & De Wet: 397	M		
rupestre (Eckl. & Zeyh.) Walp. subsp. rupestre			
Germishuizen & Meyer: 481	F, M	summomontanum Hilliard & B.L.Burttt	
Arnold & De Wet: 397	M	tuberosum Eckl. & Zeyh.	
(<i>A. angustifolium</i> Eckl. & Zeyh.)			
Arnold & De Wet: 397	L, F, M		
ASPALATHUS L.	3662000	acicularis E.Mey. subsp. acicularis	
Arnold & De Wet: 382	M	spinosa L. subsp. spinosa	
(<i>A. horrida</i> Eckl. & Zeyh.)			
Pooley (1998): 262	L		
CALPURNIA E.Mey.	3607000	sericea Harv.	
(<i>C. intrusa</i> auctt., non (R.Br. in W.T.Aiton) E.Mey. sensu str.)			
Arnold & De Wet: 368	L, M		
CROTALARIA L.	3669000	distans Benth subsp. distans	
Arnold & De Wet: 395	L	obscura DC.	
(<i>C. pilosa</i> Thunb.)			
(<i>C. pilosa</i> Thunb. var. <i>collina</i> Eckl. & Zeyh.)			
(<i>C. pilosa</i> Thunb. var. <i>ruparia</i> Eckl. & Zeyh.)			
Arnold & De Wet: 396	M		
DICHILUS DC.	3664000	strictus E.Mey.	
Arnold & De Wet: 394	M		
DOLICHOS L.	3910000	angustifolius Eckl. & Zeyh.	
Arnold & De Wet: 427	L	linearis E.Mey.	
Arnold & De Wet: 427	S	pratensis (E.Mey.) Taub.	
Arnold & De Wet: 427	L, F		
ELEPHANTORRHIZA Benth.	3467000	elephantina (Burch.) Skeels	
(<i>Acacia elephantina</i> Burch.)			
(<i>Acacia elephantorrhiza</i> DC.)			
(<i>E. burchellii</i> Benth.)			
Arnold & De Wet: 360	L, F		
ERIOSEMA (DC.) G.Don	3898000	cordatum E.Mey.	
(<i>E. cordatum</i> E.Mey. var. <i>guenzii</i> (Sond.) Harv.)			
(<i>E. guenzii</i> Sond.)			
Arnold & De Wet: 425	F	kraussianum Meisn.	
Arnold & De Wet: 425	F	salignum E.Mey.	
Arnold & De Wet: 425	L, F		
ERYTHRINA L.	3870000	zeyheri Harv.	
Arnold & De Wet: 422	L		

GLEDITSIA L.	3544000	thodei L.Bolus	
* triacanthos L.		Arnold & De Wet: 366	M
Arnold & De Wet: 366	L, F, M, S		
INDIGASTRUM Jaub. & Spach	3702030	LOTONONIS (DC.) Eckl. & Zeyh.	3657000
fastigiatum (E.Mey.) Schrire		calycina (E.Mey.) Benth.	
(<i>Indigofera fastigiata</i> E.Mey.)		(<i>Lipozygis calycina</i> E.Mey.)	
(<i>Indigofera fastigiata</i> E.Mey. var. <i>angustata</i> Harv.)		(<i>Lipozygis calycina</i> E.Mey. var. <i>acuta</i> Dummer)	
(<i>Indigofera rostrata</i> Conrath)		(<i>Lipozygis calycina</i> E. Mey. var. <i>hirsutissima</i> Dummer)	
Germishuizen & Meyer: 513	L, F	Arnold & De Wet: 375	L, F
INDIGOFERA L.	3702000	decumbens (Thunb.) B.-E.van Wyk subsp. rehmannii	
cuneifolia Eckl. & Zeyh. var. cuneifolia		(Dummer) B.-E.van Wyk	
(<i>I. florida</i> E.Mey.)		(<i>L. rehmannii</i> Dummer)	
Arnold & De Wet: 402	M	Arnold & De Wet: 376	F
dimidiata Vogel ex Walp.		eriantha Benth.	
Arnold & De Wet: 402	M	Arnold & De Wet: 376	M
filipes Benth. ex Harv.		foliosa Bolus	
Arnold & De Wet: 403	L	Pooley (1998): 258	F
hedyantha Eckl. & Zeyh.		galpinii Dummer	
(<i>I. secunda</i> E.Mey.)		(<i>Buchenroedera sparsiflora</i> J.M.Wood & M.S.Evans)	
Arnold & De Wet: 403	L, F, M	Arnold & De Wet: 376	F, M
hilaris Eckl. & Zeyh.		lanceolata (E.Mey.) Benth.	
Pooley (1998): 390	L, M	(<i>Aspalathus lanceolata</i> Benth.)	
longebarbata Engl.		Arnold & De Wet: 377	F
(<i>I. griquana</i> Schltr. ex Zahlbr.)		laxa Eckl. & Zeyh.	
(<i>I. hirsuta</i> L. var. <i>polystachya</i> Welw. ex Baker)		Arnold & De Wet: 377	L, F, M
(<i>I. schlechteri</i> Baker f.)		listii Polhill	
Pooley (1998): 390	M	(<i>Listia heterophylla</i> E.Mey)	
nigromontana Eckl. Zeyh.		Arnold & De Wet: 377	L
(<i>I. dealbata</i> Harv.)		lotononoides (Scott-Elliot) B.-E.van Wyk	
(<i>I. heterophylla</i> Thunb. var. <i>montana</i> Eckl. & Zeyh.)		(<i>Buchenroedera lotononoides</i> Scott-Elliot)	
(<i>I. spinescens</i> E.Mey.)		(<i>L. dieterlenii</i> E.Phillips)	
Arnold & De Wet: 405	L, F, S	Arnold & De Wet: 377	L, F, M
rostrata Bolus		macrosepala Conrath	
(<i>Anila zeyheri</i> (Spreng.) Kuntze var. <i>macrophylla</i> Kuntze)		(<i>L. basutica</i> E.Phillips)	
Arnold & De Wet: 406	F	(<i>L. humilior</i> Dummer)	
tristis E.Mey.		Arnold & De Wet: 377	F
(<i>I. corniculata</i> E.Mey.)		mucronata Conrath	
Pooley (1998): 390	L	(<i>L. ornata</i> Dummer)	
tristoides N.E.Br.		Arnold & De Wet: 377	L, F
Arnold & De Wet: 407	L	procumbens Bolus	
zeyheri Spreng. ex Eckl. & Zeyh.		Arnold & De Wet: 378	F, M
(<i>Anila zeyheri</i> Kuntze var. <i>normalis</i> Kuntze)		pulchella (E.Mey.) B.-E.van Wyk	
(<i>I. acutisepala</i> Conrath ex Baker f.)		(<i>Buchenroedera tenuifolia</i> Eckl. & Zeyh. var. <i>pulchella</i> (E.Mey.)	
(<i>I. cinerascens</i> Eckl. & Zeyh.)		Harv.)	
Arnold & De Wet: 408	L, F	(<i>Buchenroedera tenuifolia</i> Eckl. & Zeyh. var. <i>tenuifolia</i>)	
		Arnold & De Wet: 378	L, M
LESSERTIA DC.	3756000	sericophylla Benth.	
depressa Harv.		(<i>L. trisegmentata</i> E.Phillips var. <i>robusta</i> E.Phillips)	
Arnold & De Wet: 416	L, F, M	Arnold & De Wet: 378	L, M
glabricaulis L.Bolus		MEDICAGO L.	3688000
Arnold & De Wet: 416	M	* laciniata (L.) Mill. var. laciniata	
herbacea (L.) Druce		(<i>M. aschersoniana</i> Urb.)	
Arnold & De Wet: 416	M	(<i>M. polymorpha</i> L. var. <i>laciniata</i> L.)	
perennans (Jacq.) DC. var. perennans		Germishuizen & Meyer: 532	L, S
Arnold & De Wet: 416	L, F, M	* sativa L.	
perennans (Jacq.) DC. var. polystachya (Harv.) L.Bolus		Germishuizen & Meyer: 533	L, M
(<i>L. polystachya</i> Harv.)		MELOLOBIUM Eckl. & Zeyh.	3665000
Arnold & De Wet: 416	L, M	alpinum Eckl. & Zeyh.	
stricta L.Bolus		Arnold & De Wet: 394	L
Arnold & De Wet: 416	F	candicans (E.Mey.) Eckl. & Zeyh.	

<i>(Dichilus candicans</i> E.Mey.) Arnold & De Wet: 394	L, S	semiglabra Sond. <i>(Cracca semiglabra</i> Kuntze) Arnold & De Wet: 414	L, F
microphyllum (L.f.) Eckl. & Zeyh. <i>(Dichilus microphyllus</i> E.Mey.) Arnold & De Wet: 394	L, F, M, S	TRIFOLIUM L.	3690000
obcordatum Harv. Arnold & De Wet: 394	L, F, M	africanum Ser. var. africanum <i>(T. africanum</i> Ser. var. <i>glabellum</i> (E.Mey.) Harv.) Arnold & De Wet: 399	L, M
OTHOLOBIUM C.H.Stirt.	3703040	*angustifolium L. var. angustifolium Arnold & De Wet: 399	F
polystictum (Benth ex Harv.) C.H.Stirt. <i>(Psoralea polysticta</i> Benth. ex Harv.) Arnold & De Wet: 411	L	burchellianum Ser. subsp. burchellianum <i>(T. repens</i> Thunb.) Arnold & De Wet: 399	L, M
RHYNCHOSIA Lour.	3897000	VICIA L.	3852000
adenodes Eckl. & Zeyh. <i>(R. amatymbica</i> Eckl. & Zeyh.) Arnold & De Wet: 423	F, M	*villosa Roth subsp. villosa Germishuizen & Meyer: 556	L
dieterlenae Baker f. Arnold & De Wet: 423	F	VIGNA Savi	3905000
hirsuta Eckl. & Zeyh. Arnold & De Wet: 424	F	unguiculata (L.) Walp. subsp. unguiculata Pooley (1998): 398	L
minima (L.) DC. var. prostrata (Harv.) Meikle <i>(R. memnonia</i> (Delile) DC. var. <i>prostrata</i> Harv.) Arnold & De Wet: 424	M	unguiculata (L.) Walp. subsp. tenuis (E.Mey.) Maréchal var. tenuis <i>(V. tenuis</i> (E.Mey.) D.Dietr.) Arnold & De Wet: 426	Possibly occurring in Lesotho
nervosa Benth. & Harv. var. nervosa Arnold & De Wet: 424	F	FLACOURTIACEAE	
pentheri Schltr ex Zahlbr. var. pentheri Arnold & De Wet: 424	L, F, M, S	KIGGELARIA L.	5296000
totta (Thunb.) DC. var. totta <i>(Glycine totta</i> Thunb.) Arnold & De Wet: 424	L, F, M	africana L. Arnold & De Wet: 510	L, F, M, S
ROBINIA L.	3733000	SCOLOPIA Schreb.	5304000
*pseudoacacia L. Arnold & De Wet: 415	L, F, M, S	mundii (Eckl. & Zeyh.) Warb. Arnold & De Wet: 510	L
SESBANIA Scop.	3747000	TRIMERIA Harv.	5315000
*punicea (Cav.) Benth. Arnold & De Wet: 415	L	grandifolia (Hochst.) Warb. subsp. grandifolia <i>(T. alnifolia</i> (Hook.) Harv.) Arnold & De Wet: 510	M
SUTHERLANDIA R.Br. ex W.T.Aiton	3754000	FUMARIACEAE	
frutescens (L.) R.Br. <i>(Colutea frutescens</i> L.) Arnold & De Wet: 415	L, F, M	CYSTICAPNOS Mill.	2858020
microphylla Burch. ex DC. Arnold & De Wet: 416	M	pruinosa (Bernh.) Lidén <i>(Phacocarpus pruinosa</i> (E.Mey.) Bernh.) Arnold & De Wet: 313	L, M
montana E.Phillips & R.A.Dyer Pooley (1998): 58	M	FUMARIA L.	2861000
TEPHROSIA Pers.	3718000	*muralis Sond. ex W.D.J.Koch subsp. muralis <i>(F. officinalis</i> L. var. <i>grandiflora</i> DC.) Arnold & De Wet: 313	L
capensis (Jacq.) Pers. var. capensis <i>(Galega pallens</i> Aiton) <i>(T. ternatifolia</i> R.G.N.Young) Arnold & De Wet: 412	F, L, M	GENTIANACEAE	
longipes Meisn. subsp. longipes var. longipes <i>(T. angustissima</i> Engl.) <i>(T. dawsonii</i> Baker f.) <i>(T. longipes</i> Meisn. subsp. <i>longipes</i> var. <i>icosisperma</i> Brummitt) <i>(T. lurida</i> Sond. var. <i>drummondii</i> Brummitt) <i>(T. lurida</i> Sond. var. <i>lissocarpa</i> Brummitt) <i>(T. lurida</i> Sond. var. <i>lurida</i>) Arnold & De Wet: 413	M	CHIRONIA L.	6503000
		krebsii Griseb. Arnold & De Wet: 561	F, M
		palustris Burch. subsp. palustris <i>(C. palustris</i> Burch.) Arnold & De Wet: 561	F

purpurascens (E.Mey.) Benth. & Hook.f. subsp. purpurascens Pooley (1998): 414	L	(<i>S. jasminiflora</i> Schinz) Arnold & De Wet: 560	M
SEBAEA Sol. ex R.Br. 6481000		SWERTIA L. 6512000 welwitschii Engl. Arnold & De Wet: 561	F
bojeri Griseb. (<i>S. saccata</i> Schinz) Arnold & De Wet: 559	M	GERANIACEAE	
erosa Schinz (<i>S. pygmaea</i> Schinz) Arnold & De Wet: 559	M	ERODIUM L'Hér. 3927000 *cicutarium (L.) L'Hér. (<i>E. praecox</i> Willd.) Arnold & De Wet: 430	L, F
exigua (Oliv.) Schinz Arnold & De Wet: 559	L, M	GERANIUM L. 3924000 brycei N.E.Br. (<i>G. thodei</i> R.Knuth) Arnold & De Wet: 428	M
filiformis Schinz Arnold & De Wet: 559	L	drakensbergensis Hilliard & B.L.Burt Pooley (2003): 206	M
grandis (E.Mey.) Steud. (<i>Belmontia grandis</i> E.Mey.) (<i>Exochaenium grande</i> (E.Mey.) Griseb.) Arnold & De Wet: 559	L, F, M	magniflorum R.Knuth Arnold & De Wet: 429	M
leiostyla Gilg (<i>S. polyantha</i> Gilg) Arnold & De Wet: 559	L, F	multisectum N.E.Br. (<i>G. incanum</i> Burm.f. var. <i>glabrieus</i> R.Knuth) Arnold & De Wet: 429	L, F, M
longicaulis Schinz (<i>S. acuminata</i> Hill) (<i>S. grandiflora</i> Schinz) (<i>S. macowanii</i> Gilg ex Schinz) Arnold & De Wet: 559	M	pulchrum N.E.Br. (<i>G. lanuginosum</i> R.Knuth) Pooley (1998): 400	M
macrophylla Gilg (<i>S. brehmeri</i> Schinz) (<i>S. fastigiata</i> Hill) (<i>S. hymenosepala</i> sensu Schinz, non Gilg var. <i>grandiflora</i> Hill) Arnold & De Wet: 559	F	robustum Kuntze (<i>G. incanum</i> Burm.f. var. <i>pottiae</i> Burt Davy) R.Knuth	L, F, M
marlothii Gilg Arnold & De Wet: 559	M	schlechteri R.Knuth (<i>G. ornithopodon</i> Eckl. & Zeyh. var. <i>lilacinum</i> Kuntze) Arnold & De Wet: 429	F, M
natalensis Schinz (<i>S. imbricata</i> Hill) (<i>S. rudolfii</i> Schinz) (<i>S. vitellina</i> Schinz) Arnold & De Wet: 559	L, F, M, S	wakkerstroomianum R.Knuth (<i>G. ornithopodon</i> Eckl. & Zeyh. var. <i>album</i> Kuntze) Arnold & De Wet: 429	L, M
procumbens A.W.Hill (<i>S. conspicua</i> Hill) (<i>S. rotundifolia</i> Hill) Arnold & De Wet: 560	M	MONSONIA L. 3925000 angustifolia E.Mey. ex A.Rich. Arnold & De Wet: 429	L, F, M, S
rehmannii Schinz (<i>S. macrantha</i> Gilg) Arnold & De Wet: 560	M	attenuata Harv. (<i>M. belfastensis</i> R.Knuth) Pooley (1998): 152	M
repens Schinz Arnold & De Wet: 560	F, M	brevirostrata R.Knuth Arnold & De Wet: 429	M
sedoides Gilg var. confertiflora (Schinz) Marais (<i>S. confertiflora</i> Schinz) Arnold & De Wet: 560	L	burkeana Planch. ex Harv. (<i>M. betschuanica</i> R.Knuth) (<i>M. biflora</i> DC.) (<i>M. glandulosissima</i> Schinz) (<i>M. malvaeflora</i> Schinz) Arnold & De Wet: 429	L
sedoides Gilg var. sedoides (<i>S. sedoides</i> Gilg, pro parte) Arnold & De Wet: 560	L, F, M	PELARGONIUM L'Hér. 3928000 alchemilloides (L.) L'Hér. (<i>P. alchemillifolium</i> Salisb.) (<i>P. malvaefolium</i> Jacq.) Pooley (1998): 154	L, F, M
spathulata (E.Mey) Steud. (<i>Belmontia flanaganii</i> Schinz) (<i>Belmontia spathulata</i> E.Mey.) Arnold & De Wet: 560	M	althaeoides (L.) L'Hér. Arnold & De Wet: 431	M
thodeana Gilg Arnold & De Wet: 560	M	aridum R.A.Dyer (<i>P. dissectum</i> (Eckl. & Zeyh.) Harv.)	
thomasii (S.Moore) Schinz (<i>Exochaenium thomasii</i> (S.Moore) Schinz)			

Arnold & De Wet: 431	L
bowkeri Harv.	
Arnold & De Wet: 431	M
caffrum (Eckl. & Zeyh.) Harv.	
Arnold & De Wet: 431	Possibly occurring in Lesotho
dolomiticum R.Knuth	
(<i>P. bechuanicum</i> Burt. Davy)	
(<i>P. bechuanicum</i> Burt. Davy var. <i>latisectum</i> Burt. Davy)	
(<i>P. juttae</i> Dinter)	
Arnold & De Wet: 432	M
elongatum (Cav.) Salisb.	
Arnold & De Wet: 432	F, S
grossularioides (L.) L'Hér.	
(<i>P. filicaule</i> R.Knuth)	
Arnold & De Wet: 433	M
luridum (Andrews) Sweet	
(<i>P. aconitophyllum</i> (Eckl. & Zeyh.) Steud.)	
(<i>P. flabellifolium</i> Harv.)	
(<i>P. longiscapum</i> Schltr.)	
Arnold & De Wet: 434	M
minimum (Cav.) Willd.	
(<i>P. fumarioides</i> L'Hér. ex Harv.)	
Arnold & De Wet: 434	L
multicaule Jacq. subsp. multicaule	
Arnold & De Wet: 434	L
myrrhifolium (L.) L'Hér. var. myrrhifolium	
(<i>P. myrrhifolium</i> (L.) L'Hér. var. <i>betonicum</i> (Burm.f.) Harv.)	
Arnold & De Wet: 434	L
nanum L'Hér.	
(<i>P. malacoides</i> R.Knuth)	
(<i>P. parvulum</i> DC.)	
(<i>P. procumbens</i> (Andrews) Pers)	
Arnold & De Wet: 434	M
pseudofumarioides R.Knuth	
Arnold & De Wet: 435	M
pulverulentum Colvill ex Sweet	
(<i>P. hollandii</i> F.M.Leight.)	
Arnold & De Wet: 435	M
ranunculophyllum (Eckl. & Zeyh.) Baker	
Arnold & De Wet: 435	L, M
reniforme Curtis subsp. reniforme	
Germishuizen & Meyer: 576	F, M
sidoides DC.	
(<i>P. sidaefolium</i> (Thunb.) R.Knuth)	
Arnold & De Wet: 435	L, F, M

GESNERIACEAE

STREPTOCARPUS Lindl.	7823000
pusillus Harv. ex C.B.Clarke	
Arnold & De Wet: 651	M

GUNNERACEAE

GUNNERA L.	5836000
perpensa L.	
Arnold & De Wet: 525	L, F, M, S

HALORAGACEAE

LAUREMBERGIA P.J.Bergius	5833000
repens P.J.Bergius subsp. brachypoda (Hiern) Oberm.	

(<i>L. tetrandra</i> (Schott) Kanitz subsp. <i>brachypoda</i> (Hiern) A.Raynal)	
Arnold & De Wet: 525	M

HYPERICACEAE

HYPERICUM L.	5168000
aethiopicum Thunb. subsp. aethiopicum	
Arnold & De Wet: 508	L, F, M
aethiopicum Thunb. subsp. sonderi (Bredell) N.Robson	
(<i>H. sonderi</i> Bredell)	
Arnold & De Wet: 508	L
lalandii Choisy	
Arnold & De Wet: 508	L, F, M, S
*perforatum L.	
Arnold & De Wet: 508	S
wilmsii R.Keller	
Arnold & De Wet: 508	L, M

ICACINACEAE

CASSINOPSIS Sond.	4671000
ilicifolia (Hochst.) Kuntze	
(<i>C. capensis</i> Sond.)	
Arnold & De Wet: 484	L, F, M

LAMIACEAE

ACROTOME Benth. ex Endl.	7236000
inflata Benth.	
(<i>A. amboensis</i> Briq.)	
(<i>Lasiocorys eenii</i> (Hiern) Baker)	
Arnold & De Wet: 605	L, F
AEOLLANTHUS Mart. ex Spreng.	7345000
buchnerianus Briq.	
(<i>A. canescens</i> Gürke)	
Arnold & De Wet: 610	L
AJUGA L.	7211000
ophrydis Burch. ex Benth.	
Arnold & De Wet: 604	L, F, M, S
LAMIUM L.	7271000
*amplexicaule L.	
Arnold & De Wet: 606	L
LEONOTIS (Pers.) R.Br.	7264000
dubia E.Mey.	
Pooley (1998): 70	L
intermedia Lindl.	
(<i>L. bachmannii</i> Gürke)	
(<i>L. brevipes</i> Skan)	
Germishuizen & Meyer: 589	
ocymifolia (Burm.f.) Iwarsson	
(<i>L. ocymifolia</i> (Burm.f.) Iwarsson var. <i>raineriana</i> (Vis.) Iwarsson)	
Germishuizen & Meyer: 589	M
MARRUBIUM L.	7238000
*vulgare L.	
Arnold & De Wet: 605	L, F, M
MENTHA L.	7328000

aquatica L. (<i>M. dumetorum</i> Schult. var. <i>natalensis</i> Briq.) Arnold & De Wet: 610	L, F, M
longifolia (L.) Huds. subsp. capensis (Thunb.) Briq. (<i>M. capensis</i> Thunb.) Arnold & De Wet: 610	L, F
longifolia (L.) Huds. subsp. polyadena (Briq.) Briq. (<i>M. sylvestris</i> L. subsp. <i>polyadena</i> Briq.) Arnold & De Wet: 610	L, F
PLECTRANTHUS L'Hér. 7350000 fruticosus L'Hér. (<i>P. arthropodus</i> Briq.) (<i>P. behrii</i> Compton) (<i>P. charianthus</i> Briq.) (<i>P. galpinii</i> Schltr.) (<i>P. peglerae</i> T.Cooke) Arnold & De Wet: 612	F
grallatus Briq. (<i>P. cooperi</i> T.Cooke, pro parte) (<i>P. krookii</i> Gürke ex Zahlbr.) (<i>P. natalensis</i> Gürke forma <i>glandulosa</i> T.Cooke) Arnold & De Wet: 612	F
SALVIA L. 7290000 *reflexa Hornem. Arnold & De Wet: 609	L, F
repens Burch. ex Benth. var. repens (<i>S. cooperi</i> Skan) Arnold & De Wet: 609	L, F
runcinata L.f. (<i>S. monticola</i> Benth. var. <i>monticola</i>) (<i>S. runcinata</i> L.f. var. <i>grandiflora</i> Skan) (<i>S. sisymbriifolia</i> Skan) Arnold & De Wet: 609	L, F
stenophylla Burch. ex Benth. (<i>S. chlorophylla</i> Briq.) (<i>S. pallida</i> Dinter ex Engl.) (<i>S. stenophylla</i> Burch. ex Benth. var. <i>subintegra</i> Skan) Arnold & De Wet: 609	L, F, M, S
verbenaca L. (<i>S. clandestina</i> L. var. <i>angustifolia</i> Benth.) (<i>S. clandestina</i> L. var. <i>clandestina</i>) Arnold & De Wet: 609	L
SATUREJA L. 7305000 biflora (Buch.-Ham. ex D.Don) Briq. (<i>Micromeria biflora</i> (Buch.-Ham. ex D.Don) Benth.) (<i>Thymus biflorus</i> Buch.-Ham. ex D.Don) Arnold & De Wet: 610	F
STACHYS L. 7281000 cymbalaria Briq. (<i>S. aethiopica</i> L. var. <i>tenella</i> Kuntze) Arnold & De Wet: 607	L, F
dregeana Benth. (<i>S. dregeana</i> Benth. var. <i>lasiocalyx</i> (Schltr.) Skan) (<i>S. dregeana</i> Benth. var. <i>tenuior</i> Skan) (<i>S. rugosa</i> Aiton var. <i>foliosa</i> (Benth.) Skan) Arnold & De Wet: 607	F, M
hyssopoides Burch. ex Benth. Arnold & De Wet: 607	L

kuntzei Gürke Pooley (1998): 182	F, M
rugosa Aiton (<i>S. crenulata</i> Briq.) (<i>S. multiflora</i> Benth.) Arnold & De Wet: 608	F, M, S
sessilis Gürke Arnold & De Wet: 608	M
tysonii Skan (<i>S. obtusifolia</i> MacOwan var. <i>angustifolia</i> Skan) Arnold & De Wet: 608	M

TEUCRIUM L. 7212000 trifidum Retz. (<i>T. capense</i> Thunb.) Arnold & De Wet: 604	L
---	---

LENTIBULARIACEAE

UTRICULARIA L. 7901000 bisquamata Schrank (<i>U. brachyceras</i> Schltr.) (<i>U. capensis</i> Spreng.) (<i>U. delicata</i> Kamie_ski) Arnold & De Wet: 652	M
livida E.Mey. (<i>U. transrugosa</i> Stapf) Arnold & De Wet: 652	M
stellaris L.f. Arnold & De Wet: 652	L

LINACEAE

LINUM L. 3945000 thunbergii Eckl. & Zeyh. Arnold & De Wet: 442	L, F, M
---	---------

LOBELIACEAE

CYPHIA P.J.Bergius 8681000 longifolia N.E.Br. Pooley (1998): 208	M
oblongifolia Sond. & Harv. (<i>C. elata</i> Harv. var. <i>oblongifolia</i> (Sond. & Harv.) E.Phillips) Germishuizen & Meyer: 606	Possibly occurring in Lesotho
triphylia E.Phillips Arnold & De Wet: 694	L
LOBELIA L. 8694000 angolensis Engl. & Diels (<i>L. depressa</i> auctt., non L.f. var. <i>depressa</i>) (<i>L. depressa</i> L.f. var. <i>dregeana</i> (Sond.) E.Wimm.) (<i>L. depressa</i> L.f. var. <i>seineri</i> (Schltr.) E.Wimm.) Arnold & De Wet: 694	L, F
dregeana (C.Presl) A.DC. (<i>L. omphalodoides</i> Schltr.) (<i>Rapuntium dregeanum</i> C.Presl) Arnold & De Wet: 695	L, M
erinus L. (<i>L. erinus</i> L. var. <i>bellidifolia</i> (Thunb.) Sond.) (<i>L. erinus</i> L. var. <i>grandiflora</i> Paxton) (<i>L. krookii</i> Zahlbr.)	

- (*L. tysonii* E.Phillips)
 Arnold & De Wet: 695 L, F, M
flaccida (C.Presl) A.DC. subsp. **flaccida**
 (*L. filiformis* Lam. var. *krebsiana* (A.DC.) E.Wimm.)
 (*L. flaccida* (C.Presl) A.DC. var. *hirsuta* (C.Presl) E.Wimm.)
 (*L. flaccida* (C.Presl) A.DC. var. *scabripes* (C.Presl) E.Wimm.)
 Arnold & De Wet: 695 L, F, M, S

galpinii Schltr.

- (*L. aquatica* E.Phillips)
 Arnold & De Wet: 695 L, F, M

laxa MacOwan

- Arnold & De Wet: 696 M

preslii A.DC.

- Arnold & De Wet: 696 M

pteropoda (C.Presl) A.DC.

- (*L. patula* L.f. var. *pteropoda* (C.Presl) Sond.)
 Pooley (1998): 208 F, M

vanreenensis (Kuntze) K.Schum.

- (*Dortmannia vanreenensis* Kuntze)
 Arnold & De Wet: 696 M

MONOPSIS Salisb. **8695000****decipiens** (Sond.) Thulin

- (*Lobelia decipiens* Sond.)
 Arnold & De Wet: 697 F, M, S

MALVACEAE**ABUTILON** Mill. **4983000****sonneratianum** (Cav.) Sweet

- (*A. umtaliense* Baker f.)
 Arnold & De Wet: 495 M

ANISODONTEA C.Presl **4986010****julii** (Burch. ex DC.) Bates subsp. **julii**

- (*Sphaeralcea julli* (Burch. ex DC.) Baker f.)
 (*Sphaeralcea pannosa* sensu E.Phillips, non Bolus)
 (*Sphaeroma julli* (Burch. ex DC.) Harv.)
 Arnold & De Wet: 496 L, F, M

julii (Burch. ex DC.) Bates subsp. **prostrata** (E.Mey. ex Turcz.) Bates

- (*Sphaeralcea prostrata* (Turcz.) Baker f.)
 (*Sphaeroma prostratum* (Turcz.) Harv. var. *molle* Harv.)
 (*Sphaeroma prostratum* (Turcz.) Harv. var. *prostrata* (Turcz.) Baker f.)
 Arnold & De Wet: 496 L, M

HIBISCUS L. **5013000****aethiopicus** L. var. **aethiopicus**

- (*H. aethiopicus* L. var. *genuinus* Hochr.)
 Arnold & De Wet: 499 L

aethiopicus L. var. **ovatus** Harv.

- (*H. leiospermus* Harv.)
 Arnold & De Wet: 499 L, M

microcarpus Garcke

- Arnold & De Wet: 500 L

pusillus Thunb.

- (*H. atromarginatus* Eckl. & Zeyh.)
 Arnold & De Wet: 500 L, M

trionum L.

- Arnold & De Wet: 500 L, F, M, S

MALVA L. **4992000*****neglecta** Wallr.

- Arnold & De Wet: 497 M

***parviflora** L. var. **parviflora**

- Germishuizen & Meyer: 625 L, F

***pusilla** Sm.

- Arnold & De Wet: 497 L, F

***verticillata** L. var. **verticillata**

- Arnold & De Wet: 497 F

SIDA L. **4998000****rhombifolia** L. var. **rhombifolia**

- Germishuizen & Meyer: 628 L

MELIACEAE**MELIA** L. **4175000*****azedarach** L.

- Van Wyk & Van Wyk: 514 L, F, M, S

MELIANTHACEAE**MELIANTHUS** L. **4854000****comosus** Vahl

- Arnold & De Wet: 486 L

MENISPERMACEAE**STEPHANIA** Lour. **2572000****abyssinica** (Quart.-Dill. & A.Rich.) Walp. var.**tomentella** (Oliv.) Diels

(*Cissampelos umbellata* E.Mey. ex Miers)

(*S. hernandifolia* (Willd.) Walp. var. *tomentella* Oliv.)

- Arnold & De Wet: 309 F

MESEMBRYANTHEMACEAE**CHASMATOPHYLLUM** Dinter & Schwantes **2405026****musculinum** (Haw.) Dinter & Schwantes

- Arnold & De Wet: 263 L, S

verdoorniae (N.E.Br.) L.Bolus

- Arnold & De Wet: 263 S

DELOSPERMA N.E.Br. emended Lavis **2405033****ashtonii** L.Bolus

- Arnold & De Wet: 271 L, F, M, S

claviceps Lavis

- Arnold & De Wet: 271 M

concovum L.Bolus

- Arnold & De Wet: 271 L, M, S

congestum L.Bolus

- Arnold & De Wet: 271 M, S

crassuloides (Haw.) L.Bolus

- Arnold & De Wet: 271 M

galpinii L.Bolus

- Germishuizen & Meyer: 669 M

hirtum (N.E.Br.) Schwantes

- Arnold & De Wet: 272 M, S

kofleri Lavis

- Arnold & De Wet: 272 L, F, M

lavisiae L.Bolus

- Germishuizen & Meyer: 670 M

lineare L.Bolus	
Germishuizen & Meyer: 670	L, M
monanthemum Lavis	
Arnold & De Wet: 272	L
obtusum L.Bolus	
Arnold & De Wet: 272	L, M, S
reynoldsii Lavis	
Arnold & De Wet: 272	M
rogersii (Schönland & A.Berger) L.Bolus	
Arnold & De Wet: 272	M
roseopurpureum Lavis	
Arnold & De Wet: 272	L
scabripes L.Bolus	
Arnold & De Wet: 272	L
wethamae L.Bolus	
Arnold & De Wet: 273	M

MOSSIA N.E.Br.	2405080
intervallaris (L.Bolus) N.E.Br.	
Smith <i>et al.</i> : 272	L, F, M

RABIEA N.E.Br.	2405102
lesliei N.E.Br.	
Arnold & De Wet: 291	L

RUSCHIA Schwantes	2405105
hamata (L.Bolus) Schwantes	
(<i>Mesembryanthemum hamatum</i> L.Bolus)	
Arnold & De Wet: 293	L
putterillii (L.Bolus) L.Bolus	
Arnold & De Wet: 294	L, M
rigens L.Bolus	
Smith <i>et al.</i> : 358	L, M

MOLLUGINACEAE

LIMEUM L.	2376000
aethiopicum Burm. subsp. aethiopicum var. fluviale (Eckl. & Zeyh.) Friedrich	
Arnold & De Wet: 251	M
humifusum Friedrich	
Arnold & De Wet: 252	M
viscosum (J.Gay) Fenzl subsp. viscosum var. glomeratum (Eckl. & Zeyh.) Friedrich	
(<i>L. glomeratum</i> Eckl. & Zeyh.)	
(<i>L. viscosum</i> Sond.)	
(<i>L. viscosum</i> Sond. var. <i>kotschyi</i> Burt Davy)	
Arnold & De Wet: 252	L
viscosum (J.Gay) Fenzl subsp. viscosum var. viscosum	
Arnold & De Wet: 252	L

PHARNACEUM L.	2389000
brevicaule (DC.) Bartl.	
(<i>P. merxmuelleri</i> Friedrich)	
Arnold & De Wet: 253	M
detonsum Fenzl	
Arnold & De Wet: 254	L
dichotomum L.f.	
Arnold & De Wet: 254	L, M
trigonum Eckl. & Zeyh.	
Arnold & De Wet: 254	L

PSAMMOTROPHA Eckl. & Zeyh.	2379000
alternifolia Killick	
Arnold & De Wet: 252	M
mucronata (Thunb.) Fenzl var. mucronata	
(<i>P. adrosacea</i> Fenzl)	
(<i>P. androsacea</i> Fenzl var. <i>enervis</i> Fenzl)	
(<i>Pharnaceum mucronatum</i> Thunb.)	
Arnold & De Wet: 252	L, F, M
myriantha Sond.	
(<i>P. breviscapa</i> Burt Davy)	
Arnold & De Wet: 252	M

MORACEAE

FICUS L.	1961000
ingens (Miq.) Miq. var. ingens	
(<i>F. ingens</i> Miq. var. <i>tomentosa</i> Hutch)	
Pooley (2003): 274	M
sur Forssk.	
(<i>F. capensis</i> Thunb.)	
Sheat: 211	Possibly occurring in Lesotho

MACLURA Nutt.	1918000
*pomifera (Raf.) Schneid.	
Von Breitenbach: 40	L

MORUS L.	1913000
*alba L. var. alba	
Von Breitenbach: 40	L, F

MYRICACEAE

MORELLA Lour.	1874010
serrata (Lam.) Killick	
(<i>Myrica conifera</i> sensu Hutch.; Adamson, non Burm.f.)	
(<i>Myrica mossii</i> Burt Davy)	
(<i>Myrica serrata</i> Lam.)	
Germishuizen & Meyer: 745	L, F, M, S

MYRSINACEAE

MYRSINE L.	6313000
africana L.	
Arnold & De Wet: 552	L, F, M, S

MYRTACEAE

EUCALYPTUS L'Hér.	5598000
*calophylla R.Br.ex Lindl.	
Von Breitenbach: 85	L, F, M, S
*camaldulensis Dehnh.	
Von Breitenbach: 86	L, F, M, S
*cinerea F.Muell. ex Benth.	
Von Breitenbach: 86	L, F, M, S
*dalrympleana Maiden subsp. dalrympleana	
Von Breitenbach: 86	L, F, M, S
*globulus Labill. subsp. maidenii (F.Muell.) Kirkp.	
Germishuizen & Meyer: 747	L, F, M, S
*lehmannii (Priess ex Schauer) Benth.	
Von Breitenbach: 87	L, F, M, S
*macarthurii H.Deane & Maiden	
Von Breitenbach: 87	L, F, M, S

*melliodora A.Cunn. ex Schauer	
Von Breitenbach: 88	L, F, M, S
*nitens (H.Deane & Maiden) Maiden	
Von Breitenbach: 88	L, F, M, S
*polyanthes Schauer	
Von Breitenbach: 89	L, F, M, S
*rubida H.Deane & Maiden	
Von Breitenbach: 89	F, M, S
*sideroxylon A.Cunn. ex Woolls subsp. sideroxylon	
Von Breitenbach: 89	L, F, M, S
*tereticornis Sm.	
Von Breytenbach: 89	L, F, M, S
*viminalis Labill. subsp. viminalis	
Von Breitenbach: 90	L, F, M, S

NYCTAGINACEAE

COMMICARPUS Standl.	2347010
pentandrus (Burch.) Heimerl	
(<i>Boerhavia pentandra</i> Burch.)	
Arnold & De Wet: 250	M

OCHNACEAE

OCHNA L.	5112000
serrulata (Hochst) Walp.	
(<i>O. atropurpurea</i> sensu Harv., non DC.)	
Arnold & De Wet: 508	L

OLEACEAE

MENODORA Humb. & Bonpl.	6438000
africana Hook.	
Pooley (1998): 296	L, F, S

LIGUSTRUM L.	6436000
*lucidum W.T.Aiton	
Von Breitenbach: 97	L

OLEA L.	6434000
europaea L. subsp. africana (Mill.) P.S.Green	
(<i>O. africana</i> Mill.)	
Arnold & De Wet: 557	L, F, S

OLINIACEAE

OLINIA Thunb.	5428000
emarginata Burtt Davy	
Van Wyk & Van Wyk: 348	M

ONAGRACEAE

EPILOBIUM L.	5795000
capense Buchinger ex Hochst.	
(<i>E. flavescens</i> E.Mey. ex Harv.)	
Arnold & De Wet: 524	L, M
hirsutum L.	
Arnold & De Wet: 524	L, F
salignum Hausskn.	
Arnold & De Wet: 524	L, F, M
tetragonum L. subsp. tetragonum	
Arnold & De Wet: 524	L

LUDWIGIA L.	5793000
palustris (L.) Elliot	
Arnold & De Wet: 524	F

OENOTHERA L.	5804000
*affinis Cambess.	
Arnold & De Wet: 524	L, F
*biennis L.	
Sheat: 74	F
*glazioviana L.	
Germishuizen & Meyer: 754	L
*indecora Cambess. subsp. indecora	
Arnold & De Wet: 524	L
*laciniata Hill	
Arnold & De Wet: 524	L
*parodiana Munz subsp. parodiana	
Arnold & De Wet: 524	L
*rosea L'Hér. ex Aiton	
Arnold & De Wet: 524	L, F, M
*stricta Ledeb. ex Link subsp. stricta	
Germishuizen & Meyer: 755	L
*tetraptera Cav.	
Arnold & De Wet: 524	L, F, M, S

OROBANCHACEAE

ALECTRA Thunb.	7597010
basutica (E.Phillips) Melch.	
(<i>Melasma basuticum</i> E.Phillips)	
Germishuizen & Meyer: 755	L, F
capensis Thunb.	
(<i>Melasma capense</i> (Thunb.) Hiern)	
Germishuizen & Meyer: 755	L, F, M, S
orobanchoides Berth.	
(<i>Melasma orobanchoides</i> (Benth.) Engl.)	
Germishuizen & Meyer: 755	L, M
pumila Benth.	
Germishuizen & Meyer: 756	L
sessiliflora (Vahl) Kuntze var. sessiliflora	
(<i>A. barbata</i> (Hiern) Melch.)	
(<i>A. melampyroides</i> Benth.)	
(<i>Melasma barbatum</i> Hiern)	
(<i>Melasma sessiliflorum</i> (Vahl) Hiern)	
Germishuizen & Meyer: 756	F
thyrsoides Melch.	
Germishuizen & Meyer: 756	M
welwitschii (Hiern) Hemsl.	
(<i>Melasma welwitschii</i> Hiern)	
Germishuizen & Meyer: 756	L

BUCHNERA L.	7622000
reducta Hiern	
Germishuizen & Meyer: 757	F
simplex Thunb.	
(<i>B. glabrata</i> Benth.)	
Germishuizen & Meyer: 757	M

CYCNium E.Mey. ex Benth. emended Engl.	7623000
racemosum Benth.	
Germishuizen & Meyer: 757	M

HARVEYA Hook.	7627000
----------------------	----------------

coccinea (Harv.) Schltr. (<i>Aulaya coccinea</i> Harv.) Germishuizen & Meyer: 758	Possibly occurring in Lesotho
leucopharynx Hilliard & B.L.Burt Germishuizen & Meyer: 758	M
pulchra Hilliard & B.L.Burt Germishuizen & Meyer: 758	M
pumila Schltr. Germishuizen & Meyer: 759	F, M
randii Hiern (<i>H. crispula</i> Conrath) Germishuizen & Meyer: 759	M
scarlatina (Benth.) Hiern (<i>Aulaya scarlatina</i> Benth.) Germishuizen & Meyer: 759	M
speciosa Bernh. Germishuizen & Meyer: 759	M
HYOBANCHE L. sanguinea L. Germishuizen & Meyer: 759	7629000 M
MELASMA P.J.Bergius scabrum P.J.Bergius var. scabrum Germishuizen & Meyer: 760	7597000 F, M
SOPUBIA Buch.-Ham. ex D.Don cana Harv. var. cana Germishuizen & Meyer: 761	7616000 M
mannii Skan var. tenuifolia (Engl. & Gilg) Hepper (<i>S. dregeana</i> (Benth. ex Hochst.) Benth. var. <i>tenuifolia</i> Engl. & Gilg) Germishuizen & Meyer: 761	L
STRIGA Lour. asiatica (L.) Kuntze (<i>Buchnera asiatica</i> L.) (<i>S. lutea</i> Lour.) Germishuizen & Meyer: 761	7625000 L
bilabiata (Thunb.) Kuntze subsp. bilabiata (<i>Buchnera bilabiata</i> Thunb.) (<i>S. thunbergii</i> Benth.) Germishuizen & Meyer: 761	L, F, M
elegans Benth. Germishuizen & Meyer: 761	L
gesnerioides (Willd.) Vatke ex Engl. (<i>Buchnera gesnerioides</i> Willd.) (<i>S. chloroleuca</i> Dinter) (<i>S. orobanchoides</i> (R.Br.) Benth.) Germishuizen & Meyer: 761	L

OXALIDACEAE

OXALIS L. bifurca Lodd. var. bifurca Arnold & De Wet: 437	3936000 Possibly occurring in Lesotho
*corniculata L. (<i>O. repens</i> Thunb.) Arnold & De Wet: 437	L, M
depressa Eckl. & Zeyh. (<i>O. commutata</i> Sond. var. <i>pusilla</i> Kunth) (<i>O. convexula</i> Jacq. var. <i>dilatata</i> Eckl. & Zeyh.)	

(<i>O. dammeriana</i> Schltr.) Arnold & De Wet: 437	L, M
obliquifolia Steud. ex Rich. Pooley (1998): 402	L, M
semiloba Sond. subsp. semiloba Pooley (1998): 402	L, F
smithiana Eckl. & Zeyh. (<i>O. galpinii</i> Schltr.) Arnold & De Wet: 441	L, F, M
tragopoda T.M.Salter Arnold & De Wet: 441	L

PAPAVERACEAE

ARGEMONE L. *mexicana L. forma mexicana Germishuizen & Meyer: 770	2852000 L, F
PAPAVER L. aculeatum Thunb. (<i>P. garipepinum</i> Burch.) Arnold & De Wet: 312	2853000 L, F, M, S

PHYTOLACCACEAE

PHYTOLACCA L. heptandra Retz. (<i>P. stricta</i> O.Hoffm.) Arnold & De Wet: 253	2380000 L, F, M
octandra L. (<i>P. americana</i> L. var. <i>mexicana</i> L.) Pooley (1998): 52	L, M

PITTOSPORACEAE

PITTOSPORUM Banks ex Sol. viridiflorum Sims (<i>P. abyssinicum</i> Delile var. <i>angolense</i> Oliv.) (<i>P. antunesii</i> Engl.) (<i>P. commutatum</i> Putt.) Arnold & De Wet: 342	3252000 L, F, S
--	--------------------

PLANTAGINACEAE

PLANTAGO L. lanceolata L. Arnold & De Wet: 666	8116000 L
major L. (<i>P. dregeana</i> Decne.) Arnold & De Wet: 666	L

PLUMBAGINACEAE

LIMONIUM Mill. scabrum (Thunb.) Kuntze var. scabrum Arnold & De Wet: 553	6351010 Possibly occurring in Lesotho
---	--

POLYGALACEAE

MURALTIA DC. alticola Schltr. Arnold & De Wet: 458	4278000 L, F, M
--	--------------------

flanaganii Bolus*(M. ecornuta* N.E.Br.)

Arnold & De Wet: 459

M

saxicola Chodat

Arnold & De Wet: 460

F, M, S

POLYGALA L.**4273000****amatymbica** Eckl. & Zeyh.

Arnold & De Wet: 456

L, M

asbestina Burch.

Arnold & De Wet: 456

L, F, M

gerrardii Chodat

Arnold & De Wet: 456

L

gracilentia Burt Davy

Arnold & De Wet: 456

F

gymnoclada MacOwan

Arnold & De Wet: 457

L, M

hispida Burch. ex DC.

Arnold & De Wet: 457

F, M

hottentotta C.Presl*(P. abyssinica* sensu Gibbs)

Arnold & De Wet: 457

L

myrtifolia L. var. **myrtifolia***(P. pinifolia* Lam ex Poir.)

Germishuizen & Meyer: 786

M

ohlendoriana Eckl. & Zeyh.

Arnold & De Wet: 457

M

rhinostigma Chodat

Arnold & De Wet: 457

M

uncinata E.Mey. ex Meisn.*(P. hamata* Burt Davy)*(P. rehmannii* Chodat var. *latipetata* (N.E.Br.) Norl.)*(P. tenuifolia* sensu Harv., pro parte non Willd. var. *uncinata*

(Meisn.) Harv.)

Arnold & De Wet: 458

L, F, M, S

virgata Thunb. var. **decora** (Sond.) Harv.*(P. speciosa* sensu Burt Davy)

Arnold & De Wet: 458

L, F, S

POLYGONACEAE**EMEX** Campd.**2194000****australis** Steinh.

Arnold & De Wet: 235

L

FALLOPIA Adans.**2201040*****convolvulus** (L.) Holub*(Bilderdykia convolvulus* (L.) Dumort.)*(Polygonum convolvulus* L.)

Arnold & De Wet: 237

L, M

PERSICARIA (L.) Mill.**2201030****amphibia** (L.) Gray*(Polygonum amphibium* L.)

Arnold & De Wet: 236

F

attenuata (R.Br.) Sojak subsp. **africana** K.L.Wilson*(Polygonum pulchrum* auctt., non Blume)

Arnold & De Wet: 236

L, M

decipiens (R.Br.) K.L.Wilson*(P. serrulata* (Lag.) Webb & Moq.)*(Polygonum salicifolium* Willd.)*(Polygonum serrulatum* Lag.)

Germishuizen & Meyer: 789

L, F, M

***lapathifolia** (L.) Gray*(Polygonum lapathifolium* L. subsp. *maculatum* (Gray) T.-Dyer & Trimmen)*(Polygonum lapathifolium* L. var. *maculatum* T.-Dyer & Trimmen)

Arnold & De Wet: 236

L, F, M

POLYGONUM L.**2201000*****aviculare** L.

Arnold & De Wet: 236

L, F, M

RUMEX L.**2195000****acetosella** L. subsp. **angiocarpus** (Murb.) Murb.*(R. angiocarpus* Murb.)

Arnold & De Wet: 235

L, M

***crispus** L.

Arnold & De Wet: 235

L, M

lanceolatus Thunb.*(R. ecklonianus* Meisn.)*(R. ecklonii* Meisn.)*(R. linearis* Campd.)

Arnold & De Wet: 235

L, F, M

sagittatus Thunb.*(Acetosa sagittata* (Thunb.) L.A.S.Johnson & B.G.Briggs)*(R. scandens* Burch.)

Arnold & De Wet: 235

F, L

steudelii Hochst. ex A.Rich.*(R. nepalensis* C.H.Wright)*(R. steudelianus* Meisn.)

Arnold & De Wet: 235

L, F, M

woodii N.E.Br.*(R. natalensis* Damn.)

Arnold & De Wet: 235

L, M

PORTULACACEAE**ANACAMPSEROS** L.**2412000****arachnoides** (Harv.) Sims

Arnold & De Wet: 302

L, F, S

PORTULACA L.**2421000*****oleracea** L.

Arnold & De Wet: 303

L, M

TALINUM Adans.**2406000****caffrum** (Thunb.) Eckl. & Zeyh.

Pooley (1998): 250

L, F, S

PRIMULACEAE**ANAGALLIS** L.**6338000****huttonii** Harv.

Pooley (1998): 162

M

LYSIMACHIA L.**6330000****ruhmeriana** Vatke

Arnold & De Wet: 552

M

PROTEACEAE**PROTEA** L.**2035000****caffra** Meisn. subsp. **caffra**

<i>(P. bolusii</i> E.Phillips)	
<i>(P. multibracteata</i> E.Phillips)	
<i>(P. rhodantha</i> Hook.f.)	
Arnold & De Wet: 219	F
dracomontana Beard	
Pooley (2003): 374	Possibly occurring in Lesotho
roupelliae Meisn. subsp. roupelliae	
<i>(P. incana</i> Hort. ex Meisn.)	
Arnold & De Wet: 221	M
subvestita N.E.Br.	
<i>(P. laticolor</i> Salisb. var. <i>angustata</i> E.Phillips)	
<i>(P. laticolor</i> Salisb. var. <i>orientalis</i> (Sim) E.Phillips)	
Arnold & De Wet: 221	M

RANUNCULACEAE

ANEMONE L.	2541000
fanninii Harv. ex Mast.	
Arnold & De Wet: 308	L, M
CLEMATIS L.	2542000
brachiata Thunb.	
Arnold & De Wet: 308	L, F, M, S
RANUNCULUS L.	2546000
baurii MacOwan	
Arnold & De Wet: 309	M
meyeri Harv.	
Arnold & De Wet: 309	L, F, M
multifidus Forssk.	
<i>(R. pinnatus</i> Poir.)	
<i>(R. pubescens</i> Thunb.)	
Arnold & De Wet: 309	L, F, M
rionii Lager	
<i>(R. trichophyllus</i> auctt., non Chaix)	
Germishuizen & Meyer: 810	F, M
THALICTRUM L.	2548000
minus L.	
<i>(T. caffrum</i> Eckl. & Zeyh.)	
Arnold & De Wet: 309	L, F, M
rhynchocarpum Quart.-Dill. & A.Rich.	
<i>(T. innitens</i> B.Boivin)	
Arnold & De Wet: 309	M

RESEDACEAE

OLIGOMERIS Cambess.	3126000
dregeana (Müll.Arg.) Müll.Arg.	
<i>(Dipetalia dregeana</i> Kuntze)	
<i>(Reseda dregeana</i> C.Presl)	
<i>(Resedella dregeana</i> Müll.Arg.)	
Arnold & De Wet: 326	L
RESEDA L.	3125000
lutea L. subsp. lutea var. nutans Boiss.	
Arnold & De Wet: 325	L

RHAMNACEAE

PHYLICA L.	4886000
-------------------	----------------

thodei E.Phillips	
Arnold & De Wet: 490	M
RHAMNUS L.	4875000
prinoides L'Hér.	
<i>(Celtis rhamnifolia</i> C.Presl, nom. illeg.)	
Arnold & De Wet: 487	L, F, M, S

ZIZIPHUS Mill.	4861000
mucronata Willd. subsp. mucronata	
Arnold & De Wet: 487	L

ROSACEAE

AGRIMONIA L.	3376000
procera Wallr.	
<i>(A. odorata</i> Mill.)	
Pooley (1998): 256	M
ALCHEMILLA L.	3375000
colura Hilliard	
Arnold & De Wet: 348	M
woodii Kuntze	
<i>(A. wilmsii</i> Engl.)	
Arnold & De Wet: 348	L, F, M
CLIFFORTIA L.	3388000
filicauloides Weim.	
Arnold & De Wet: 350	M
linearifolia Eckl. & Zeyh.	
<i>(C. ericifolia</i> L.f. var. <i>acutistipula</i> Kuntze)	
Arnold & De Wet: 351	L, F, M
nitidula (Engl.) R.E.Fr. & T.C.E.Fr. subsp. pilosa Weim.	
Arnold & De Wet: 351	L, M
paucistaminea Weim.	
<i>(C. galpinii</i> N.E.Br. pro parte)	
<i>(C. juniperina</i> L.f. var. <i>brevifolia</i> Harv.)	
<i>(C. juniperina</i> L.f. var. <i>foliis-brevioribus</i> Eckl. & Zeyh.)	
Arnold & De Wet: 351	F, M
ramosissima Schltr.	
<i>(C. galpinii</i> N.E.Br. pro parte)	
Arnold & De Wet: 351	L
serpyllifolia Cham. & Schltdl.	
<i>(C. polyphylla</i> Eckl. & Zeyh.)	
<i>(C. serpyllifolia</i> Cham. & Schltdl. var. <i>angustifolia</i> Drège)	
<i>(C. serpyllina</i> Drège)	
Arnold & De Wet: 352	L, M
GEUM L.	3365000
capense Thunb.	
Pooley (1998): 254	L, M
LEUCOSIDEA Eckl. & Zeyh.	3379000
sericea Eckl. & Zeyh.	
Arnold & De Wet: 349	L, F, M, S
PRUNUS L.	3396000
africana (Hook.f.) Kalkman	
<i>(Pygeum africanum</i> Hook.f.)	
Arnold & De Wet: 353	M
*persica (L.) Batsch var. persica	

(Persica vulgaris Mill.)

Von Breitenbach: 55

L, F, M, S

PYRACANTHA M.Roem.**3333010*****angustifolia** (Franch.) Schneid.

Van Wyk & Van Wyk: 116

L

***coccinea M.Roem.**

(Cotoneaster pyracantha (L.) Spach.)

(P. pauciflora André)

Germishuizen & Meyer: 824; Von Breitenbach: 51

F

ROSA L.**3389000*****rubignosa L**

(R. eglanteria L., nom. rej.)

Germishuizen & Meyer: 824

L, F, M, S

RUBUS L.**3353000****ludwigii** Eckl. & Zeyh. subsp. **ludwigii**

(R. rhodacantha E.Mey.)

Arnold & De Wet: 347

L, F, M, S

rigidus Sm.

(R. discolor E.Mey.)

Arnold & De Wet: 347

L, F, M

RUBIACEAE**ANTHOSPERMUM L.****8438000****basuticum** Puff

Arnold & De Wet: 677

F, M

herbaceum L.f.

(A. hedyotideum Sond.)

(A. lanceolatum Thunb.)

(A. lanceolatum Thunb. var. latifolium Sond.)

Pooley (1998): 556

M

hispidulum E.Mey. ex Sond.

(A. arenicolum Greves)

(A. burkei Sond.)

(A. rubricaule K.Schum.)

Arnold & De Wet: 677

M

monticola Puff

Arnold & De Wet: 677

F, M

rigidum Eckl. & Zeyh. subsp. **pumilum** (Sond.) Puff

(A. ericoideum K.Krause)

(A. humile N.E.Br.)

(A. pumilum Sond. subsp. pumilum)

Arnold & De Wet: 677

L, M

spathulatum Spreng. subsp. **spatulatum**

(A. aethiopicum L. var. montanum Sond.)

(A. aethiopicum L. var. oppositifolium Cruse)

(A. tricoatum Sond.)

Arnold & De Wet: 677

L, F, M

streyi Puff

Pooley (1998): 556

F

CANTHIUM Lam.**8352000****ciliatum** (Klotzsch) Kuntze

(Plectronia ciliata (Klotzsch) Sond.)

Pooley (1998): 474

L

GALIUM L.**8486000****capense** Thunb. subsp. **garipense** (Sond.) Puff

(G. capense Thunb. subsp. garipense (Sond.) Puff var. wittbergense (Sond.) Puff)

(G. garipense Sond.)

Arnold & De Wet: 679

L, F, M

mucroniferum Sond. var. **dregeanum** (Sond.) Puff

(G. dregeanum Sond.)

Arnold & De Wet: 679

scabrelloides Puff

Arnold & De Wet: 679

L, F, M

spurium L. subsp. **africanum** Verdc.

Arnold & De Wet: 679

F, M

subvillosum Sond. var. **subvillosum**

Arnold & De Wet: 679

L, F

thunbergianum Eckl. & Zeyh. var. **hirsutum** (Sond.)

Verdc.

(G. rotundifolium L. var. hirsutum Sond.)

Arnold & De Wet: 679

L, F, M

thunbergianum Eckl. & Zeyh. var. **thunbergianum**

(G. rotundifolium auctt., non L.)

Arnold & De Wet: 680

L

KOHAUTIA Cham. & Schltdl.**8136060****amatymbica** Eckl. & Zeyh.

(Hedyotis amatymbica (Eckl. & Zeyh.) Steud.)

(Oldenlandia amatymbica (Eckl. & Zeyh.) Kuntze)

Arnold & De Wet: 666

L, F, M

NENAX Gaertn.**8439000****microphylla** (Sond.) T.M.Salter

(Ambraria microphylla Sond.)

Arnold & De Wet: 678

L, M, S

OLDENLANDIA L.**8136200****herbacea** (L.) Roxb. var. **herbacea**

(Hedyotis herbacea L.)

(Hedyotis heynii (G.Don) Sond.)

Arnold & De Wet: 668

L, F, M

PENTANISIA Harv.**8348000****angustifolia** (Hochst.) Hochst.

(P. variabilis Harv. var. glaucescens Cruse ex Sond.)

Arnold & De Wet: 672

M

prunelloides (Klotzsch ex Eckl. & Zeyh.) Walp. subsp.**latifolia** (Hochst.) Verdc.

(P. variabilis Harv. var. latifolia (Hochst.) Sond.)

Arnold & De Wet: 672

M

prunelloides (Klotzsch ex Eckl. & Zeyh.) Walp. subsp.**prunelloides**

(P. variabilis Harv. var. intermedia Sond.)

Arnold & De Wet: 672

L, F, M

RUBIA L.**8489000****petiolaris** DC.

(R. petiolaris DC. var. isophylla Sond.)

Arnold & De Wet: 680

L, F, M

RUTACEAE**AGATHOSMA Willd.****4037000****ovata** (Thunb.) Pillans

(Barosma acutata Sond.)

(Barosma oblonga (Roem. & Schult.) Bartl. & H.L.Wendl.)

(Barosma ovata (J.C.Wendl.) Bartl. & H.L.Wendl.)

(Barosma scoparia Eckl. & Zeyh.)

(Diosma ovata Thunb.)

Arnold & De Wet: 447 S

RUTA L. 4012000***graveolens L.**

Arnold & De Wet: 444 L

SALICACEAE**POPULUS L. 1872000*****X canescens (Aiton) Sm.**

Arnold & De Wet: 210 L, F, M, S

***deltoides Marshall subsp. deltoides**

Germishuizen & Meyer: 852 L, F, M, S

***nigra L. var. italica Münchh.**

Germishuizen & Meyer: 852 L, F, M, S

SALIX L. 1873000***babylonica L. var. babylonica**

Germishuizen & Meyer: 852 L, F, M, S

***fragilis L. var. fragilis**

Arnold & De Wet: 210 L, M

***lasiandra Benth.**

Arnold & De Wet: 210 L, F, M

mucronata Thunb. subsp. capensis (Thunb.) Immelman

(S. capensis Thunb.)

(S. capensis Thunb. var. gariepina (Burch.) Anderson)

(S. mucronata Thunb. var. caffra Burtt Davy)

(S. mucronata Thunb. var. integra Burtt Davy)

Arnold & De Wet: 210 L

mucronata Thunb. subsp. woodii (Seemen) Immelman

(S. woodi Seemen)

Arnold & De Wet: 210 L

SANTALACEAE**OSYRIS L. 2108000****lanceolata Hochst. & Steud.**

(O. abyssinica Hochst. ex A.Rich.)

Arnold & De Wet: 230 L, F, S

THESIUM L. 2118000**acutissimum A.DC.**

Arnold & De Wet: 231 M

asterias A.W.Hill

Arnold & De Wet: 231 M

burkei A.W.Hill

Arnold & De Wet: 231 L

costatum A.W.Hill var. juniperinum A.W.Hill

Arnold & De Wet: 231 L, M, S

cupressoides A.W.Hill

Arnold & De Wet: 231 M

durum Hilliard & B.L.Burtt

Arnold & De Wet: 232 M

goetzeanum Engl.

Arnold & De Wet: 232 M

gracilarioides A.W.Hill

Arnold & De Wet: 232 M

imbricatum Thunb.

Arnold & De Wet: 232 L, M

impeditum A.W.Hill

Arnold & De Wet: 232 L

macrogyne A.W.Hill

Arnold & De Wet: 232 M

natalense Sond.

Pooley (1998): 134 Possibly occurring in Lesotho

nigrum A.W.Hill

Arnold & De Wet: 232 M

pallidum A.DC.

(T. floribundum A.W.Hill)

Pooley (1998): 250 F, M

racemosum Bernh.

Arnold & De Wet: 233 M

scirpioides A.W.Hill

Arnold & De Wet: 233 L, F, M

spartioides A.W.Hill

Arnold & De Wet: 233 M

squarrosus L.f.

Arnold & De Wet: 233 M

zeyheri A.DC.

(T. schlechteri A.W.Hill)

Arnold & De Wet: 233 M

SCROPHULARIACEAE**APTOSIMUM Burch. ex Benth. 7467000****procumbens (Lehm.) Steud.**

(A. depressum Burch. ex Benth., nom. illeg.)

(Ohlendorffia procumbens Lehm.)

Germishuizen & Meyer: 864 L, F

DIASCIA Link & Otto 7471000**anastrepta Hilliard & B.L.Burtt**

Arnold & De Wet: 623 M

austromontana K.E.Steiner

Arnold & De Wet: 623 M

barberae Hook.f.

Arnold & De Wet: 623 M

capsularis Benth.

(D. elegans (Hiern) Hiern)

(Hemimeris elegans Hiern)

Arnold & De Wet: 623 M

cordata N.E.Br.

Arnold & De Wet: 623 M

fetcaniensis Hilliard & B.L.Burtt

Arnold & De Wet: 623 M

integerrima E.Mey. ex Benth.

(D. moltenensis Hiern)

(Nemesia hastata Benth.)

Arnold & De Wet: 623 L, F, M, S

megathura Hilliard & B.L.Burtt

Arnold & De Wet: 623 M

rigescens E.Mey. ex Benth.

(D. macowanii Hiern)

(D. rigescens E.Mey. ex Benth. var. angustifolia Benth.)

(D. rigescens E.Mey. ex Benth. var. bractescens Hiern)

Arnold & De Wet: 623 F

vigilis Hilliard & B.L.Burtt

Arnold & De Wet: 624 F

DICLIS Benth.	7477000	(<i>Sutera filicaulis</i> (Benth.) Hiern)	
reptans Benth.		(<i>Sutera henrici</i> Hiern)	
Arnold & De Wet: 625	L, F, M	Germishuizen & Meyer: 877	L, F, M
rotundifolia (Hiern) Hilliard & B.L.Burt		jurassica (Hilliard & B.L.Burt) Hilliard	
(<i>Diascia rotundifolia</i> Hiern)		(<i>Sutera jurassica</i> Hilliard & B.L.Burt)	
Arnold & De Wet: 625	L, F, M	Germishuizen & Meyer: 877	M
GLEKIA Hilliard	7521010	montana (Diels) Hilliard	
krebsiana (Benth.) Hilliard		(<i>Chaenostoma montanum</i> Diels)	
(<i>Phyllopodium krebsianum</i> Benth.)		(<i>Sutera montana</i> (Diels) S.Moore)	
Arnold & De Wet: 633	L, F, M	Germishuizen & Meyer: 878	F
GLUMICALYX Hiern	7593010	pinnatifida (L.f.) Hilliard	
flanagani (Hiern) Hilliard & B.L.Burt		(<i>Lyperia mollis</i> Benth.)	
(<i>Zaluzianskya flanagani</i> Hiern)		(<i>Sutera mollis</i> (Benth.) Hiern, pro parte)	
Arnold & De Wet: 644	M	Germishuizen & Meyer: 878	M
goseloides (Diels) Hilliard & B.L.Burt		pristisepala (Hiern) Hilliard	
(<i>Zaluzianskya goseloides</i> Diels)		(<i>Sutera pristisepala</i> Hiern)	
Arnold & De Wet: 644	M	Pooley (1998): 480	L, F, M
lesuticus Hilliard & B.L.Burt		LIMOSELLA L.	7558000
Arnold & De Wet: 644	M	africana Glück var. africana	
montanus Hiern		Germishuizen & Meyer: 880	M
Arnold & De Wet: 644	M	grandiflora Benth.	
nutans (Rolfe) Hilliard & B.L.Burt		(<i>L. capensis</i> Thunb.)	
(<i>G. alpestris</i> (Diels) Hilliard & B.L.Burt)		(<i>L. monticola</i> Dinter)	
(<i>Selago nutans</i> Rolfe)		Arnold & De Wet: 636	M
Arnold & De Wet: 644	M	inflata Hilliard & B.L.Burt	
HALLERIA L.	7493000	Arnold & De Wet: 636	L, M
lucida L.		longiflora Kuntze	
Arnold & De Wet: 626	L, F	Pooley (1998): 192	M
HEBENSTRETIA L.	7566000	maior Diels	
angolensis Rolfe		Arnold & De Wet: 636	L, F, M
(<i>H. bequaertii</i> De Wild.)		vesiculosa Hilliard & B.L.Burt	
Germishuizen & Meyer: 873	M	Arnold & De Wet: 637	M
dura Choisy		LINARIA Mill.	7480000
(<i>H. basutica</i> E.Phillips)		*vulgaris Mill.	
(<i>H. cooperi</i> Rolfe)		Arnold & De Wet: 625	L
(<i>H. fruticosa</i> Sims nom, illeg., non L.f., var. <i>dura</i> (Choisy) Rolfe)		LINDERNIA All.	7562000
Germishuizen & Meyer: 873	L, F, M	conferta (Hiern) Philcox	
JAMESBRITTENIA Kuntze	7519010	(<i>Illysanthes conferta</i> Hiern)	
atropurpurea (Benth.) Hilliard subsp. atropurpurea		Arnold & De Wet: 637	M
(<i>Lyperia atropurpurea</i> Benth., pro parte)		MANULEA L.	7517000
Germishuizen & Meyer: 876	L, M	bellidifolia Benth.	
aurantiaca (Burch.) Hilliard		(<i>M. benthamiana</i> Hiern, pro parte)	
(<i>Sutera aurantiaca</i> (Burch.) Hiern)		Arnold & De Wet: 627	L, M
Pooley (1998): 74	L, F, M	buchneroides Hilliard & B.L.Burt	
breviflora (Schltr.) Hilliard		Arnold & De Wet: 627	L, F
(<i>Sutera breviflora</i> (Schltr.) Hiern)		crassifolia Benth. subsp. crassifolia	
Pooley (1998): 74	M	Arnold & De Wet: 627	M
burkeana (Benth.) Hilliard		paniculata Benth.	
(<i>Lyperia burkeana</i> Benth.)		(<i>M. elliotensis</i> Overkott ex Jacot Guill.)	
(<i>Sutera burkeana</i> (Benth.) Hiern, pro parte)		(<i>Sutera elliotensis</i> Hiern)	
Germishuizen & Meyer: 876		Arnold & De Wet: 628	L, F, M
crassicaulis (Benth.) Hilliard		parviflora Benth. var. parviflora	
(<i>Lyperia crassicaulis</i> Benth., pro parte)		(<i>M. natalensis</i> Bernh. ex Krauss)	
(<i>Sutera crassicaulis</i> (Benth.) Hiern)		Arnold & De Wet: 628	L
Germishuizen & Meyer: 877	F, M	platystigma Hilliard & B.L.Burt	
filicaulis (Benth.) Hilliard		Arnold & De Wet: 628	M
(<i>Lyperia filicaulis</i> Benth.)		rhodantha Hilliard subsp. rhodantha	
		Arnold & De Wet: 628	L, F, M

MIMULUS L.	7524000		speciosa Rolfe	
gracilis R.Br.			Germishuizen & Meyer: 902	M
Arnold & De Wet: 636		L, M	witbergensis E.Mey.	
			(<i>Walafrida witbergensis</i> (E.Mey.) Rolfe)	
			Germishuizen & Meyer: 903	M
NEMESIA Vent.	7476000		STROBILOPSIS Hilliard & B.L.Burt	7593020
albiflora N.E.Br.			wrightii Hilliard & B.L.Burt	
(<i>N. flanaganii</i> Hiern)			Arnold & De Wet: 644	M
Arnold & De Wet: 624		L, F		
caerulea Hiern				
Arnold & De Wet: 624		M	SUTERA Roth	7519000
denticulata (Benth.) Grant ex Fourc.			caerulea (L.f.) Hiern	
(<i>Diascia denticulata</i> Benth.)			(<i>Manulea caerulea</i> L.f.)	
(<i>N. natalitia</i> Sond.)			Arnold & De Wet: 630	Possibly occurring in Lesotho
Pooley (1998): 428		M	campanulata (Benth.) Kuntze	
floribunda Lehm.			(<i>Chaenostoma campanulatum</i> Benth.)	
Arnold & De Wet: 624		M	Arnold & De Wet: 630	Possibly occurring in Lesotho
fruticans (Thunb.) Benth.			cooperi Hiern	
(<i>Antirrhinum fruticans</i> Thunb.)			(<i>S. latifolia</i> Hiern)	
(<i>N. capensis</i> (Thunb.) Kuntze, nom. illeg.)			Arnold & De Wet: 630	L
(<i>N. divergens</i> Benth.)			floribunda (Benth.) Kuntze	
(<i>N. foetens</i> Vent.)			(<i>Chaenostoma floribundum</i> Benth.)	
(<i>N. gracilima</i> Dinter, nom. nud.)			Arnold & De Wet: 630	L, M
Arnold & De Wet: 624		L, F, M	neglecta (J.M.Wood & M.S.Evans) Hiern	
melissifolia Benth.			(<i>Chaenostoma neglectum</i> J.M.Wood & M.S.Evans)	
Arnold & De Wet: 625		F, M	Arnold & De Wet: 631	L, F, M
pubescens Benth. var. pubescens			patriotica Hiern	
Germishuizen & Meyer: 889		F	(<i>Diascia avasmontana</i> Dinter)	
rupicola Hilliard			Arnold & De Wet: 632	
Arnold & De Wet: 625		F, S	polelensis Hilliard subsp. polelensis	
			Arnold & De Wet: 632	L, F, M
PHYGELIUS E.Mey. ex Benth.	7495000		TEEDIA Rudolphi	7494000
aequalis Harv. ex Hiern			lucida (Sol.) Rudolphi	
Arnold & De Wet: 626		L, F, M	Arnold & De Wet: 626	F
capensis E.Mey. ex Benth.				
Arnold & De Wet: 626		L, F, M	VERBASCUM L.	7460000
			*virgatum Stokes	
			Arnold & De Wet: 621	S
SELAGO L.	7568000		VERONICA L.	7579000
albida Choisy			anagallis-aquatica L.	
Germishuizen & Meyer: 895		M	Arnold & De Wet: 644	L, F, M
densiflora Rolfe			*persica Desf. ex Poir.	
(<i>Walafrida densiflora</i> (Rolfe) Rolfe, pro parte)			Arnold & De Wet: 644	L
Pooley (1998): 194		L, F, M,		
flanaganii Rolfe			ZALUZIANSKYA F.W.Schmidt, nom. cons.	7523000
(<i>S. lithospermoides</i> Rolfe)			chrysops Hilliard & B.L.Burt	
Germishuizen & Meyer: 898		F, M	Arnold & De Wet: 635	M
galpinii Schltr.			crocea Schltr.	
(<i>S. cooperi</i> Rolfe)			Arnold & De Wet: 635	M
(<i>S. sandersonii</i> Rolfe)			distans Hiern	
Germishuizen & Meyer: 898		L, F, M, S	(<i>Z. latifolia</i> Schinz ex O.Hoffm. & Muschl.)	
longipedicellata Rolfe			Pooley (1998): 190	L, M
Germishuizen & Meyer: 900		Possibly occurring in Lesotho	glareosa Hilliard & B.L.Burt	
melliodora Hilliard			Arnold & De Wet: 635	M
Germishuizen & Meyer: 900		F, M	maritima (L.f.) Walp.	
monticola J.M.Wood & M.S.Evans			(<i>Z. lychnidea</i> (D.Don) Walp.)	
Germishuizen & Meyer: 900		M	(<i>Z. maritima</i> (L.f.) Walp. var. <i>fragrantissima</i> Hiern)	
paniculata Thunb.			Arnold & De Wet: 635	Possibly occurring in Lesotho
(<i>Walafrida paniculata</i> (Thunb.) Rolfe, pro parte)			microsiphon (Kuntze) K.Schum.	
Germishuizen & Meyer: 901		M	(<i>Z. maritima</i> (L.f.) Walp. var. <i>atro-purpurea</i> Hiern)	
saxatilis E.Mey.				
(<i>Walafrida basutica</i> E.Phillips)				
(<i>Walafrida saxatilis</i> (E.Mey.) Rolfe)				
Germishuizen & Meyer: 902		M		

(<i>Z. maritima</i> (L.f.) Walp. var. <i>breviflora</i> Hiern)	
(<i>Z. maritima</i> (L.f.) Walp. var. <i>grandiflora</i> Hiern)	
Arnold & De Wet: 635	M
oreophila Hilliard & B.L.Burt	
Arnold & De Wet: 635	M
ovata (Benth.) Walp.	
(<i>Z. montana</i> Hiern)	
Arnold & De Wet: 635	M
penduncularis (Benth.) Walp.	
(<i>Nycterinia peduncularis</i> Benth.)	
Arnold & De Wet: 635	M
pulvinata Killick	
Arnold & De Wet: 635	F
rubrostellata Hilliard & B.L.Burt	
Arnold & De Wet: 635	M
schmitziae Hilliard & B.L.Burt	
Arnold & De Wet: 635	L, F, M
spathacea (Benth.) Walp.	
Arnold & De Wet: 635	M
turritella Hilliard & B.L.Burt	
Arnold & De Wet: 635	M

SOLANACEAE

DATURA L.	7415000
*ferox L.	
Bromilow: 258	L, F
*stramonium L.	
(<i>D. tatula</i> L.)	
Arnold & De Wet: 621	L, F, M, S
LYCIUM L.	7379000
acutifolium E.Mey. ex Dunal	
Arnold & De Wet: 617	L, F
arenicola Miers	
Germishuizen & Meyer: 914	M
cinereum Thunb.	
(<i>L. caespitosum</i> Dinter & Dammer)	
Arnold & De Wet: 618	L, F
NICANDRA Adans.	7377000
*physalodes (L.) Gaertn.	
(<i>Atropa physalodes</i> L.)	
Arnold & De Wet: 617	F
NICOTIANA L.	7434000
*glauc Graham	
Arnold & De Wet: 621	L, S
PHYSALIS L.	7401000
*angulata L.	
Arnold & De Wet: 619	L
*peruviana L.	
Arnold & De Wet: 619	L
*viscosa L.	
Bromilow: 262	L
SOLANUM L.	7407000
aculeatissimum Jacq.	
Arnold & De Wet: 619	F
*americanum Mill.	
(<i>S. nodiflorum</i> Jacq.)	

Arnold & De Wet: 619	M
capense L.	
Arnold & De Wet: 619	F
*nigrum L.	
Arnold & De Wet: 620	L, M
panduriforme E.Mey.	
Arnold & De Wet: 620	L
*pseudocapsicum L.	
Arnold & De Wet: 620	L, F
retroflexum Dunal	
Arnold & De Wet: 620	F
supinum Dunal var. supinum	
(<i>S. aranoideum</i> Dammer)	
(<i>S. lyratifolium</i> Dammer)	
Germishuizen & Meyer: 917	L, F
tomentosum L. var. tomentosum	
Germishuizen & Meyer: 918	L, F, S
*triflorum Nutt.	
Arnold & De Wet: 620	L

WITHANIA Pauquy **7400000**

somnifera (L.) Dunal	
(<i>Physalis somnifera</i> L.)	
(<i>W. microphysalis</i> Suess.)	
Arnold & De Wet: 619	L, F, M

STERCULIACEAE

HERMANNIA L.	5056000
coccocarpa (Eckl. & Zeyh.) Kuntze	
(<i>Mahernia coccocarpa</i> Eckl. & Zeyh.)	
Arnold & De Wet: 503	L, F, M, S
cordata (E.Mey. ex E.Phillips) De Winter	
Fabian & Germishuizen: 262	L, M
cuneifolia Jacq. var. cuneifolia	
(<i>H. pallens</i> Eckl. & Zeyh.)	
Arnold & De Wet: 503	L, F
cuneifolia Jacq. var. glabrescens (Harv.) I.Verd.	
(<i>H. pallens</i> Eckl. Zeyh. var. <i>glabrescens</i> Harv., pro parte)	
Arnold & De Wet: 503	L
depressa N.E.Br.	
(<i>Mahernia erodioides</i> Burch. ex DC var. <i>latifolia</i> Harv.)	
Arnold & De Wet: 503	L, F, M, S
floribunda Harv.	
Arnold & De Wet: 504	L, M
geniculata Eckl. & Zeyh.	
(<i>H. chrysantha</i> E.Mey. ex Turcz., non Harv.)	
(<i>Mahernia betonicifolia</i> (Eckl. & Zeyh.) Harv.)	
Arnold & De Wet: 504	L, F
gerrardii Harv.	
(<i>H. macowanii</i> (Szyszyl.) Schinz)	
Pooley (1998): 290	L, M, S
parviflora Eckl. & Zeyh.	
(<i>Mahernia parviflora</i> (Eckl. & Zeyh.) Harv.)	
Arnold & De Wet: 505	M

THYMELAEACEAE

DAIS L.	5465000
cotinifolia L.	
Arnold & De Wet: 519	F

GNIDIA L.	5435000
aberrans C.H.Wright	
(<i>Basutica aberrans</i> (C.H.Wright) E.Phillips)	
Arnold & De Wet: 515	M
anthylloides (L.f.) Gilg	
(<i>Lasiosiphon anthylloides</i> Meisn.)	
Pooley (1998): 292	L, F, M
burchellii (Meisn.) Gilg	
(<i>Lasiosiphon burchellii</i> Meisn.)	
Arnold & De Wet: 515	L, F, M
capitata L.f.	
(<i>Lasiosiphon capitatus</i> (L.f.) Burttt Davy)	
(<i>Lasiosiphon linifolius</i> Decne.)	
Arnold & De Wet: 515	L
compacta (C.H.Wright) J.H.Ross	
(<i>Arthrosolen compactus</i> C.H.Wright)	
Arnold & De Wet: 515	M
gymnostachya (C.A.Mey.) Gilg	
(<i>Arthrosolen gymnostachys</i> C.A.Mey.)	
Arnold & De Wet: 515	M
kraussiana Meisn. var. kraussiana	
(<i>G. hoepfneriana</i> Gilg)	
(<i>Lasiosiphon hoepfnerianus</i> Vathek ex Gilg)	
(<i>Lasiosiphon krausii</i> Meisn.)	
Arnold & De Wet: 516	L
propinqua (Hilliard) B.Peterson	
(<i>Basutica propinqua</i> Hilliard)	
Arnold & De Wet: 516	M
splendens Meisn.	
Arnold & De Wet: 516	L, M
woodii C.H.Wright	
Specimen: <i>Kobisi</i> & <i>Polaki</i> 193	L

PASSERINA L.	5461000
corymbosa Eckl. & Zeyh.	
(<i>P. filiformis</i> L. var. <i>vulgaris</i>)	
Arnold & De Wet: 519	F, M
drakensbergensis Hilliard & B.L.Burttt	
Pooley (2003): 286	F, M
montana Thoday	
Arnold & De Wet: 519	L, F, M, S

TILIACEAE

GREWIA L.	4966000
occidentalis L. var. occidentalis	
Germishuizen & Meyer: 936	L, S

URTICACEAE

DROGUETIA Gaudich.	2013000
iners (Forssk.) Schweinf. subsp. burchellii (N.E.Br.)	
Friis & Wilmot-Dear	
(<i>D. burchellii</i> N.E.Br.)	
Arnold & De Wet: 214	F
iners (Forssk.) Schweinf. subsp. iners	
Arnold & De Wet: 214	F

PARIETARIA L.	2007000
debilis G.Forst.	
(<i>P. micrantha</i> sensu Hilliard & B.L.Burttt.)	
Germishuizen & Meyer: 940	M

URTICA L.	1974000
*dioica L.	
Arnold & De Wet: 213	F
lobulata Blume	
(<i>U. burchellii</i> N.E.Br.)	
Arnold & De Wet: 213	F
*urens L.	
Arnold & De Wet: 213	L, F, M, S

VALERIANACEAE

VALERIANA L.	8532000
capensis Thunb. var. capensis	
Arnold & De Wet: 680	M
capensis Thunb. var. lanceolata N.E.Br.	
Arnold & De Wet: 680	M
capensis Thunb. var. nana B.L.Burttt	
Arnold & De Wet: 680	L, F, M

VERBENACEAE

LANTANA L.	7144000
rugosa Thunb.	
(<i>L. salviifolia</i> Jacq.)	
Arnold & De Wet: 601	L, S
VERBENA L.	7138000
*bonariensis L.	
Arnold & De Wet: 601	L, F, M
*brasiliensis Vell.	
Arnold & De Wet: 601	L, M
*rigida Spreng.	
(<i>V. venosa</i> Gillies & Hook.)	
Germishuizen & Meyer: 944	L, F

VISCACEAE

VISCUM L.	2093000
hoolei Wiens	
(<i>V. capense</i> L.f. subsp. <i>hoolei</i> Wiens)	
Germishuizen & Meyer: 945	S
rotundifolium L.f.	
(<i>V. bosciae-foetidae</i> Dinter)	
(<i>V. glaucum</i> Eckl. & Zeyh.)	
(<i>V. macowanii</i> Engl.)	
Arnold & De Wet: 230	L, F

VITACEAE

RHOICISSUS Planch.	4917000
tridentata (L.f.) Wild & R.B.Drumm. subsp. cuneifolia	
(Eckl. & Zeyh.) Urton	
(<i>Cissus cuneifolia</i> Eckl. & Zeyh.)	
(<i>R. cuneifolia</i> (Eckl. & Zeyh.) Planch.)	
(<i>R. erythroides</i> (Fresen.) Planch.)	
Arnold & De Wet: 491	L, F

ZYGOPHYLLACEAE

TRIBULUS L.	3978000
terrestris L.	
Arnold & De Wet: 444	L, F, M, S

MONOCOTYLEDONS

AGAPANTHACEAE

- AGAPANTHUS** L'Hér. **1046000**
campanulatus F.M.Leight. subsp. **patens** (F.M.Leight.)
 F.M.Leight.
 Arnold & De Wet: 144; Germishuizen & Meyer: 954 L, M

ALLIACEAE

- TULBAGHIA** L. **1047000**
acutiloba Harv.
 Arnold & De Wet: 145 L, M
cernua Avé-Lall.
 (*T. campanulata* N.E.Br.)
 Arnold & De Wet: 145 F
leucantha Baker
 (*T. dieterlenii* E.Phillips)
 Arnold & De Wet: 145 L, F, M
ludwigiana Harv.
 Pooley (1998): 510 L, M
montana Vosa
 Arnold & De Wet: 145 L

AMARYLLIDACEAE

- AMMOCHARIS** Herb. **1190000**
coranica (Ker Gawl.) Herb.
 Arnold & De Wet: 164 F
BOOPHONE Herb. **1168000**
disticha (L.f.) Herb.
 (*B. longipedicellata* Pax)
 Arnold & De Wet: 161 M
BRUNSVIGIA Heist. **1177000**
natalensis Baker
 Arnold & De Wet: 163 M
radulosa Herb.
 Arnold & De Wet: 163 L, M
undulata F.M.Leight.
 Pooley (1998): 38 Possibly occurring in Lesotho
CRINUM L. **1189000**
bulbispermum (Burm.f.) Milne-Redh. & Schweick.
 Arnold & De Wet: 164 L
CYRTANTHUS Aiton **1191000**
attenuatus R.A.Dyer
 Arnold & De Wet: 164 L, M
breviflorus Harv.
 Arnold & De Wet: 165 M
epiphyticus J.M.Wood
 Pooley (1998): 38 L, M
flanaganii Baker
 Arnold & De Wet: 165 M
stenanthus Baker var. **stenanthus**
 Arnold & De Wet: 165 M
tuckii Baker var. **tuckii**
 Pooley (1998): 40 M

- HAEMANTHUS** L. **1167000**
humilis Jacq. subsp. **hirsutus** (Baker) Snijman
 (*H. hirsutus* Baker)
 Arnold & De Wet: 160 L, F, M

- NERINE** Herb. **1175000**
angustifolia (Baker) Baker
 Arnold & De Wet: 162 L, F

- SCADOXUS** Raf. **1167000**
puniceus (L.) Friis & Nordal
 Pooley (1998): 36 M

ANTHERICACEAE

- CHLOROPHYTUM** Ker Gawl. **0990000**
acutum (C.H.Wright) Nordal
 (*Anthericum acutum* C.H.Wright)
 Germishuizen & Meyer: 969 M
comosum (Thunb.) Jacq.
 Germishuizen & Meyer: 969 M
cooperi (Baker) Nordal
 (*Anthericum cooperi* Baker)
 Germishuizen & Meyer: 969 L
fasciculatum (Baker) Kativu
 (*Anthericum fasciculatum* Baker)
 Germishuizen & Meyer: 969 L, F
galpinii (Baker) Kativu var. **galpinii**
 (*Anthericum galpinii* Baker var. *galpinii*)
 Germishuizen & Meyer: 969 L

APONOGETONACEAE

- APONOGETON** L.f. **0065000**
distachyos L.f.
 Arnold & De Wet: 64 M
junceus Lehm.
 (*A. junceus* Lehm. ex Schltld. subsp. *junceus*)
 (*A. spathaceus* E.Mey.ex Hook.)
 Arnold & De Wet: 64 L, F, M
ranunculiflorus Jacot Guill. & Marais
 Arnold & De Wet: 64 M

ARACEAE

- ZANTEDESCHIA** Spreng. **0748000**
aethiopica (L.) Spreng.
 Arnold & De Wet: 117 L
albomaculata (Hook.) Baill. subsp. **albomaculata**
 (*Z. angustiloba* (Schott) Engl.)
 (*Z. hastata* (Hook.) Engl.)
 (*Z. melanoleuca* (Hook.f.) Engl.)
 (*Z. oculata* (Lindl.) Engl.)
 (*Z. tropicalis* (N.E.Br.) Letty)
 Arnold & De Wet: 117 L, F, M, S

ASPARAGACEAE

- ASPARAGUS** L. **1113000**

asparagoides (L.) Druce (<i>A. asparagoides</i> sensu Jessop, non (L.) Wight) Germishuizen & Meyer: 974	L, M	Pooley (1998): 224	L, M, S
cooperi Baker (<i>A. africanus</i> sensu Jessop, non Lam.) (<i>A. burkei</i> Baker) (<i>Protasparagus cooperi</i> (Baker) Oberm.) Germishuizen & Meyer: 974	F	favosa (Thunb.) Schult. & Schult.f. (<i>B. filifolia</i> Baker) (<i>B. trichophylla</i> Baker) Arnold & De Wet: 133	S
denudatus (Kunth) Baker (<i>Protasparagus denudatus</i> (Kunth) Oberm.) Germishuizen & Meyer: 975	L, F, M	frutescens (L.) Willd. (<i>B. caulescens</i> L.) (<i>B. rostrata</i> Willd.) Arnold & De Wet: 133	L, F
laricinus Burch. (<i>Protasparagus laricinus</i> (Burch.) Oberm.) Germishuizen & Meyer: 975	L, M	narcissifolia Salm-Dyck Arnold & De Wet: 133	L, F, M
microraphis (Kunth) Baker (<i>Protasparagus microraphis</i> (Kunth) Oberm.) Germishuizen & Meyer: 975	L, F, M	KNIPHOFIA Moench	1024000
ramosissimus Baker (<i>Myrsiphyllum ramosissimum</i> (Baker) Oberm.) Germishuizen & Meyer: 976	F	albomontana Baijnath Arnold & De Wet: 137	L
setaceus (Kunth) Jessop (<i>Protasparagus setaceus</i> (Kunth) Oberm.) Germishuizen & Meyer: 976; Pooley (1998): 104	F	brachystachya (Zahlbr.) Codd Arnold & De Wet: 137	M
stellatus Baker (<i>Protasparagus microrhaphis</i> sensu Jessop, non (Kunth) Baker) Germishuizen & Meyer: 976	L	caulescens Baker Arnold & De Wet: 137	L, F, M
virgatus Baker (<i>Protasparagus virgatus</i> (Baker) Oberm.) Pooley (1998): 104	L	hirsuta Codd Arnold & De Wet: 137	M
ASPHODELACEAE		linearifolia Baker Arnold & De Wet: 137	M
ALOE L.	1026000	northiae Baker Arnold & De Wet: 137	F, M
aristata Haw. Arnold & De Wet: 138	M	porphyrantha Baker Arnold & De Wet: 137	L, M
broomii Schönland var. broomii Arnold & De Wet: 138	S	praecox Baker (insufficiently known; probably a garden hybrid) Arnold & De Wet: 137; Germishuizen & Meyer: 1010	F
cooperi Baker subsp. cooperi Pooley (1998): 32		ritualis Codd Arnold & De Wet: 137	L, M
ecklonis Salm-Dyck (<i>A. boylei</i> Baker) (<i>A. boylei</i> Baker subsp. <i>major</i> Hilliard & B.L.Burt)	L, F, M	thodei Baker Arnold & De Wet: 137	F, M
ferox Mill. Arnold & De Wet: 139	L, S	triangularis Kunth subsp. triangularis (<i>K. macowanii</i> Baker) Arnold & De Wet: 137	F, M
maculata All. (<i>A. saponaria</i> (Aiton) Haw.) Arnold & De Wet: 140	L, F, M, S	TRACHYANDRA Kunth	0985010
polyphylla Schönland ex Pillans Arnold & De Wet: 140	M	asperata Kunth var. asperata Arnold & De Wet: 134	L, F, M
pratensis Baker Arnold & De Wet: 140	S	asperata Kunth var. basutoensis (Poelln.) Oberm. Arnold & De Wet: 134	M
striatula Haw. var. striatula Van Wyk & Smith: 100	L, F, M, S	saltii (Baker) Oberm. var. saltii Arnold & De Wet: 134	L, F, M
BULBINE Wolf.	0985000	COLCHICACEAE	
abyssinica A.Rich. Arnold & De Wet: 133	L, F, M, S	ANDROCYMBIUM Willd.	0969000
asphodeloides (L.) Spreng. Pooley (1998): 224	L	burkei Baker Arnold & De Wet: 131	L, M, S
capitata Poelln. (<i>B. stenophylla</i> I.Verd.)		melanthioides Willd.subsp. transvaalense U.Müll.- Doblies & D.Müll.-Doblies (<i>A. melanthioides</i> Willd. var. <i>subulatum</i> (Baker) Baker) Germishuizen & Meyer: 1014	F, M
		striatum A.Rich. (<i>A. melanthioides</i> Willd. var. <i>striatum</i> (A.Rich.) Baker) Germishuizen & Meyer: 1014; Pooley (1998): 86	F
		WURMBEA Thunb.	0972000
		angustifolia B.Nord. Arnold & De Wet: 131	M

burtii B.Nord.

Arnold & De Wet: 131

L, M

elator B.Nord.

Arnold & De Wet: 132

M

COMMELINACEAE

COMMELINA L.**0896000****africana** L. var. **lancispatha** C.B.Clarke*(C. africana* L. var. *glabriuscula* (Norl.) Brenan)

Germishuizen & Meyer: 1018

L, F, M, S

benghalensis L.

Arnold & De Wet: 128

F

CYANOTIS D.Don**0904000****speciosa** (L.f.) Hassk.*(C. nodiflora* Kunth)

Arnold & De Wet: 128

M

CYPERACEAE

ABILDGAARDIA Vahl**0471020****ovata** (Burm.f.) Kral*(Fimbristylis monostachya* (L.) Hassk.)

Arnold & De Wet: 112

L, F

ASCOLEPIS Steud.**0454000****capensis** (Kunth) Ridl.

Arnold & De Wet: 102; Pooley (1998): 84

M

BULBOSTYLIS Kunth**0471010****burchellii** (Ficalho & Hiern) C.B.Clarke

Gordon-Gray: 30

L

humilis (Kunth) C.B.Clarke

Hilliard & Burt: 114

L, F, M

oritrephe (Ridl.) C.B.Clarke*(B. oritrephe* (Ridl.) C.B.Clarke subsp. *australis* B.L.Burt)

Germishuizen & Meyer: 1021

L

schoenoides (Kunth) C.B.Clarke

Arnold & De Wet: 112

L, M

CAREX L.**0525000*****acutiformis** Ehrh.

Arnold & De Wet: 115

F, M

austro-africana (Kük.) Raymond*(C. cernua* Boott var. *austro-africana* Kük.)

Arnold & De Wet: 115

F

cognata Kunth*(C. cognata* Kunth var. *drakensbergensis* (C.B.Clarke) Kük.)*(C. drakensbergensis* C.B.Clarke)

Germishuizen & Meyer: 1022

L, F, M

glomerabilis Krecz.*(C. glomerata* Thunb.)*(C. leribensis* Nemes)

Arnold & De Wet: 116

L, M, F

killickii Nemes

Arnold & De Wet: 116

M

monotropa Nemes*(C. flava* sensu C.B.Clarke, non L.)

Arnold & De Wet: 116

L, F

subinflata Nemes

Arnold & De Wet: 116

F

zuluensis C.B.Clarke*(C. condensata* C.B.Clarke, non Nees)*(C. huttoniana* Kük.)*(C. wahlenbergiana* C.B.Clarke)

Arnold & De Wet: 116

M

CARPHA R.Br.**0480010****filifolia** Reid & T.H.Arnold

Arnold & De Wet: 102

M

CYPERUS L.**0459000****albostratus** Schrad.

Arnold & De Wet: 103

F

congestus Vahl*(Mariscus congestus* (Vahl) C.B.Clarke)

Germishuizen & Meyer: 1025

L, F, M

cyperoides (L.) Kuntze subsp. **cyperoides***(Mariscus sieberanus* C.B.Clarke)*(Mariscus sumatrensis* (Retz.) J.Raynal)

Gordon-Gray: 135

L

difformis L.

Arnold & De Wet: 103

L, F

esculentus L. var. **esculentus**

Germishuizen & Meyer: 1025

L, F, M

fastigiatus Rottb.

Arnold & De Wet: 103

L, F

longus L. var. **tenuiflorus** (Rottb.) Boeck.

Arnold & De Wet: 103

L, F

marginatus Thunb.

Arnold & De Wet: 103

L, F

obtusiflorus Vahl. var. **flavissimus** (Schrad.) Boeck.*(C. niveus* Retz. var. *flavissimum* (Schrad.) Lye)*(C. obtusiflorus* Vahl var. *sphaerocephalus* (Vahl) Kük.)

Germishuizen & Meyer: 1027

L, M

obtusiflorus Vahl var. **obtusiflorus***(C. compactus* Lam., non Retz.)*(C. niveus* Retz. var. *leucocephalus* (Kunth) Fosberg)

Arnold & De Wet: 103

L, F, M

rotundus L. subsp. **rotundus**

Germishuizen & Meyer: 1027

L

rupestris Kunth var. **parvinux** (C.B.Clarke) Kük.

Arnold & De Wet: 104

M

rupestris Kunth var. **rupestris**

Arnold & De Wet: 104

L, F

schlechteri C.B.Clarke

Arnold & De Wet: 104

L, F

semitrifidus Schrad.

Germishuizen & Meyer: 1028

L, F, M

usitatus Burch.

Gordon-Gray: 76

L, F, M

ELEOCHARIS R.Br.**0469000****dregeana** Steud*(E. palustris* auct., non (L.) N.E.Br.)

Arnold & De Wet: 111

L, F, M

FICINIA Schrad.**0465000****cinnamomea** C.B.Clarke

Pooley (1998): 564

L, M

gracilis Schrad.

Arnold & De Wet: 107

L, F

stolonifera Boeck.

<i>(F. filiformis</i> auctt., pro parte, non (Lam) Schrad.)			
Arnold & De Wet: 107; Germishuizen & Meyer: 1032	L, M		
FUIRENA Rottb.	0467000		
ecklonii Nees			
Gordon-Gray: 99	L, M		
pubescens (Poir.) Kunth			
Arnold & De Wet: 108	L, F		
ISOLEPIS R.Br.	0468020		
angelica B.L.Burtt			
Arnold & De Wet: 110	F, M		
cernua (Vahl) Roem. & Schult. var. cernua			
<i>(Scirpus cernuus</i> Vahl)			
Germishuizen & Meyer: 1034	L		
costata A.Rich.			
<i>(I. costata</i> A.Rich. var. <i>macra</i> (Boeck.) B.L.Burtt)			
<i>(Scirpus costatus</i> (A.Rich.) Boeck.)			
<i>(Scirpus macer</i> Boeck.)			
Germishuizen & Meyer: 1035	L, F, M		
diabolica (Steud.) Schrad.			
<i>(Scirpus diabolicus</i> Steud.)			
Germishuizen & Meyer: 1035	M		
fluitans (L.) R.Br. var. fluitans			
<i>(Scirpus fluitans</i> L.)			
Germishuizen & Meyer: 1035	L, F, M		
sepulcralis Steud.			
<i>(Scirpus griquensium</i> C.B.Clarke)			
Arnold & De Wet: 110	L		
setacea (L.) R.Br.			
<i>(Scirpus setaceus</i> L.)			
Arnold & De Wet: 110	L		
sororia Kunth			
<i>(Scirpus sororius</i> (Kunth) C.B.Clarke)			
Arnold & De Wet: 110	L, F		
KYLLINGA Rottb.	0462000		
alata Nees			
<i>(K. alba</i> Nees var. <i>alata</i> (Nees) C.B.Clarke)			
Arnold & De Wet: 106	L		
alba Nees			
Arnold & De Wet: 106	F		
erecta Schumach. var. erecta			
Germishuizen & Meyer: 1037	L, F, M		
pulchella Kunth			
Arnold & De Wet: 106	L, F, M		
MARISCUS Vahl	0459030		
uitenhagensis Steud.			
Arnold & De Wet: 105	F		
PYCREUS P.Beauv.	0459010		
betschuanus (Boeck.) C.B.Clarke			
Arnold & De Wet: 104	F		
macranthus (Boeck.) C.B.Clarke			
Arnold & De Wet: 105	L, F		
mundii Nees			
Arnold & De Wet: 105	F		
rehmannianus C.B.Clarke			
Arnold & De Wet: 105	F		
RHYNCHOSPORA Vahl	0492000		
brownii Roem. & Schult.			
<i>(R. glauca</i> auctt., non Vahl)			
<i>(R. rugosa</i> (Vahl) Gale)			
Arnold & De Wet: 112	F		
SCHOENOPLECTUS (Rchb.) Palla	0468010		
decipiens (Nees) J.Raynal			
Arnold & De Wet: 109	F		
muriculatus (Kük.) Browning			
<i>(Scirpus mariculatus</i> Kük.)			
Gordon-Gray: 158	L		
pulchellus (Kunth) J.Raynal			
<i>(Scirpus pulchellus</i> (Kunth) Boeck.)			
Arnold & De Wet: 109	L		
SCHOENOXIPHIMUM Nees	0521000		
basutorum Turrill			
<i>(Kobresia basutorum</i> (Turrill) Koyama)			
Arnold & De Wet: 114	L, F		
distinctum Kük.			
Arnold & De Wet: 115	M		
filiforme Kük.			
<i>(Kobresia filiforme</i> (Kük.) Koyama)			
Arnold & De Wet: 115	M		
rufum Nees var. rufum			
<i>(Kobresia buchananii</i> (C.B.Clarke) Koyama)			
<i>(Kobresia rufa</i> (Nees) Koyama)			
<i>(S. buchananii</i> C.B.Clarke)			
Germishuizen & Meyer: 1042	L, F, M		
sparteum (Wahlenb.) C.B.Clarke			
<i>(Carex bolusii</i> C.B.Clarke)			
<i>(Kobresia kunthiana</i> (Kük.) Koyama var. <i>kunthiana</i>)			
<i>(Kobresia sparteum</i> (Wahlenb.) Koyama)			
Arnold & De Wet: 115	L, F, M		
SCIRPOIDES Ség.	0468050		
burkei (C.B.Clarke) Goetgh., Muasya & D.A.Simpson			
<i>(Scirpus burkei</i> C.B.Clarke)			
Germishuizen & Meyer: 1042	L, F		
SCIRPUS L.	0468000		
falsus C.B.Clarke			
Arnold & De Wet: 108	L, F, M		
ficinioides Kunth			
Arnold & De Wet: 108	F, M		
SCLERIA P.J.Bergius	0515000		
dregeana Kunth			
<i>(S. holcooides</i> Kunth)			
Arnold & De Wet: 114	M		
TETRARIA P.Beauv.	0494000		
cuspidata (Rottb.) C.B.Clarke var. cuspidata			
Germishuizen & Meyer: 1045	M		
triangularis (Boeck.) C.B.Clarke			
<i>(T. macowaniana</i> B.L.Burtt)			
<i>(T. macowanii</i> C.B.Clarke, nom. illeg.)			
Arnold & De Wet: 113	M		
		DIOSCOREACEAE	
RHYNCHOSPORA Vahl	0492000	DIOSCOREA L.	1252000

rupicola Kunth

Pooley (2003): 250

M

sylvatica (Kunth) Eckl.

Pooley (1998): 514

M

ERIOCAULACEAE**ERIOCAULON** L.**0828000****abyssinicum** Hochst.

Arnold & De Wet: 127

F

dregei Hochst.

Germishuizen & Meyer: 1049

M

hydrophilum Markötter

Arnold & De Wet: 127

M

sonderianum Körn*(E. baurii* N.E.Br.)*(E. dregei* Hochst. var. *sonderianum* (Körn.) Oberm.)

Germishuizen & Meyer: 1049

M

ERIOSPERMACEAE**ERIOSPERMUM** Jacq. ex Willd.**1012000****cooperi** Baker var. **cooperi**

Germishuizen & Meyer: 1051

F

cooperi Baker var. **natalense** (Baker) P.L.Perry

Germishuizen & Meyer: 1051

F

dissitiflorum Schltr.

Arnold & De Wet: 136

F

ornithogaloides Baker*(E. microphyllum* Baker)

Arnold & De Wet: 136

F, M

HYACINTHACEAE**ALBUCA** L.**1079000****cooperi** Baker

Arnold & De Wet: 146

L

humilis Baker

Arnold & De Wet: 146

M

setosa Jacq.*(A. pachychlamys* Baker)

Arnold & De Wet: 146

L, F, M, S

shawii Baker*(A. elliotii* Baker)*(A. minima* Baker)*(A. trichophylla* Baker)

Arnold & De Wet: 147

L, M

DIPCADI Medik.**1084000****gracillimum** Baker*(D. polyphyllum* Baker)

Arnold & De Wet: 148

M

marlothii Engl.*(D. oligotrichum* Baker)

Arnold & De Wet: 148

L, M

viride (L.) Moench*(D. umbonatum* (Baker) Baker)

Arnold & De Wet: 149

L, M

DRIMIA Jacq.**1082000****angustifolia** Baker

Arnold & De Wet: 148

F

calcarata (Baker) Stedje*(Urginea modesta* Baker)*(Urginea natalensis* Baker)*(Urginea pretoriensis* Baker)*(Urginea tenella* Baker)

Germishuizen & Meyer: 1058

M

depressa (Baker) Jessop*(Urginea capitata* (Hook.) Baker)*(Urginea depressa* Baker)

Germishuizen & Meyer: 1058

M

sphaerocephala Baker*(D. neriniformis* Baker)

Arnold & De Wet: 148; Pooley (1998): 96

L, M

uniflora J.C.Manning & Goldblatt*(Litanthus pusillus* Harv.)

Germishuizen & Meyer: 1059

F

EUCOMIS L'Hér.**1088000****autumnalis** (Mill.) Chitt. subsp. **clavata** (Baker) Reyneke

Arnold & De Wet: 150

M

bicolor Baker

Arnold & De Wet: 150

M

comosa (Houtt.) Wehrh. var. **comosa***(E. punctata* L'Hér.)

Pooley (1998): 98

Possibly occurring in Lesotho

montana Compton

Arnold & De Wet: 150

Possibly occurring in Lesotho

schijffii Reyneke

Arnold & De Wet: 150

M

GALTONIA Decne.**1081000****candicans** (Baker) Decne.

Arnold & De Wet: 148

F

regalis Hilliard & B.L.Burt

Arnold & De Wet: 148

F

viridiflora I. Verd.

Arnold & De Wet: 148

F, M

LEDEBOURIA Roth**1090010****cooperi** (Hook.f.) Jessop*(Scilla cooperi* Hook.f.)

Arnold & De Wet: 152

L, F, S

marginata (Baker) Jessop*(Scilla marginata* Baker)*(Scilla neglecta* Van der Merwe)

Arnold & De Wet: 152

L, F, M

MASSONIA Thunb. ex Houtt.**1101000****jasminiflora** Burch. ex Baker*(M. bowkeri* Baker)

Arnold & De Wet: 155

L, F

MERWILLA Speta**1093010****dracomontana** (Hilliard & B.L.Burt) Speta*(Scilla dracomontana* Hilliard & B.L.Burt)

Germishuizen & Meyer: 1064

M

plumbea (Lindl.) Speta*(Scilla natalensis* Planch.)

Germishuizen & Meyer: 1064

M

ORNITHOGALUM L.**1089000****diphyllum** Baker

Arnold & De Wet: 150	Possibly occurring in Lesotho
graminifolium Thunb	
(<i>O. aloiforme</i> Oberm.)	
(<i>O. attenuatum</i> F.M.Leight.)	
(<i>O. inandense</i> Baker)	
Arnold & De Wet: 150	M
juncifolium Jacq.	
(<i>O. leptophyllum</i> Baker)	
Arnold & De Wet: 150	F
paludosum Baker	
(<i>Elsiea flanaganii</i> (Baker) F.M.Leight.)	
Arnold & De Wet: 151	M
tenuifolium F.Delaroche subsp. tenuifolium	
(<i>O. virens</i> Lindl.)	
Arnold & De Wet: 151	M
SCHIZOCARPUS Van der Merwe	1086010
nervosus (Burch.) Van der Merwe	
(<i>S. gerrardii</i> (Baker) Van der Merwe)	
(<i>S. rigidifolius</i> (Kunth) Van der Merwe)	
(<i>Scilla nervosa</i> (Burch.) Jessop)	
(<i>Scilla rigidifolia</i> Baker)	
(<i>Scilla rigidifolia</i> Baker var. <i>acerosa</i> Van der Merwe)	
Germishuizen & Meyer: 1069	L, F

HYDROCHARITACEAE

LAGAROSIPHON Harv.	0088000
major (Ridl.) Moss ex Wager	
Arnold & De Wet: 65	M
muscoides Harv.	
Arnold & De Wet: 65	M

HYPOXIDACEAE

EMPODIUM Salisb.	1229010
elongatum (Nel) B.L.Burt	
(<i>Forbesia elongata</i> Nel)	
Arnold & De Wet: 166	M
HYPOXIS L.	1230000
acuminata Baker	
Arnold & De Wet: 166	L, F, M
angustifolia Lam. var. angustifolia	
Arnold & De Wet: 166	L, F, M
argentea Harv. ex Baker var. argentea	
Arnold & De Wet: 166	L, F, M
costata Baker	
Arnold & De Wet: 166	F, M
filiformis Baker	
Arnold & De Wet: 166	L, M
hemerocallidea Fisch.Mey. & Ave-Lall.	
(<i>H. rooperii</i> T.Moore)	
Arnold & De Wet: 166	L
iridifolia Baker	
(<i>H. nitida</i> I.Verd.)	
(<i>H. obtusa</i> Burch.)	
Pooley (1998): 234	L, M
multiceps Buchinger ex Baker	
Arnold & De Wet: 166	F, M
rigidula Baker var. pilosissima Baker	
Arnold & De Wet: 167	L

rigidula Baker var. rigidula	
Arnold & De Wet: 167	L, F
tetramera Hilliard & B.L.Burt	
Arnold & De Wet: 167	M
RHODOHYPOXIS Nel	1230020
baurii (Baker) Nel var. baurii	
Arnold & De Wet: 167	M
baurii (Baker) Nel var. confecta Hilliard & B.L.Burt	
Arnold & De Wet: 167	M
deflexa Hilliard & B.L.Burt	
Arnold & De Wet: 167	M
incompta Hilliard & B.L.Burt	
Arnold & De Wet: 167	M
rubella (Baker) Nel	
Arnold & De Wet: 167	F, M
thodiana (Nel) Hilliard & B.L.Burt	
Arnold & De Wet: 167	M

SANIELLA Hilliard & B.L.Burt	1230040
verna Hilliard & B.L.Burt	
Arnold & De Wet: 167	M

IRIDACEAE

ARISTEA Aiton	1295000
abyssinica Pax	
(<i>A. cognata</i> N.E.Br. ex Weim.)	
Germishuizen & Meyer: 1075	L, M
ecklonii Baker	
Arnold & De Wet: 176	M
montana Baker	
Arnold & De Wet: 176	F, M
woodii N.E.Br.	
Arnold & De Wet: 176	M
CROCOSMIA Planch.	1306010
paniculata (Klatt) Goldblatt	
Arnold & De Wet: 183	L
DIERAMA K.Koch	1303000
dracomontanum Hilliard	
Arnold & De Wet: 181	F, M
igneum Klatt	
Pooley (1998): 354	F
jucundum Hilliard	
Arnold & De Wet: 181	L
robustum N.E.Br.	
Arnold & De Wet: 182	M
trichorhizum (Baker) N.E.Br.	
Arnold & De Wet: 182	M
GLADIOLUS L.	1311000
crassifolius Baker	
(<i>G. dieterlenii</i> E.Phillips)	
Arnold & De Wet: 186	L, F, M
dalenii Van Geel subsp. dalenii	
(<i>G. cooperi</i> Baker)	
(<i>G. dracocephalus</i> Hook.f.)	
(<i>G. natalensis</i> Reinw. ex Hook., nom. illeg.)	
(<i>G. pageae</i> L.Bolus)	
(<i>G. psittacinus</i> Hook.f.)	

(G. <i>psittacinus</i> Hook.f. var. <i>cooperi</i> Baker)			
Germishuizen & Meyer: 1087	L, F, M		
ecklonii Lehm.			
Germishuizen & Meyer: 1087	F		
longicollis Baker subsp. longicollis			
Arnold & De Wet: 187	L, M		
longicollis Baker subsp. platypetalus (Baker) Goldblatt & J.C.Manning			
(G. <i>praelongitubus</i> G.J.Lewis)			
Arnold & De Wet: 187	M		
ochroleucus Baker			
Pooley (1998): 238	F, M		
papilio Hook.f.			
Arnold & De Wet: 187	L, F, M		
permeabilis D.Delaroche subsp. edulis (Burch. ex Ker Gawl.) Oberm.			
(G. <i>edulis</i> Burch. ex Ker Gawl.)			
Arnold & De Wet: 187	M		
saundersii Hook.f.			
Arnold & De Wet: 188	L, F, M		
HESPERANTHA Ker Gawl.	1301000		
baurii Baker subsp. baurii			
(H. <i>subexerta</i> Baker)			
Arnold & De Wet: 179	L, F, M		
baurii Baker subsp. formosa Hilliard & B.L.Burt			
Arnold & De Wet: 179	M		
candida Baker			
Arnold & De Wet: 179	M		
crocopsis Hilliard & B.L.Burt			
Arnold & De Wet: 179	M		
glareosa Hilliard & B.L.Burt			
Arnold & De Wet: 179	M		
grandiflora G.J.Lewis			
Arnold & De Wet: 179	L, M		
radiata (Jacq.) Ker Gawl.			
(H. <i>tysonii</i> Baker)			
Arnold & De Wet: 180	L, F, M		
schelpeana Hilliard & B.L.Burt			
Arnold & De Wet: 180	M, S		
vernalis Hilliard & B.L.Burt			
Arnold & De Wet: 180	L, M		
MORAEA Mill.	1265000		
albicuspa Goldblatt			
Arnold & De Wet: 171	M		
alpina Goldblatt			
Arnold & De Wet: 171	M		
alticola Goldblatt			
Arnold & De Wet: 171	M		
ardesiaca Goldblatt			
Pooley (1998): 452	M		
brevistyla (Goldblatt) Goldblatt			
(M. <i>pubiflora</i> N.E.Br. subsp. <i>brevistyla</i> Goldblatt)			
Arnold & De Wet: 171	L		
dracomontana Goldblatt			
Arnold & De Wet: 172	M		
elliottii Baker			
Arnold & De Wet: 172	L		
huttonii (Baker) Oberm.			
(M. <i>rivularis</i> Schltr.)			
Arnold & De Wet: 172	L, F, M		
modesta Killick			
Arnold & De Wet: 172	L, F, M		
pallida (Baker) Goldblatt			
(Homeria <i>glauca</i> J.M.Wood & M.S.Evans)			
(Homeria <i>humilis</i> N.E.Br.)			
(Homeria <i>pallida</i> Baker)			
Germishuizen & Meyer: 1105	L, F, S		
spathulata (L.f.) Klatt			
(M. <i>spathulata</i> (L.f.) Klatt subsp. <i>autumnalis</i> Goldblatt)			
(M. <i>spathulata</i> (L.f.) Klatt subsp. <i>saxosa</i> Goldblatt)			
(M. <i>spathulata</i> (L.f.) Klatt subsp. <i>transvaalensis</i> Goldblatt)			
Arnold & De Wet: 173	L, M		
stricta Baker			
(M. <i>mossii</i> N.E.Br.)			
(M. <i>thomsonii</i> sensu Goldblatt, non Baker)			
(M. <i>trita</i> N.E.Br.)			
Arnold & De Wet: 173	F, M		
trifida R.C.Foster			
(M. <i>culmea</i> Killick)			
Arnold & De Wet: 173	M		
ROMULEA Maratti	1261000		
camerooniana Baker			
(R. <i>campanuloides</i> Harms var. <i>campanuloides</i>)			
(R. <i>thodei</i> Schltr.)			
Arnold & De Wet: 170	M		
luteoflora (M.P.de Vos) M.P.de Vos var. sanisensis M.P.de Vos			
Germishuizen & Meyer: 1108	M		
macowanii Baker var. alticola (B.L.Burt) M.P.de Vos			
(R. <i>longituba</i> L.Bolus var. <i>alticola</i> B.L.Burt)			
Arnold & De Wet: 170	M		
macowanii Baker var. oreophila M.P.de Vos			
Arnold & De Wet: 170	M		
TRITONIA Ker Gawl.	1306000		
lineata (Salisb.) Ker Gawl. var. lineata			
(T. <i>flavida</i> Schltr.)			
(T. <i>kraussii</i> Baker)			
Arnold & De Wet: 182	L, M		
WATSONIA Mill.	1315000		
densiflora Baker			
(W. <i>neglecta</i> N.E.Br.)			
(W. <i>plantii</i> N.E.Br.)			
Arnold & De Wet: 191	L, M		
gladioloides Schltr.			
(W. <i>baurii</i> L.Bolus)			
Arnold & De Wet: 192	M		
lepida N.E.Br.			
Arnold & De Wet: 192	F		
JUNCACEAE			
JUNCUS L.	0936000		
dregeanus Kunth			
(J. <i>sonderanus</i> Buchenau)			
(J. <i>subcuneatus</i> Adamson)			
(J. <i>subglobosus</i> Adamson)			
(J. <i>submonocephalus</i> Steud.)			
Arnold & De Wet: 130	L, F, M		
effusus L.			

Arnold & De Wet: 130	M
exsertus Buchenau subsp. exsertus	
(<i>J. rostratus</i> Buchenau)	
Arnold & De Wet: 130	L, F, M
exsertus Buchenau subsp. lesuticus B.L.Burt	
Arnold & De Wet: 130	M
inflexus L.	
Arnold & De Wet: 130	F, M
mollifolius Hilliard & B.L.Burt	
Arnold & De Wet: 130	M
oxycarpus E.Mey ex Kunth	
(<i>J. brevistilus</i> Buchenau)	
(<i>J. gentilis</i> N.E.Br.)	
(<i>J. suboxycarpus</i> Adamson)	
Arnold & De Wet: 130	L, F, M
punctorius L.f.	
Arnold & De Wet: 130	F
LUZULA DC.	0937000
africana Drège ex Steud.	
Arnold & De Wet: 130	L, F, M

ORCHIDACEAE

BONATEA Willd.	1422020
speciosa (L.f.) Willd. var. speciosa	
(<i>B. boltonii</i> (Harv.) Bolus)	
Germishuizen & Meyer: 1123	L
BROWNLEEA Harv. ex Lindl.	1433000
galpinii Bolus subsp. major (Bolus) H.P.Linder	
Arnold & De Wet: 199	M
macroceras Sond.	
(<i>B. monophylla</i> Schltr.)	
Arnold & De Wet: 199	M
parviflora Harv. ex Lindl.	
(<i>B. transvaalensis</i> Schltr.)	
Arnold & De Wet: 199	F, M
CORYCIUM Sw.	1440000
dracomontanum Parkman & Schelpe	
Arnold & De Wet: 204	M
flanagani (Bolus) Kurzweil & H.P.Linder	
Arnold & De Wet: 204	M
nigrescens Sond.	
Arnold & De Wet: 204	L, F, M
tricuspidatum Bolus	
Arnold & De Wet: 205	M
DISA P.J.Bergius	1434000
brevicornis (Lindl.) Bolus	
(<i>Monadenia brevicornis</i> Lindl.)	
Germishuizen & Meyer: 1127	M
cephalotes Rchb.f. subsp. cephalotes	
Arnold & De Wet: 199	M
chrysostachya Sw.	
Arnold & De Wet: 199	F, M
cooperi Rchb.f.	
Arnold & De Wet: 199	L, F, M
cornuta (L.) Sw.	
(<i>D. macrantha</i> Sw.)	
Arnold & De Wet: 199	M

fragrans Schltr. subsp. fragrans	
Germishuizen & Meyer: 1129	M
oreophila Bolus subsp. erecta H.P.Linder	
Arnold & De Wet: 200	M
oreophila Bolus subsp. oreophila	
Arnold & De Wet: 200	M
polygonoides Lindl.	
Arnold & De Wet: 200	F, M
porrecta Sw.	
Arnold & De Wet: 200	L, F
stricta Sond.	
Arnold & De Wet: 201	M
DISPERIS Sw.	1437000
cooperi Harv.	
(<i>D. allisonii</i> Rolfe)	
(<i>D. buchananii</i> Rolfe)	
(<i>D. ermelensis</i> Rolfe)	
Pooley (1998): 368	L
stenoplectron Rchb.f.	
(<i>D. anomala</i> Schltr.)	
(<i>D. natalensis</i> Rolfe)	
Arnold & De Wet: 203	L, M
tysonii Bolus	
(<i>D. bicolor</i> Rolfe)	
(<i>D. kermesina</i> Rolfe)	
Arnold & De Wet: 203; Pooley (1998): 370	M
wealei Rchb.f.	
(<i>D. flava</i> Rolfe)	
(<i>D. gracilis</i> Schltr.)	
Pooley (1998): 122	M
DRACOMONTICOLA H.P.Linder & Kurzweil	1431010
virginia (Bolus) H.P.Linder & Kurzweil	
(<i>Neobolusia virginia</i> (Bolus) Schltr.)	
Germishuizen & Meyer: 1134	M
EULOPHIA R.Br. ex Lindl.	1648000
aculeata (L.f.) Spreng. subsp. aculeata	
Arnold & De Wet: 207	L, F
aculeata (L.f.) Spreng. subsp. huttonii (Rolfe) A.V.Hall	
Arnold & De Wet: 207	M
foliosa (Lindl.) Bolus	
Arnold & De Wet: 207	M
hians Spreng. var. hians	
(<i>E. clavicornis</i> Lindl. var. <i>clavicornis</i>)	
(<i>E. robusta</i> Rolfe, pro parte)	
Germishuizen & Meyer: 1135	F, M
hians Spreng. var. inaequalis (Schltr.) S.Thomas	
(<i>E. clavicornis</i> Lindl. var. <i>inaequalis</i> (Schltr.) A.V.Hall)	
(<i>E. watkinsonii</i> Rolfe)	
Germishuizen & Meyer: 1136	M
hians Spreng. var. nutans (Sond.) S.Thomas	
(<i>E. barbata</i> sensu Bolus, non (Thunb.) Spreng.)	
(<i>E. carunculifera</i> Rchb.f.)	
(<i>E. clavicornis</i> Lindl. var. <i>nutans</i> (Sond.) A.V.Hall)	
(<i>E. purpurascens</i> Rolfe)	
Germishuizen & Meyer: 1136	M
ovalis Lindl. var. ovalis	
(<i>E. bakeri</i> Rolfe)	
(<i>E. dregeana</i> Lindl.)	
Germishuizen & Meyer: 1136	L, F, M

welwitschii (Rchb.f.) Rolfe (<i>E. zeyheri</i> Hook.f.) Pooley (1998): 246	M	(<i>S. huttonae</i> Schltr.) Pooley (1998): 240	M
POACEAE			
HABENARIA Willd. 1422000		AGROSTIS L. 9902430	
dregeana Lindl. Arnold & De Wet: 196	L, M	barbuligera Stapf var. barbuligera Kobisi & Kose: 9	M
epipactidea Rchb.f. (<i>H. foliosa</i> (Sw.) Rchb.f.) Arnold & De Wet: 196	L	bergiana Trin. var. bergiana Kobisi & Kose: 9	L, F, M
falcicornis (Burch. ex Lindl.) Bolus subsp. caffra (Schltr.) J.C.Manning (<i>H. caffra</i> Schltr.) (<i>H. falcicornis</i> (Burch. ex Lindl.) Bolus var. <i>caffra</i> (Schltr.) Renz & Schelpe) (<i>H. tetrapetala</i> sensu Kraenzl.) Arnold & De Wet: 196	L, F, M	bergiana Trin. var. laeviuscula Stapf Kobisi & Kose: 9	F
lithophila Schltr. (<i>H. bolusiana</i> Schltr.) (<i>H. macowaniana</i> Kraenzl.) (<i>H. petri</i> Schltr.) Arnold & De Wet: 196	M	continuata Stapf (<i>A. natalensis</i> Stapf) Kobisi & Kose: 9	KN
tranvaalensis Schltr. Arnold & De Wet: 196	F	eriantha Hack. var. eriantha Kobisi & Kose: 9	M
HOLOTHRIX Rich. ex Lindl. 1408000		gigantea Roth Kobisi & Kose: 9	L
incurva Lindl. (<i>H. rupicola</i> Schltr.) Arnold & De Wet: 195	M	lachnantha Nees var. lachnantha (<i>A. huttoniae</i> (Hack.) C.E.Hubb.) (<i>A. lachnantha</i> Nees var. <i>glabra</i> Gooss. & Papendorf) Kobisi & Kose: 9	L, F, M
scopularia (Lindl.) Rchb.f. (<i>H. multisecta</i> Bolus) Arnold & De Wet: 195	M	subulifolia Stapf Kobisi & Kose: 9	M, S
HUTTONAEA Harv. 1414000		AIRA L. 9901850	
grandiflora (Schltr.) Rolfe Pooley (1998): 114	M	*cupaniana Guss. Kobisi & Kose: 9	KN, FS
PTERYGODIUM Sw. 1438000		ALLOTEROPSIS J.Presl 9900940	
cooperi Rolfe (<i>P. maccloughlinii</i> L.Bolus) Pooley (1998): 122	M	semialata (R.Br.) Hitchc. subsp. eckloniana (Nees) Gibbs Russell (<i>A. semialata</i> (R.Br.) Hitchc. var. <i>ecklonii</i> (Stapf) Stapf) Kobisi & Kose: 9	M
hastatum Bolus Arnold & De Wet: 204	F, M	semialata (R.Br.) Hitchc. subsp. semialata Kobisi & Kose: 9	KN, FS
SATYRIUM Sw. 1430000		ANDROPOGON L. 9900710	
cristatum Sond.var. cristatum Arnold & De Wet: 197	L	amethystinus Steud. (<i>A. abyssinicus</i> sensu Chippind., non Fresen.) (<i>A. pilosellus</i> Stapf) Kobisi & Kose: 9	M
longicauda Lindl. var. jacottetianum (Kraenzl.) A.V.Hall Arnold & De Wet: 197	L, M	appendiculatus Nees Kobisi & Kose: 9	L, F, M, S
longicauda Lindl. var. longicauda Arnold & De Wet: 197	F, M	distachyos L. Kobisi & Kose: 9	M
neglectum Schltr. subsp. neglectum Arnold & De Wet: 198	L, M	eucomus Nees Kobisi & Kose: 9	L
parviflorum Sw. (<i>S. wilmsianum</i> Kraenzl.) Arnold & De Wet: 198	F, M	ravus J.G.Anderson Kobisi & Kose: 9	L, M
SCHIZOCHILUS Sond. 1431000		schirensis A.Rich. (<i>A. schirensis</i> A.Rich. var. <i>angustifolius</i> Stapf) Kobisi & Kose: 9	L, F, M
zeyheri Sond. (<i>S. bolusii</i> Schltr.) (<i>S. grandiflorus</i> Schltr.)		ANTHOXANTHUM L. 9901640	
		brevifolium Stapf Kobisi & Kose: 9	KN
		ecklonii (Nees ex Trin.) Stapf Kobisi & Kose: 9	L, F, M
		*odoratum L. Kobisi & Kose: 9	M

ARISTIDA L.	9902620	
adscensionis L.		(<i>B. pertusa</i> auctt., non (L.) A.Camus)
(<i>A. adscensionis</i> L. subsp. <i>guineensis</i> (Trin. & Rupr.) Henrard)		Kobisi & Kose: 10 M
(<i>A. curvata</i> (Nees) T.Durand & Schinz)		
(<i>A. submucronata</i> Schumach.)		
Kobisi & Kose: 9	L, F, M	
bipartita (Nees) Trin. & Rupr.		
Kobisi & Kose: 9	L, M, S	
canescens Henrard subsp. canescens		
Kobisi & Kose: 9	L, F, M	
congesta Roem. & Schult. subsp. barbicollis (Trin. & Rupr.) De Winter		
(<i>A. barbicollis</i> Trin. & Rupr.)		
Kobisi & Kose: 10	L, M	
congesta Roem. & Schult. subsp. congesta		
Kobisi & Kose: 10	L, F, M	
diffusa Trin. subsp. burkei (Stapf) Melderis		
Kobisi & Kose: 10	L, F, M, S	
junciformis Trin. & Rupr. subsp. galpinii (Stapf) De Winter		
(<i>A. galpinii</i> Stapf)		
Kobisi & Kose: 10	L, F, M	
junciformis Trin. & Rupr. subsp. junciformis		
Kobisi & Kose: 10	L, F, M	
monticola Henrard		
Kobisi & Kose: 10	M	
scabrivalvis Hack. subsp. scabrivalvis		
Kobisi & Kose: 10	M	
sciurus Stapf		
Kobisi & Kose: 10	KN	
vestita Thunb.		
Kobisi & Kose: 10	EC	
ARUNDINELLA Raddi	9901730	
nepalensis Trin.		
(<i>A. ecklonii</i> Nees)		
Kobisi & Kose: 10	L, F, M	
ARUNDO L.	9902130	
*donax L.		
Kobisi & Kose: 10	L	
AVENA L.	9901950	
*byzantina K.Koch		
Kobisi & Kose: 10	KN, FS	
*sativa L.		
Kobisi & Kose: 10	L, M	
AXONOPUS P.Beauv.	9901050	
affinis Chase		
Kobisi & Kose: 10	KN	
BEWSIA Gooss.	9903442	
biflora (Hack.) Gooss.		
Kobisi & Kose: 10	L	
BOTHRIOCHLOA Kuntze	9900630	
bladhii (Retz.) S.T.Blake		
(<i>B. glabra</i> Roxb.)		
(<i>B. insculpta</i> (A.Rich.) A.Camus var. <i>vegetior</i> (Hack.) C.E.Hubb.)		
Kobisi & Kose: 10	M	
insculpta (A.Rich.) A.Camus		
		(<i>B. pertusa</i> auctt., non (L.) A.Camus)
		Kobisi & Kose: 10 M
BRACHIARIA (Trin.) Griseb.	9901040	
advena Vickery		
Kobisi & Kose: 10	L, M	
bovonei (Chiov.) Robyns		
Kobisi & Kose: 10	KN	
eruciformis (J.E.Sm.) Griseb.		
(<i>Panicum isachne</i> Griseb.)		
Kobisi & Kose: 10	L, F, M	
marlothii (Hack.) Stent		
Kobisi & Kose: 10	L	
nigropedata (Ficalho. & Hiern) Stapf		
Kobisi & Kose: 10	M, S	
serrata (Thunb.) Stapf		
(<i>B. serrata</i> (Thunb.) Stapf var. <i>gossypina</i> (A.Rich.) Stapf)		
(<i>B. serrata</i> (Thunb.) Stapf var. <i>serrata</i>)		
(<i>Panicum serratum</i> (Thunb.) Spreng.)		
Kobisi & Kose: 10	L, F, M	
BRACHYPODIUM P.Beauv.	9904320	
bolusii Stapf		
Kobisi & Kose: 10	M	
flexum Nees		
Kobisi & Kose: 10	M	
BRIZA L.	9904040	
*maxima L.		
Kobisi & Kose: 10	KN, FS	
BROMUS L.	9904280	
*catharticus Vahl		
(<i>B. unioides</i> Kunth)		
(<i>B. willdenowii</i> Kunth)		
Kobisi & Kose: 11	L, F, M, S	
*commutatus Schrad.		
Kobisi & Kose: 11	KN, FS	
*diandrus Roth		
Kobisi & Kose: 11	KN	
firmior (Nees) Stapf		
Kobisi & Kose: 11	M	
*hordeaceus L. subsp. molliformis (J.Lloyd) Maire & Weiller		
Kobisi & Kose: 11	M	
leptoclados Nees		
Kobisi & Kose: 11	L, F, M	
natalensis Stapf		
(<i>B. natalensis</i> Stapf var. <i>lasiophilus</i> Stapf)		
(<i>B. speciosus</i> sensu Compton, non Nees)		
Kobisi & Kose: 11	KN	
pectinatus Thunb.		
Kobisi & Kose: 11	L, M	
speciosus Nees		
Kobisi & Kose: 11	L, M	
CATALEPIS Stapf & Stent	9902942	
gracilis Stapf & Stent		
Kobisi & Kose: 11	L, F, M	
CHLORIS Sw.	9903010	
*gayana Kunth		

Kobisi & Kose: 11	L, F, M, S	DIGITARIA Haller f.	9900890
pycnothrix Trin.		argyrograpta (Nees) Stapf	
Kobisi & Kose: 11	L	Kobisi & Kose: 12	L
virgata Swartz		brazzae (Franch.) Stapf	
Kobisi & Kose: 11	L, F	Kobisi & Kose: 12	L
COLPODIUM Trin.	9904100	ciliaris (Retz.) Koeler	
drakensbergense Hedberg & I.Hedberg		(<i>D. adscendens</i> Henrard)	
Kobisi & Kose: 11	M	(<i>D. marginata</i> Link)	
CORTADERIA Stapf	9902110	Kobisi & Kose: 12	L
*jubata (Lem.) Stapf		diagonalis (Nees) Stapf var. diagonalis	
Kobisi & Kose: 11	L	(<i>D. trichopodia</i> Stent)	
CTENIUM Panz.	9902990	(<i>D. uniglumis</i> (A.Rich.) Stapf)	
concinnum Nees		Kobisi & Kose: 12	M
Kobisi & Kose: 11	L	eriantha Steud.	
CYMBOPOGON Spreng.	9900720	(<i>D. bechuanica</i> (Stent) Henrard)	
dieterleniae Stapf ex E.Phillips		(<i>D. decumbens</i> Stent)	
(<i>Andropogon dieterleniae</i> Stapf)		(<i>D. dinteri</i> Henrard)	
Kobisi & Kose: 11	L, F, M	(<i>D. eriantha</i> Steud. subsp. <i>pentzii</i> (Stent) Kok)	
excavatus (Hochst.) Stapf ex Burtt Davy		(<i>D. eriantha</i> Steud. subsp. <i>stolonifera</i> (Stapf) Kok)	
(<i>Andropogon schoenanthus</i> L. var. <i>versicolor</i> Hack.)		(<i>D. eriantha</i> Steud. subsp. <i>transvaalensis</i> Kok)	
Kobisi & Kose: 11	L, F, M	(<i>D. eriantha</i> Steud. var. <i>stolonifera</i> Stapf)	
marginatus (Steud.) Stapf ex Burtt Davy		(<i>D. geniculata</i> Stent)	
(<i>Andropogon nardus</i> L. var. <i>marginatus</i> Hack.)		(<i>D. glauca</i> Stent)	
Kobisi & Kose: 11	F, M	(<i>D. pentzii</i> Stent)	
plurinodis (Stapf) Stapf ex Burtt Davy		(<i>D. pentzii</i> Stent var. <i>stolonifera</i> (Stapf) Henrard)	
(<i>Andropogon plurinodis</i> Stapf)		(<i>D. setivalva</i> Stent)	
Kobisi & Kose: 11	L, F, M, S	(<i>D. smutsii</i> Stent)	
prolixus (Stapf) E.Phillips		(<i>D. stentiana</i> Henrard)	
Kobisi & Kose: 11	L, F, M	(<i>D. valida</i> Stent)	
validus (Stapf) Stapf ex Burtt Davy		(<i>D. valida</i> Stent var. <i>glauca</i> Stent)	
(<i>C. afronardus</i> Stapf)		Kobisi & Kose: 12	M
Kobisi & Kose: 11	L, S	flaccida Stapf	
CYNODON Rich.	9902960	Kobisi & Kose: 12	KN, FS
bradleyi Stent		monodactyla (Nees) Stapf	
Kobisi & Kose: 11	KN, FS	(<i>D. monodactyla</i> Stapf var. <i>explicata</i> Stapf)	
dactylon (L.) Pers.		Kobisi & Kose: 12	L, F, M
Kobisi & Kose: 11	L, M	natalensis Stent	
hirsutus Stent		(<i>D. littoralis</i> sensu Stent, non Salisb.)	
Kobisi & Kose: 11	L, F, M	(<i>D. littoralis</i> sensu Stent, non Salisb. var. <i>prostrata</i> Stent)	
*incompletus Nees		(<i>D. macroglossa</i> Henrard)	
Kobisi & Kose: 11	L	(<i>D. macroglossa</i> Henrard var. <i>prostrata</i> (Stent) Henrard)	
*transvaalensis Burtt Davy		(<i>D. natalensis</i> Stent subsp. <i>stentiana</i> Henrard)	
Kobisi & Kose: 11	L, M	(<i>D. rigida</i> Stent)	
DACTYLIS L.	9903980	Kobisi & Kose: 12	KN, FS
*glomerata L.		*sanguinalis (L.) Scop.	
Kobisi & Kose: 11	L, M	Kobisi & Kose: 12	L, F, M
DESCHAMPSIA P.Beauv.	9901890	scalarum (Schweinf.) Chiov.	
cespitosa (L.) P.Beauv.		(<i>D. vestita</i> Fig. & De Not. var. <i>scalarum</i> (Schweinf.) Henrard)	
Kobisi & Kose: 11	M	Kobisi & Kose: 12	F
DIANDROCHLOA De Winter	9902852	setifolia Stapf	
namaquensis (Nees ex Schrad.) De Winter		Kobisi & Kose: 12	KN
(<i>Eragrostis namaquensis</i> Nees ex Schrad.)		ternata (A.Rich.) Stapf	
Kobisi & Kose: 11	EC	Kobisi & Kose: 12	L, F, M
thouaresiana (Flüggé) A.Camus		(<i>D. melanochila</i> Stapf)	
(<i>D. tricotulata</i> (Hack.) Henrard)		Kobisi & Kose: 12	FS
tricholaenoides Stapf		amptectens (Nees) Clayton	
Kobisi & Kose: 12			
DIHETEROPOGON (Hack.) Stapf	9900810		
amptectens (Nees) Clayton			

LAMARCKIA Moench	9903720	(<i>Danthonia drakensbergensis</i> Schweick.)	
*aurea (L.) Moench		Kobisi & Kose: 15	F, M
Kobisi & Kose: 15	M		
LEERSIA Sw.	9901590	guillarmodiae Conert	
hexandra Sw.		Kobisi & Kose: 15	M
Kobisi & Kose: 15	L, F	macowanii (Stapf) Conert	
		(<i>Danthonia macowanii</i> Stapf)	
		Kobisi & Kose: 16	M
LOLIUM L.	9904330	stereophylla (J.G.Anderson) Conert	
*multiflorum Lam.		(<i>Danthonia stereophylla</i> J.G.Anderson)	
Kobisi & Kose: 15	KN, FS, EC	Kobisi & Kose: 16	M
*multiflorum x perenne		stricta (Schrad.) Conert	
Kobisi & Kose: 15	M	(<i>Danthonia stricta</i> Schrad.)	
*perenne L.		Kobisi & Kose: 16	M
Kobisi & Kose: 15	L, M		
*rigidum Gaudin		MICROCHLOA R.Br.	9902940
(<i>L. loliaceum</i> (Bory & Chaub.) Hand.-Mazz.)		caffra Nees	
Kobisi & Kose: 15	KN	Kobisi & Kose: 16	L, F, M, S
*temulentum L.		kunthii Desv.	
Kobisi & Kose: 15	L	Kobisi & Kose: 16	L, M
LOUDETIA Steud.	9901751	MISCANTHUS Andersson	9900380
flavida (Stapf) C.E.Hubb.		capensis (Nees) Andersson	
Kobisi & Kose: 15	KN	(<i>Miscanthidium capense</i> (Nees) Stapf)	
simplex (Nees) C.E.Hubb.		(<i>M. capense</i> (Nees) Stapf var. <i>capense</i>)	
Kobisi & Kose: 15	M	(<i>M. erectum</i> Stent & C.E.Hubb.)	
		(<i>M. sorghum</i> (Nees) Stapf)	
MELICA L.	9903860	Kobisi & Kose: 16	L, F, M, S
decumbens Thunb.		junceus (Stapf) Pilg.	
(<i>M. neesii</i> Stapf)		(<i>Miscanthidium junceum</i> Stapf)	
Kobisi & Kose: 15	L, F, M, S	(<i>M. teretifolium</i> (Stapf) Stapf)	
racemosa Thunb.		Kobisi & Kose: 16	L
(<i>M. bolusii</i> Stapf)		MONOCYMBIUM Stapf	9900750
(<i>M. brevifolia</i> Stapf)		ceresiiforme (Nees) Stapf	
(<i>M. decumbens</i> sensu Gordon-Gray, non Thunb.)		(<i>Andropogon ceresiiformis</i> Nees)	
(<i>M. ovalis</i> Nees)		Kobisi & Kose: 16	F, M
(<i>M. pumila</i> Stapf)		OPLISMENUS P.Beauv.	9901150
Kobisi & Kose: 15	L, F, M, S	hirtellus (L.) P.Beauv.	
MELINIS P.Beauv.	9901340	Kobisi & Kose: 16	KN, EC
macrochaeta Stapf & C.E.Hubb.		undulatifolius (Ard.) Roem. & Schult.	
Kobisi & Kose: 15	KN	Kobisi & Kose: 16	KN
nerviglumis (Franch.) Zizka		OROPETIUM Trin.	9903200
(<i>Rhynchelytrum nerviglume</i> (Franch.) Chiov.)		capense Stapf	
(<i>R. nyassanum</i> (Mez) Stapf & C.E.Hubb.)		Kobisi & Kose: 16	M
(<i>R. ramosum</i> Stapf & C.E.Hubb.)		PANICUM L.	9901160
(<i>R. rhodesianum</i> (Rendle) Stapf & C.E.Hubb.)		aequinerve Nees	
(<i>R. setifolium</i> (Stapf) Chiov.)		Kobisi & Kose: 16	M
Kobisi & Kose: 15	L, F, M, S	coloratum L. var. coloratum	
repens (Willd.) Zizka subsp. repens		(<i>P. coloratum</i> L. var. <i>makarikariense</i> Gooss.)	
(<i>Rhynchelytrum repens</i> (Willd.) C.E.Hubb.)		Kobisi & Kose: 16	L
(<i>Tricholaena rosea</i> Nees)		deustum Thunb.	
Kobisi & Kose: 15	L	Kobisi & Kose: 16	L
MERXMUELLERA Conert	9902043	ecklonii Nees	
aureocephala (J.G.Anderson) Conert		Kobisi & Kose: 16	M
(<i>Danthonia aureocephala</i> J.G.Anderson)		maximum Jacq.	
Kobisi & Kose: 15	KN	Kobisi & Kose: 16	L, M
disticha (Nees) Conert		natalense Hochst.	
(<i>Danthonia disticha</i> Nees)		(<i>P. fulgens</i> auctt., non Stapf)	
Kobisi & Kose: 15	F, M, S	Kobisi & Kose: 16	KN, FS, EC
drakensbergensis (Schweick.) Conert			

schinzii Hack. (<i>P. laevifolium</i> Hack. var. <i>laevifolium</i>) Kobisi & Kose: 16	L, M	Kobisi & Kose: 17	M
stapfianum Fourc. Kobisi & Kose: 16	L, F	galpinii (Stapf) McClean (<i>Achneria galpinii</i> Stapf) Kobisi & Kose: 17	M
subalbidum Kunth (<i>P. glabrescens</i> Steud.) Kobisi & Kose: 16	FS	microphylla (Nees) McClean Kobisi & Kose: 17	EC
sp. Kobisi & Kose: 16	KN	natalensis Stapf Kobisi & Kose: 17	M
PASPALUM L.	9901070	oreodoxa Schweick. Kobisi & Kose: 17	M
*dilatatum Poir. Kobisi & Kose: 16	L, M	praecox H.P.Linder Kobisi & Kose: 17	KN
distichum L. (<i>P. paspaloides</i> (Michx.) Scribn.) Kobisi & Kose: 16	L, M	setifolia (Thunb.) McClean (<i>Achneria setifolia</i> Stapf) Kobisi & Kose: 17	L, F, M, S
*notatum Flügge Kobisi & Kose: 16	L	tysonii Stapf (<i>P. fibrosa</i> Stapf) Kobisi & Kose: 17	M
scrobiculatum L. (<i>P. commersonii</i> Lam.) (<i>P. orbiculare</i> G.Forst.) (<i>P. polystachyum</i> R.Br.) Kobisi & Kose: 16	KN	PEROTIS Aiton	9902800
*urvillei Steud. Kobisi & Kose: 16	KN	patens Gand. Kobisi & Kose: 17	L
vaginatum Sw. Kobisi & Kose: 16	L	PHACELURUS Griseb.	9900180
PENNISETUM Rich.	9901390	franksiae (J.M.Wood) Clayton (<i>Ischaemum franksiae</i> J.M.Wood) Kobisi & Kose: 17	KN
*clandestinum Chiov. Kobisi & Kose: 16	L	PHALARIS L.	9901630
macrourum Trin. Kobisi & Kose: 16	L, F, S	*aquatica L. (<i>P. nodosa</i> L.) (<i>P. tuberosa</i> L.) Kobisi & Kose: 17	FS
natalense Stapf Kobisi & Kose: 17	KN, FS	*arundinacea L. Kobisi & Kose: 17	L, F, M
sphacelatum (Nees) T.Durand & Schinz (<i>P. sphacelatum</i> (Nees) T.Durand & Schinz var. <i>tenuifolium</i> (Hack.) Stapf) Kobisi & Kose: 17	L, F, M, S	*canariensis L. Kobisi & Kose: 17	L
thunbergii Kunth Kobisi & Kose: 17	L, F, M	*minor Retz. Kobisi & Kose: 17	L
unisetum (Nees) Benth. (<i>Beckeropsis uniseta</i> (Nees) K.Schum.) Kobisi & Kose: 17	M	PHRAGMITES Adans.	9902140
*villosum R.Br. ex Fresen. Kobisi & Kose: 17	L	australis (Cav.) Steud. (<i>P. communis</i> Trin.) Kobisi & Kose: 17	L, F, M
PENTASCHISTIS (Nees) Spach	9902050	mauritanus Kunth Kobisi & Kose: 17	KN
airoides (Nees) Stapf subsp. airoides Kobisi & Kose: 17	L, F, M	POA L.	9904070
airoides (Nees) Stapf subsp. jugorum (Stapf) H.P.Linder (<i>P. jugorum</i> Stapf) Kobisi & Kose: 17	L, F, M	*annua L. Kobisi & Kose: 17	L, M
aurea (Steud.) McClean subsp. pilosogluma (McClean) H.P.Linder (<i>P. pilosogluma</i> McClean) Kobisi & Kose: 17	M	binata Nees (<i>P. atherstonei</i> Stapf) (<i>P. heterogama</i> Hack.) Kobisi & Kose: 17	L, F, M
basutorum Stapf Kobisi & Kose: 17	F	leptoclada A.Rich. Kobisi & Kose: 17	L
exserta H.P.Linder		*pratensis L. (<i>P. bidentata</i> Stapf) Kobisi & Kose: 17	L, M
		POGONARTHRIA Stapf	9903340
		squarrosa (Roem. & Schult.) Pilg.	

(<i>P. falcata</i> Rendle)		(<i>S. torta</i> Stapf)	
Kobisi & Kose: 17	L, F	Kobisi & Kose: 18	L
POLEVANSIA De Winter	9903101	verticillata (L.) P.Beauv.	
rigida De Winter		Kobisi & Kose: 18	L
Kobisi & Kose: 17	M	SORGHUM Moench	9900460
POLYPOGON Desf.	9902440	*bicolor (L.) Moench subsp. drummondii (Steud.) De Wet	
viridis (Gouan) Breistr.		(<i>S. sudanense</i> (Piper) Stapf)	
(<i>Agrostis semiverticillata</i> (Forssk.) C.Chr.)		Kobisi & Kose: 18	FS
(<i>P. semiverticillata</i> (Forssk.) Hyl.)		*halepense (L.) Pers.	
Kobisi & Kose: 17	KN, EC	(<i>S. alnum</i> Parodi)	
		Kobisi & Kose: 18	FS
RENDLIA Chiov.	9902941	SPOROBOLUS R.Br.	9902830
altera (Rendle) Chiov.		africanus (Poir.) Robyns & Tournay	
(<i>R. nelsonii</i> (Stapf) Chiov.)		(<i>S. capensis</i> (Willd.) Kunth)	
Kobisi & Kose: 18	KN	Kobisi & Kose: 18	L, F, S
SCHISMUS P.Beauv.	9904050	centrifugus (Trin.) Nees	
barbatus (Loefl. ex L.) Thell.		(<i>S. schlechteri</i> Schweick.)	
Kobisi & Kose: 18	L	Kobisi & Kose: 18	F, M, S
SCHIZACHYRIUM Nees	9900680	discosporus Nees	
sanguineum (Retz.) Alst.		Kobisi & Kose: 18	L, F
(<i>S. semiberbe</i> Nees)		fimbriatus (Trin.) Nees	
Kobisi & Kose: 18	KN	(<i>S. fimbriatus</i> (Trin.) Nees var. <i>latifolius</i> Stent)	
SCHMIDTIA Steud. ex J.A.Schmidt	9903610	Kobisi & Kose: 18	L, F, S
pappophoroides Steud. ex J.A.Schmidt		fourcadii Stent	
(<i>S. bulbosa</i> Stapf)		Kobisi & Kose: 18	EC
Kobisi & Kose: 18	KN	mauritanus (Steud.) T.Durand & Schinz	
SETARIA P.Beauv.	9901280	(<i>S. artus</i> Stent)	
incrassata (Hochst.) Hack.		Kobisi & Kose: 18	KN
(<i>S. eylesii</i> Stapf & C.E.Hubb.)		pectinatus Hack.	
(<i>S. gerrardii</i> Stapf)		Kobisi & Kose: 18	KN
(<i>S. holstii</i> Herrm.)		pyramidalis P.Beauv.	
(<i>S. pabularis</i> Stapf)		Kobisi & Kose: 18	KN, FS
(<i>S. palustris</i> Stapf)		stapfianus Gand.	
(<i>S. perberbis</i> De Wit)		Kobisi & Kose: 19	KN, EC
(<i>S. phragmitoides</i> Stapf)		STIBURUS Stapf	9904000
(<i>S. porphyrantha</i> Stapf)		alopcuroides (Hack.) Stapf	
(<i>S. rudifolia</i> Stapf)		Kobisi & Kose: 19	F, M
(<i>S. woodii</i> Hack. subsp. <i>bechuanica</i> De Wit)		conrathii Hack.	
(<i>S. woodii</i> Hack. var. <i>woodii</i>)		Kobisi & Kose: 19	F, M
Kobisi & Kose: 18	L	STIPA L.	9902630
*italica (L.) P.Beauv.		dregeana Steud. var. elongata (Nees) Stapf	
Kobisi & Kose: 18	F	Kobisi & Kose: 19	KN, FS
lindenbergiana (Nees) Stapf		neesiana Trin. & Rupr.	
(<i>S. phillipsii</i> De Wet)		(<i>Nassella neesiana</i> (Trin. & Rupr.) Barkworth)	
Kobisi & Kose: 18	L	Kobisi & Kose: 19	EC
nigrirostris (Nees) T.Durand & Schinz		STIPAGROSTIS Nees	9902611
Kobisi & Kose: 18	L	namaquensis (Nees) De Winter	
obscura De Wit		(<i>Aristida namaquensis</i> (Nees) Trin. & Rupr.)	
Kobisi & Kose: 18	KN, FS	Kobisi & Kose: 19	S
pallide-fusca (Schumach.) Stapf & C.E.Hubb.		uniplumis (Licht.) De Winter var. neesii (Trin. & Rupr.)	
Kobisi & Kose: 18	L, M	De Winter	
sphacelata (Schumach.) Moss var. sphacelata		Kobisi & Kose: 19	S
Kobisi & Kose: 18	L, S	zeyheri (Nees) De Winter subsp. sericans (Hack.) De	
sphacelata (Schumach.) Moss var. torta (Stapf) Clayton		Winter	
(<i>S. flabellata</i> Stapf subsp. <i>natalensis</i> De Wit)		(<i>Aristida capensis</i> Thunb. var. <i>dieterleniana</i> Schweick.)	
(<i>S. homblei</i> De Willd.)		(<i>A. sericans</i> Hack. apud Schinz)	
		Kobisi & Kose: 19	L, M, S

STREBLOCHAETE Pilg.	9901971	
longiarista (A.Rich.) Pilg.		
Kobisi & Kose: 19	S	
STYPEIOCHLOA De Winter	9903504	
gynoglossa (Gooss.) De Winter		
(<i>Crinipes gynoglossa</i> Gooss.)		
Kobisi & Kose: 19	KN, EC	
TETRACHNE Nees	9903270	
dregei Nees		
Kobisi & Kose: 19	L, F, M, S	
THAMNOCALAMUS Munro	9904570	
tessellatus (Nees) Soderstr. & R.P.Ellis		
(<i>Arundinaria tessellata</i> (Nees) Munro)		
Kobisi & Kose: 19	L, F, M, S	
THEMEDA Forssk.	9900830	
triandra Forssk.		
(<i>Anthistiria imberbis</i> Retz.)		
(<i>T. triandra</i> Forssk. var. <i>burchellii</i> (Hack.) Stapf)		
(<i>T. triandra</i> Forssk. var. <i>hispida</i> (Nees) Stapf)		
(<i>T. triandra</i> Forssk. var. <i>imberbis</i> (Retz.) A.Camus)		
(<i>T. triandra</i> Forssk. var. <i>trachyspathea</i> Gooss.)		
(<i>T. triandra</i> Forssk. var. <i>vulgaris</i> auctt., non Hack.)		
Kobisi & Kose: 19	L, F, M, S	
TRACHYPOGON Nees	9900780	
spicatus (L.f.) Kuntze		
(<i>T. capensis</i> (Thunb.) Trin.)		
(<i>T. polymorphus</i> Hack. var. <i>capensis</i> Hack. sensu Stapf)		
Kobisi & Kose: 19	L, F, M, S	
TRAGUS Haller f.	9902740	
berteronianus Schult.		
Kobisi & Kose: 19	KN, FS	
koelerioides Asch.		
Kobisi & Kose: 19	L, F	
racemosus (L.) All.		
Kobisi & Kose: 19	L, F, M, S	
TRICHONEURA Andersson.	9903530	
grandiglumis (Nees) Ekman var. grandiglumis		
Kobisi & Kose: 19	L, F, M	
TRIRAPHIS R.Br.	9903500	
andropogonoides (Steud.) E.Phillips		
Kobisi & Kose: 19	FS	
TRISTACHYA Nees	9901740	
leucothrix Nees		
(<i>Apochaete hispida</i> (L.f.) J.B.Phipps)		
(<i>T. hispida</i> (L.f.) K.Schum.)		
Kobisi & Kose: 19	L, F, M, S	
UROCHLOA P.Beauv.	9901100	
mosambicensis (Hack.) Dandy		
		(<i>U. pullulans</i> Stapf)
		(<i>U. rhodesiensis</i> Stent)
		Kobisi & Kose: 19
		panicoides P.Beauv.
		(<i>Panicum helopus</i> Trin. var. <i>glabrescens</i> K.Schum.)
		(<i>U. ruschii</i> sensu Chippind., non Pilg.)
		Kobisi & Kose: 19
		L, F
		VULPIA C.C.Gmel.
		*bromoides (L.) S.F.Gray
		Kobisi & Kose: 19
		M
		*myuros (L.) C.C.Gmel.
		Kobisi & Kose: 19
		L, F, M
		ZEAL.
		*mays L.
		Kobisi & Kose: 19
		L, F, M, S
POTAMOGETONACEAE		
POTAMOGETON L.	0058000	
pusillus L.		
(<i>P. panormitanus</i> Biv.)		
Arnold & De Wet: 63		L, M
thunbergii Cham. & Schldtl.		
(<i>P. natans</i> sensu Thunb., non L.)		
Arnold & De Wet: 63		F
RESTIONACEAE		
ISCHYROLEPIS Steud.	0804030	
schoenoides (Kunth) H.P.Linder		
(<i>Restio schoenoides</i> Kunth)		
(<i>Restio sieberi</i> Kunth var. <i>schoenoides</i> (Kunth) Pillans)		
Arnold & De Wet: 119		L, F, M
TYPHACEAE		
TYPHA L.	0049000	
capensis (Rohrb.) N.E.Br.		
(<i>T. latifolia</i> L. subsp. <i>capensis</i> Rohrb.)		
Arnold & De Wet: 63		L, F, M
VELLOZIACEAE		
XEROPHYTA Juss.	1247010	
viscosa Baker		
(<i>Vellozia viscosa</i> (Baker) Baker)		
Arnold & De Wet: 168		M
XYRIDACEAE		
XYRIS L.	0826000	
capensis Thunb.		
Arnold & De Wet: 126		L, F, M

Numerical index

0022000	Pinus	0969000	Androcymbium	1874010	Morella
0043000	Cupressus	0972000	Wurmbea	1898000	Celtis
0049000	Typha	0985000	Bulbine	1913000	Morus
0058000	Potamogeton	0985010	Trachyandra	1918000	Maclura
0065000	Aponogeton	0990000	Chlorophytum	1961000	Ficus
0088000	Lagarosiphon	1012000	Eriospermum	1973000	Cannabis
0110100	Psilotum	1024000	Kniphofia	1974000	Urtica
0111100	Equisetum	1026000	Aloe	2007000	Parietaria
0112000	Huperzia	1046000	Agapanthus	2013000	Droguetia
0112200	Lycopodium	1047000	Tulbaghia	2035000	Protea
0113200	Selaginella	1079000	Albuca	2093000	Viscum
0114100	Isoetes	1081000	Galtonia	2108000	Osyris
0115200	Ophioglossum	1082000	Drimia	2118000	Thesium
0118700	Gleichenia	1084000	Dipcadi	2194000	Emex
0128000	Mohria	1086010	Schizocarphus	2195000	Rumex
0132200	Anogramma	1088000	Eucomis	2201000	Polygonum
0136000	Cheilanthes	1089000	Ornithogalum	2201030	Persicaria
0136800	Pellaea	1090010	Ledebouria	2201040	Fallopia
0138500	Adiantum	1093010	Merwillia	2223000	Chenopodium
0140600	Pteris	1101000	Massonia	2229000	Atriplex
0163700	Polypodium	1113000	Asparagus	2299000	Amaranthus
0164900	Pleopeltis	1167000	Haemanthus	2312000	Cyathula
0190500	Dryopteris	1167000	Scadoxus	2328000	Achyranthes
0190900	Polystichum	1168000	Boophone	2335000	Alternanthera
0194100	Athyrium	1175000	Nerine	2338000	Gomphrena
0195100	Cystopteris	1177000	Brunsvigia	2347010	Commicarpus
0195500	Woodsia	1189000	Crinum	2376000	Limeum
0198600	Elaphoglossum	1190000	Ammocharis	2379000	Psammotropha
0200000	Blechnum	1191000	Cyrtanthus	2380000	Phytolacca
0201400	Asplenium	1229010	Empodium	2389000	Pharnaceum
0203100	Marsilea	1230000	Hypoxis	2405026	Chasmatophyllum
0454000	Ascolepis	1230020	Rhodohypoxis	2405033	Delosperma
0459000	Cyperus	1230040	Saniella	2405080	Mossia
0459010	Pycneus	1247010	Xerophyta	2405102	Rabiea
0459030	Mariscus	1252000	Dioscorea	2405105	Ruschia
0462000	Kyllinga	1261000	Romulea	2406000	Talinum
0465000	Ficinia	1265000	Moraea	2412000	Anacampseros
0467000	Fuirena	1295000	Aristea	2421000	Portulaca
0468000	Scirpus	1301000	Hesperantha	2428000	Anredera
0468010	Schoenoplectus	1303000	Dierama	2429000	Stellaria
0468020	Isolepis	1306000	Tritonia	2430000	Cerastium
0468050	Scirpoides	1306010	Crocasmia	2449000	Spergula
0469000	Eleocharis	1311000	Gladiolus	2490000	Silene
0471010	Bulbostylis	1315000	Watsonia	2502000	Dianthus
0471020	Abildgaardia	1408000	Holothrix	2541000	Anemone
0480010	Carpha	1414000	Huttonaea	2542000	Clematis
0492000	Rhynchospora	1422000	Habenaria	2546000	Ranunculus
0494000	Tetraria	1422020	Bonatea	2548000	Thalictrum
0515000	Scleria	1430000	Satyrium	2572000	Stephania
0521000	Schoenoxiphium	1431000	Schizochilus	2852000	Argemone
0525000	Carex	1431010	Dracomonticola	2853000	Papaver
0748000	Zantedeschia	1433000	Brownleea	2858020	Cysticapnos
0804030	Ischyrolepis	1434000	Disa	2861000	Fumaria
0826000	Xyris	1437000	Disperis	2875000	Heliophila
0828000	Eriocaulon	1438000	Pterygodium	2875010	Aplanodes
0896000	Commelina	1440000	Corycium	2883000	Lepidium
0904000	Cyanotis	1648000	Eulophia	2884000	Coronopus
0936000	Juncus	1872000	Populus	2917000	Sisymbrium
0937000	Luzula	1873000	Salix	2947000	Erucastrum

2950000	Raphanus	4278000	Muraltia	6436000	Ligustrum
2961000	Barbarea	4407000	Acalypha	6438000	Menodora
2965000	Nasturtium	4448000	Clutia	6470000	Gomphostigma
2965010	Rorippa	4498000	Euphorbia	6473000	Buddleja
2986000	Capsella	4582000	Schinus	6481000	Sebaea
3000000	Turritis	4594000	Rhus	6503000	Chironia
3042000	Matthiola	4614000	Ilex	6512000	Swertia
3082000	Cleome	4626000	Maytenus	6747000	Raphionacme
3125000	Reseda	4627000	Gymnosporia	6762000	Parapodium
3126000	Oligomeris	4671000	Cassinopsis	6771000	Araujia
3136000	Drosera	4854000	Melianthus	6777000	Xysmalobium
3164000	Cotyledon	4856000	Impatiens	6778000	Schizoglossum
3166000	Kalanchoe	4861000	Ziziphus	6778010	Aspidoglossum
3168000	Crassula	4875000	Rhamnus	6778020	Miraglossum
3175000	Adromischus	4886000	Phyllica	6783000	Cordylogyne
3252000	Pittosporum	4917000	Rhoicissus	6783010	Periglossum
3333010	Pyracantha	4966000	Grewia	6787000	Gomphocarpus
3353000	Rubus	4983000	Abutilon	6787010	Pachycarpus
3365000	Geum	4986010	Anisodontea	6789000	Stenostelma
3375000	Alchemilla	4992000	Malva	6791000	Asclepias
3376000	Agrimonia	4998000	Sida	6810000	Pentarrhinum
3379000	Leucosidea	5013000	Hibiscus	6834000	Cynanchum
3388000	Cliffortia	5056000	Hermannia	6849000	Sarcostemma
3389000	Rosa	5112000	Ochna	6861000	Sisyranthus
3396000	Prunus	5168000	Hypericum	6868000	Anisotoma
3446000	Acacia	5296000	Kiggelaria	6870000	Brachystelma
3467000	Elephantorrhiza	5304000	Scolopia	6875000	Riocreuxia
3544000	Gleditsia	5315000	Trimeria	6885000	Stapelia
3607000	Calpurnia	5376000	Guthriea	6968000	Cuscuta
3657000	Lotononis	5417000	Opuntia	6993000	Convolvulus
3662000	Aspalathus	5428000	Olinia	6997000	Merremia
3664000	Dichilus	5435000	Gnidia	7003000	Ipomoea
3665000	Melolobium	5461000	Passerina	7043000	Ehretia
3669000	Crotalaria	5465000	Dais	7064000	Cynoglossum
3673000	Argyrolobium	5598000	Eucalyptus	7072010	Afrotysonia
3688000	Medicago	5793000	Ludwigia	7073000	Lappula
3690000	Trifolium	5795000	Epilobium	7093000	Anchusa
3702000	Indigofera	5804000	Oenothera	7100000	Myosotis
3702030	Indigastrium	5833000	Laurembergia	7109000	Lithospermum
3703040	Otholobium	5836000	Gunnera	7118000	Echium
3718000	Tephrosia	5872000	Cussonia	7138000	Verbena
3733000	Robinia .	5894000	Centella	7144000	Lantana
3747000	Sesbania	5918000	Sanicula	7211000	Ajuga
3754000	Sutherlandia	5922000	Alepidea	7212000	Teucrium
3756000	Lessertia	5938000	Anthriscus	7236000	Acrotome
3852000	Vicia	5970000	Conium	7238000	Marrubium
3870000	Erythrina	5992000	Heteromorpha	7264000	Leonotis
3897000	Rhynchosia	5994000	Bupleurum	7271000	Lamium
3898000	Eriosema	6004000	Apium	7281000	Stachys
3905000	Vigna	6004010	Ciclospermum	7290000	Salvia
3910000	Dolichos	6033000	Pimpinella	7305000	Satureja
3924000	Geranium	6038010	Berula	7328000	Mentha
3925000	Monsonia	6045000	Polemannia	7345000	Aeollanthus
3927000	Erodium	6116000	Peucedanum	7350000	Plectranthus
3928000	Pelargonium	6237000	Erica	7377000	Nicandra
3936000	Oxalis	6313000	Myrsine	7379000	Lycium
3945000	Linum	6330000	Lysimachia	7400000	Withania
3978000	Tribulus	6338000	Anagallis	7401000	Physalis
4012000	Ruta	6351010	Limonium	7407000	Solanum
4037000	Agathosma	6404000	Euclea	7415000	Datura
4175000	Melia	6406000	Diospyros	7434000	Nicotiana
4273000	Polygala	6434000	Olea	7460000	Verbascum

7467000	Aptosimum	8929000	Nolletia	9596000	Lactuca
7471000	Diascia	8930000	Chrysocoma	9605000	Crepis
7476000	Nemesia	8931000	Heteromma	9710200	Targionia
7477000	Diclis	8937000	Tarchonanthus	9710700	Asterella
7480000	Linaria	8949000	Denekia	9710900	Plagiochasma
7493000	Halleria	8992000	Gnaphalium	9712000	Exormotheca
7494000	Teedia	8992020	Troglophyton	9713200	Marchantia
7495000	Phygellus	8992050	Pseudognaphalium	9714200	Riccia
7517000	Manulea	9006000	Helichrysum	9717400	Metzgeria
7519000	Sutera	9037000	Stoebe	9719600	Frullania
7519010	Jamesbrittenia	9043000	Metalasia	9723500	Anastrophyllum
7521010	Glekia	9046000	Amphiglossa	9724000	Lophozia
7523000	Zaluzianskya	9050000	Relhania	9725600	Stephaniella
7524000	Mimulus	9053000	Macowania	9727900	Clasmatocolea
7558000	Limosella	9055000	Athrixia	9728000	Lophocolea
7562000	Lindernia	9059000	Printzia	9729100	Adelanthus
7566000	Hebenstretia	9073000	Pegolettia	9733200	Herbertus
7568000	Selago	9078000	Pulicaria	9733800	Phaeoceros
7579000	Veronica	9090000	Geigeria	9734800	Andreaea
7593010	Glumicalyx	9130000	Acanthospermum	9735400	Fissidens
7593020	Strobilopsis	9146000	Ambrosia	9736100	Archidium
7597000	Melasma	9148000	Xanthium	9736700	Ceratodon
7597010	Alectra	9155000	Zinnia	9736900	Distichium
7616000	Sopubia	9237000	Bidens	9737000	Ditrichum
7622000	Buchnera	9238000	Cosmos	9737200	Pleuridium
7623000	Cynium	9246000	Galinsoga	9737300	Saelania
7625000	Striga	9291000	Schkuhria	9737400	Tristichium
7627000	Harveya	9311000	Tagetes	9737900	Blindia
7629000	Hyobanche	9320000	Eriocephalus	9738500	Aongstroemia
7823000	Streptocarpus	9321000	Lasiospermum	9738800	Campylopus
7901000	Utricularia	9323000	Eumorphia	9739000	Cladophascum
7972000	Crabbea	9326010	Inulanthera	9739100	Dicranella
7980000	Blepharis	9332000	Achillea	9739450	Leptotrichella
8079000	Isoglossa	9351000	Cotula	9739900	Oreoweisia
8094020	Adhatoda	9356000	Schistostephium	9740100	Sphaerothecium
8116000	Plantago	9358000	Artemisia	9740900	Hypodontium
8136060	Kohautia	9364000	Gymnopentzia	9741600	Encalypta
8136200	Oldenlandia	9366000	Pentzia	9742300	Anoectangium
8348000	Pentanisia	9366020	Oncosiphon	9742500	Barbula
8352000	Canthium	9406000	Cineraria	9742600	Bryoerythrophyllum
8438000	Anthospermum	9411000	Senecio	9742900	Didymodon
8439000	Nenax	9417000	Euryops	9743100	Gymnostomum
8486000	Galium	9420000	Othonna	9743500	Hymenostylium
8489000	Rubia	9425000	Dimorphotheca	9744200	Pseudocrossidium
8532000	Valeriana	9426000	Garuleum	9744500	Syntrichia
8541000	Cephalaria	9427000	Osteospermum	9744800	Tortella
8546000	Scabiosa	9427020	Chrysanthemoides	9745100	Trichostomum
8564000	Zehneria	9428000	Tripteris	9745200	Triquetrella
8568000	Kedrostis	9431000	Ursinia	9745400	Weissia
8598000	Citrullus	9432000	Arctotis	9746400	Grimmia
8599000	Cucumis	9432020	Arctotheca	9746600	Racomitrium
8628000	Coccinia	9432030	Haplocarpha	9746700	Schistidium
8668000	Wahlenbergia	9434000	Gazania	9747300	Gigaspermum
8668010	Craterocapsa	9438000	Berkheya	9747400	Oedipodiella
8681000	Cyphia	9462000	Cirsium	9747900	Ephemerum
8694000	Lobelia	9501000	Dicoma	9748600	Funaria
8695000	Monopsis	9528000	Gerbera	9748700	Goniomitrium
8751000	Vernonia	9561000	Tolpis	9750000	Anomobryum
8900000	Aster	9572000	Hypochaeris	9750100	Brachymenium
8919000	Felicia	9579000	Tragopogon	9750200	Bryum
8925000	Nidorella	9592000	Taraxacum	9750400	Leptobryum
8926000	Conyza	9595000	Sonchus	9750500	Mielichhoferia

9750800	Plagiobryum	9900630	Bothriochloa	9902620	Aristida
9750900	Pohlia	9900680	Schizachyrium	9902630	Stipa
9751000	Rhodobryum	9900710	Andropogon	9902740	Tragus
9752200	Plagiomnium	9900720	Cymbopogon	9902800	Perotis
9752700	Eustichia	9900730	Hyparrhenia	9902830	Sporobolus
9754900	Anacolia	9900750	Monocymbium	9902852	Diandrochloa
9755000	Bartramia	9900780	Trachypogon	9902860	Eragrostis
9755200	Breutelia	9900800	Heteropogon	9902940	Microchloa
9755300	Conostomum	9900810	Diheteropogon	9902941	Rendlia
9755400	Philonotis	9900830	Themeda	9902942	Catalepis
9755500	Plagiopus	9900890	Digitaria	9902960	Cynodon
9755600	Quathlamba	9900940	Alloteropsis	9902980	Harpochoa
9757400	Ptychomitrium	9901040	Brachiaria	9902990	Ctenium
9757900	Amphidium	9901050	Axonopus	9903010	Chloris
9758100	Macrocoma	9901070	Paspalum	9903020	Eustachys
9758300	Orthotrichum	9901100	Urochloa	9903101	Polevansia
9758700	Zygodon	9901120	Echinochloa	9903200	Oropetium
9761300	Hedwigia	9901150	Oplismenus	9903270	Tetrachne
9761400	Hedwigidium	9901160	Panicum	9903310	Eleusine
9761500	Rhacocarpus	9901280	Setaria	9903340	Pogonarthria
9769700	Fabronia	9901340	Melinis	9903442	Bewsia
9771800	Lindbergia	9901390	Pennisetum	9903450	Diplachne
9771900	Pseudoleskea	9901590	Leersia	9903500	Triraphis
9772000	Pseudoleskeopsis	9901600	Ehrharta	9903504	Styppeiochloa
9772500	Abietinella	9901630	Phalaris	9903530	Trichoneura
9773000	Thuidium	9901640	Anthoxanthum	9903570	Enneapogon
9775400	Brachythecium	9901730	Arundinella	9903610	Schmidtia
9775700	Palamocladium	9901740	Tristachya	9903710	Fingerhuthia
9776500	Entodon	9901751	Loudetia	9903720	Lamarckia
9778800	Sematophyllum	9901850	Aira	9903740	Koeleria
9779000	Wijkia	9901890	Deschampsia	9903860	Melica
9779700	Hypnum	9901920	Holcus	9903980	Dactylis
9781100	Atrichum	9901950	Avena	9904000	Stiburus
9781200	Oligotrichum	9901970	Helictotrichon	9904040	Briza
9781300	Pogonatum	9901971	Streblochaete	9904050	Schismus
9781500	Polytrichum	9902043	Merxmüllera	9904070	Poa
9900080	Zea	9902044	Karroochloa	9904100	Colpodium
9900100	Ischaemum	9902050	Pentaschistis	9904170	Festuca
9900210	Hemarthria	9902110	Cortaderia	9904180	Vulpia
9900280	Elionurus	9902130	Arundo	9904280	Bromus
9900370	Imperata	9902140	Phragmites	9904320	Brachypodium
9900380	Miscanthus	9902430	Agrostis	9904330	Lolium
9900460	Sorghum	9902440	Polypogon	9904510	Hordeum
9900530	Eulalia	9902611	Stipagrostis	9904570	Thamnocalamus

Alphabetical index

A

Abietinella 17
Abildgaardia 59
Abutilon 45
Acacia 39
Acalypha 38
ACANTHACEAE 20
Acanthospermum 23
ACHARIACEAE 20
Achillea 23
Achyranthes 20
Acrotome 43
ADELANTHACEAE 17
Adelanthus 17
Adhatoda 20
Adiantum 19
Adromischus 36
Aeollanthus 43
Afrotysonia 32
AGAPANTHACEAE 57
Agapanthus 57
Agathosma 51
Agrimonia 50
Agrostis 65
Aira 65
Ajuga 43
Albuca 61
Alchemilla 50
Alectra 47
Alepidea 21
ALLIACEAE 57
Alloteropsis 65
Aloe 5, 58
Alternanthera 20
AMARANTHACEAE 20
Amaranthus 20
AMARYLLIDACEAE 57
Ambrosia 24
Ammocharis 57
Amphidium 13
Amphiglossa 24
Anacampseros 7, 49
ANACARDIACEAE 21
Anacolia 12
Anagallis 49
Anastrophyllum 17
Anchusa 33
Andreaea 12
ANDREAEEACEAE 12
Androcymbium 58
Andropogon 65
ANEMIACEAE 18
Anemone 50
Anisodonteia 45
Anisotoma 22
Anoetangium 16
Anogramma 19
Anomobryum 12
Anredera 32

ANTHERICACEAE 57
ANTHOCEROTACEAE 18
Anthospermum 51
Anthoxanthum 65
Anthriscus 21
Aongstroemia 13
APIACEAE 21
Apium 21
Aplanodes 33
APOCYNACEAE 22
Aponogeton 57
APONOGETONACEAE 57
Aptosimum 52
AQUIFOLIACEAE 23
ARACEAE 57
ARALIACEAE 23
Araujia 22
ARCHIDIACEAE 12
Archidium 12
Arctotheca 24
Arctotis 5, 24
Argemone 48
Argyrobium 39
Aristea 62
Aristida 66
Artemisia 24
Arundinella 66
Arundo 66
Asclepias 22
Ascolepis 59
Aspalathus 39
ASPARAGACEAE 57
Asparagus 57
ASPHODELACEAE 58
Aspidoglossum 22
ASPLENIACEAE 18
Asplenium 18
Aster 24
ASTERACEAE 23–32
Asterella 17
Athraxia 24
Athyrium 20
Atrichum 15
Atriplex 35
Avena 66
Axonopus 66
AYTONIACEAE 17

B

BALSAMINACEAE 32
Barbarea 33
Barbula 16
Bartramia 12
BARTRAMIACEAE 12
BASELLACEAE 32
Berkheya 24
Berula 21
Bewsia 66
Bidens 24

BLECHNACEAE 18
Blechnum 18
Blepharis 20
Blindia 17
Bonatea 64
Boophone 57
BORAGINACEAE 32
Bothriochloa 66
Brachiaria 66
Brachymenium 12
Brachypodium 66
Brachystelma 7, 22
BRACHYTHECIACEAE 12
Brachythecium 12
BRASSICACEAE 33
Breutelia 12
Briza 66
Bromus 66
Brownleea 64
BRUCHIACEAE 12
Brunsvigia 57
BRYACEAE 12
Bryoerythrophyllum 16
Bryum 12
Buchnera 47
Buddleja 34
BUDDLEJACEAE 34
Bulbine 58
Bulbostylis 59
Bupleurum 21

C

CACTACEAE 34
Calpurnia 39
CAMPANULACEAE 34
Campylopus 13
CANNABACEAE 35
Cannabis 35
Canthium 51
CAPPARACEAE 35
Capsella 33
Carex 59
Carpha 59
CARYOPHYLLACEAE 35
Cassinopsis 43
Catalepis 66
CELASTRACEAE 35
CELTIDACEAE 35
Celtis 35
Centella 21
Cephalaria 7
Cerastium 35
Ceratodon 13
Chasmatophyllum 45
Cheilanthes 19
CHENOPODIACEAE 35
Chenopodium 35
Chironia 41
Chloris 66

Chlorophytum 57
 Chrysanthemoides 25
 Chrysocoma 25
 Ciclospermum 21
 Cineraria 25
 Cirsium 25
 Citrullus 37
 Cladophascum 12
 Clasmatocolea 18
 Clematis 50
 Cleome 35
 Cliffortia 50
 Clutia 38
 Coccinia 37
 COLCHICACEAE 58, 59
 Colpodium 67
 Commelina 59
 COMMELINACEAE 59
 Commicarpus 47
 Conium 21
 Conostomum 12
 CONVOLVULACEAE 36
 Convolvulus 36
 Conyza 25
 Cordylogyne 22
 Coronopus 33
 Cortaderia 67
 Corycium 64
 Cosmos 25
 Cotula 25
 Cotyledon 36
 Crabbea 20
 Crassula 7, 36
 CRASSULACEAE 36
 Craterocapsa 34
 Crepis 25
 Crinum 57
 Crocosmia 62
 Crotalaria 39
 Ctenium 67
 Cucumis 37
 CUCURBITACEAE 37
 CUPRESSACEAE 20
 Cupressus 20
 Cuscuta 36
 Cussonia 23
 Cyanotis 59
 Cyathula 21
 Cycnium 47
 Cymbopogon 67
 Cynanchum 22
 Cynodon 67
 Cynoglossum 33
 CYPERACEAE 59
 Cyperus 9, 59
 Cyphia 44
 Cyrtanthus 57
 Cysticapnos 41
 Cystopteris 20

D

Dactylis 67

Dais 55
 Datura 55
 Delosperma 45
 Denekia 25
 Deschampsia 67
 Diandrochloa 67
 Dianthus 35
 Diascia 52
 Dichilus 39
 Didlis 53
 Dicoma 25
 DICRANACEAE 13
 Dicranella 13
 Didymodon 16
 Dierama 5, 62
 Digitaria 67
 Diheteropogon 67
 Dimorphotheca 25
 Dioscorea 60
 DIOSCOREACEAE 60, 61
 DIOSPYROS 38
 Dipcadi 61
 Diplachne 68
 DIPSACACEAE 37
 Disa 64
 Disperis 64
 Distichium 13
 DITRICHACEAE 13
 Ditrichum 13
 Dolichos 39
 Dracomonticola 64
 Drimia 61
 Droguetia 56
 Drosera 38
 DROSERACEAE 38
 DRYOPTERIDACEAE 18
 Dryopteris 18

E

EBENACEAE 38
 Echinochloa 68
 Echium 33
 Ehretia 33
 Ehrharta 68
 Elaphoglossum 19
 Eleocharis 59
 Elephantorrhiza 39
 Eleusine 68
 Elionurus 68
 Emex 49
 Empodium 62
 Encalypta 14
 ENCALYPTACEAE 14
 Enneapogon 68
 Entodon 14
 ENTODONTACEAE 14
 EPHEMERACEAE 14
 Ephemerum 14
 Epilobium 47
 EQUISETACEAE 19
 Equisetum 19
 Eragrostis 68

Erica 7, 38
 ERICACEAE 38
 ERIOCAULACEAE 61
 Eriocaulon 61
 Erioccephalus 25
 Eriosema 39
 ERIOSPERMACEAE 61
 Eriospermum 61
 Erodium 42
 Erucastrum 33
 Erythrina 39
 Eucalyptus 9, 46
 Euclea 38
 Eucomis 61
 Eulalia 68
 Eulophia 64
 Eumorphia 25
 Euphorbia 38
 EUPHORBIACEAE 38
 Euryops 26
 Eustachys 69
 Eustichia 14
 EUSTICHACEAE 14
 Exormotheca 17
 EXORMOTHECACEAE 17

F

FABACEAE 39–41
 Fabronia 14
 FABRONIACEAE 14
 Fallopia 49
 Felicia 26
 Festuca 69
 Ficinia 59
 Ficus 46
 Fingerhuthia 69
 Fissidens 14
 FISSIDENTACEAE 14
 FLACOURTIACEAE 41
 Frullania 17
 Fuirena 60
 Fumaria 41
 FUMARIACEAE 41
 Funaria 14
 FUNARIACEAE 14

G

Galinsoga 26
 Galium 51
 Galtonia 61
 Garuleum 26
 Gazania 26
 Geigeria 26
 GENTIANACEAE 41
 GERANIACEAE 42
 Geranium 42
 Gerbera 27
 GESNERIACEAE 43
 Geum 50
 GIGASPERMACEAE 14
 Gigaspermum 14
 Gladiolus 3, 62

Gleditsia 40
 Gleichenia 19
 GLEICHENIACEAE 19
 Glekia 53
 Glumicalyx 53
 Gnaphalium 27
 Gnidia 56
 Gomphocarpus 22
 Gomphostigma 34
 Gomphrena 21
 Goniomitrium 14
 Grewia 56
 Grimmia 14
 GRIMMIACEAE 14
 Gunnera 43
 GUNNERACEAE 43
 Guthriea 3, 20
 GYMNOMITRIACEAE 17
 Gymnopentzia 27
 Gymnosporia 35
 Gymnostomum 16

H

Habenaria 65
 Haemanthus 57
 Halleria 53
 HALORAGACEAE 43
 Haplocarpha 27
 Harpochloa 69
 Harveya 47
 Hebenstretia 53
 Hedwigia 15
 HEDWIGIACEAE 15
 Hedwigidium 15
 Helichrysum 3, 27
 Helictotrichon 69
 Heliophila 33
 Hemarthria 69
 HERBERTACEAE 17
 Herbertus 17
 Hermannia 55
 Hesperantha 63
 Heteromma 29
 Heteromorpha 22
 Heteropogon 69
 Hibiscus 45
 Holcus 69
 Holothrix 65
 Hordeum 69
 Huperzia 19
 Huttonaea 65
 HYACINTHACEAE 61
 HYDROCHARITACEAE 62
 Hymenostylium 16
 Hyobanche 48
 Hyparrhenia 69
 HYPERICACEAE 43
 Hypericum 43
 HYPNACEAE 15
 Hypnum 15
 Hypochaeris 29

Hypodontium 16
 HYPOXIDACEAE 62
 Hypoxis 62

I

ICACINACEAE 43
 Ilex 23
 Impatiens 32
 Imperata 69
 Indigastrium 40
 Indigofera 40
 Inulathera 29
 Ipomoea 7, 36
 IRIDACEAE 62
 Ischaemum 69
 Ischyrolepis 73
 ISOETACEAE 19
 Isoetes 19
 Isoglossa 20
 Isolepis 60

J

Jamesbrittenia 53
 JUBULACEAE 17
 JUNCACEAE 63
 Juncus 63
 JUNGERMANNIACEAE 17

K

Kalanchoe 37
 Karroochloa 69
 Kedrostis 37
 Kiggelaria 41
 Kniphofia 3, 58
 Koeleria 69
 Kohautia 51
 Kyllinga 60

L

Lactuca 29
 Lagarosiphon 62
 Lamarckia 70
 LAMIACEAE 43, 85
 Lamium 43
 Lantana 56
 Lappula 33
 Lasiospermum 29
 Laurembergia 43
 Ledebouria 61
 Leersia 70
 LENTIBULARIACEAE 44
 Leonotis 43
 Lepidium 33
 Leptobryum 15
 Leptotrichella 13
 LESKEACEAE 15
 Lessertia 40
 Leucosidea 50
 Ligustrum 47
 Limeum 46
 Limonium 48

Limosella 7, 53
 LINACEAE 44
 Linaria 53
 Lindbergia 15
 Lindernia 53
 Linum 44
 Lithospermum 33
 Lobelia 5, 7, 44
 LOBELIACEAE 44, 45
 Lolium 70
 LOMARIOPSIDACEAE 19
 Lophocolea 18
 LOPHOCOLEACEAE 18
 Lophozia 17
 Lotononis 40
 Loudetia 70
 Ludwigia 47
 Luzula 64
 Lycium 55
 LYCOPODIACEAE 19
 Lycopodium 19
 Lysimachia 49

M

Maclura 46
 Macowania 29
 Macrocoma 15
 Malva 45
 MALVACEAE 45
 Manulea 53
 Marchantia 18
 MARCHANTIACEAE 18
 Mariscus 60
 Marrubium 43
 Marsilea 19
 MARSILEACEAE 19
 Massonia 61
 Matthiola 33
 Maytenus 35
 Medicago 40
 MEESIACEAE 15
 Melasma 48
 Melia 45
 MELIACEAE 45
 MELIANTHACEAE 45
 Melianthus 45
 Melica 70
 Melinis 70
 Melolobium 40
 MENISPERMACEAE 45
 Menodora 47
 Mentha 43
 Merremia 36
 Merwillia 61
 Merxmüllera 70
 MESEMBRYANTHEMACEAE 45
 Metalasia 29
 Metzgeria 18
 METZGERIACEAE 18
 Microchloa 70
 Mielichhoferia 15

Mimulus 54
 Miraglossum 22
 Miscanthus 70
 MNIACEAE 15
 Mohria 18
 MOLLUGINACEAE 46
 Monocymbium 70
 Monopsis 45
 Monsonia 42
 MORACEAE 46
 Moraea 63
 Morella 46
 Morus 46
 Mossia 46
 Muraltia 48
 Myosotis 33
 MYRICACEAE 46
 MYRSINACEAE 46
 Myrsine 46
 MYRTACEAE 46

N

Nasturtium 34
 Nemesia 5, 54
 Nenax 51
 Nerine 57
 Nicandra 55
 Nicotiana 55
 Nidorella 29
 Nolletia 29
 NYCTAGINACEAE 47

O

Ochna 47
 OCHNACEAE 47
 Oedipodiella 14
 Oenothera 47
 Oldenlandia 51
 Olea 47
 OLEACEAE 47
 Oligomeris 50
 Oligotrichum 16
 Olinia 47
 OLINIACEAE 47
 ONAGRACEAE 47
 Oncosiphon 29
 OPHIOGLOSSACEAE 19
 Ophioglossum 19
 Oplismenus 70
 Opuntia 34
 ORCHIDACEAE 64
 Oreoweisia 13
 Ornithogalum 61
 OROBANCHACEAE 47
 Oropetium 70
 ORTHOTRICHACEAE 15
 Orthotrichum 15
 Osteospermum 29
 Osyris 52
 Otholobium 41
 Othonna 29

OXALIDACEAE 48
 Oxalis 48

P

Pachycarpus 23
 Palamocladium 12
 Panicum 70
 Papaver 48
 PAPAVERACEAE 48
 Parapodium 23
 Parietaria 56
 Paspalum 71
 Passerina 56
 Pegolettia 29
 Pelargonium 42
 Pellaea 19
 Pennisetum 71
 Pentanisia 51
 Pentarrhinum 23
 Pentaschistis 71
 Pentzia 30
 Periglossum 23
 Perotis 71
 Persicaria 49
 Peucedanum 22
 Phaeoceros 18
 Phalaris 71
 Pharnaceum 46
 Philonotis 12
 Phragmites 71
 Phygellus 54
 Phylica 50
 Physalis 55
 Phytolacca 48
 PHYTOLACCACEAE 48
 Pimpinella 22
 PINACEAE 20
 Pinus 20
 PITTOSPORACEAE 48
 Pittosporum 48
 Plagiobryum 13
 Plagiochasma 17
 Plagiomnium 15
 Plagiopus 12
 PLANTAGINACEAE 48
 Plantago 48
 Plectranthus 44
 Pleopeltis 19
 Pleuridium 14
 PLUMBAGINACEAE 48
 Poa 71
 POACEAE 65–73
 Pogonarthria 71
 Pogonatum 16
 Pohlia 15
 Polemannia 22
 Polevansia 72
 Polygala 49
 POLYGALACEAE 48
 POLYGONACEAE 49
 POLYGONUM 49

POLYPODIACEAE 19
 Polypodium 19
 Polypogon 72
 Polystichum 19
 POLYTRICHACEAE 15
 Polytrichum 16
 Populus 52
 Portulaca 49
 PORTULACACEAE 49
 Potamogeton 73
 POTAMOGETONACEAE 73
 POTTIACEAE 16
 PRIMULACEAE 49
 Printzia 30
 Protea 49
 PROTEACEAE 49
 Prunus 50
 Psammotropha 46
 Pseudocrossidium 16
 Pseudognaphalium 30
 Pseudoleskea 15
 Pseudoleskeopsis 15
 PSILOTACEAE 19
 Psilotum 19, 84
 PTERIDACEAE 19
 Pteris 19
 Pterygodium 65
 PTYCHOMITRIACEAE 17
 Ptychomitrium 17
 Pulicaria 30
 Pycneus 60
 Pyracantha 51

Q

Quathlamba 12

R

Rabiea 46
 Racomitrium 15
 RANUNCULACEAE 50
 Ranunculus 50
 Raphanus 34
 Raphionacme 7, 23
 Relhania 30
 Rendlia 72
 Reseda 50
 RESEDACEAE 50
 RESTIONACEAE 73
 Rhacocarpus 15
 RHAMNACEAE 50
 Rhamnus 50
 Rhodobryum 13
 Rhodohypoxis 3, 62
 Rhoicissus 56
 Rhus 21
 Rhynchosia 41
 Rhynchospora 60
 Riccia 18
 RICCIACEAE 18
 Riocreuxia 23
 Robinia 41

Romulea 63
 Rorippa 34
 Rosa 51
 ROSACEAE 50
 Rubia 51
 RUBIACEAE 51
 Rubus 51
 Rumex 49
 Ruschia 46
 Ruta 52
 RUTACEAE 51

S

Saelania 14
 SALICACEAE 52
 Salix 52
 Salvia 44
 Sanicula 22
 Saniella 62
 SANTALACEAE 52
 Sarcostemma 23
 Satureja 44
 Satyrium 65
 Scabiosa 38
 Scadoxus 57
 Schinus 21
 Schismus 72
 Schistidium 15
 Schistostephium 30
 Schizachyrium 72
 Schizocarpus 62
 Schizochilus 65
 Schizoglossum 23
 Schkuhria 30
 Schmidtia 72
 Schoenoplectus 60
 Schoenoxiphium 60
 Scirpoides 60
 Scirpus 60
 Scleria 60
 Scolopia 41
 SCROPHULARIACEAE 52–55
 Sebaea 42
 Selaginella 19
 SELAGINELLACEAE 19
 Selago 54
 SELIGERIACEAE 17
 SEMATOPHYLLACEAE 17
 Sematophyllum 17
 Senecio 5, 30
 Sesbania 41
 Setaria 72
 Sida 45
 Silene 35
 Sisymbrium 34
 Sisyranthus 23
 SOLANACEAE 55
 Solanum 55
 Sonchus 31

Sopubia 48
 Sorghum 72
 Spergula 35
 Sphaerothecium 13
 Sporobolus 72
 Stachys 44
 Stapelia 23
 Stellaria 35
 Stenostelma 23
 Stephania 45
 Stephaniella 17
 STERCULIACEAE 55
 Stiburus 72
 Stipa 72
 Stipagrostis 72
 Stoebe 32
 Streblochaete 73
 Streptocarpus 43
 Striga 48
 Strobilopsis 54
 Styppeiochloa 73
 Sutera 54
 Sutherlandia 41
 Swertia 42
 Syntrichia 16

T

Tagetes 32
 Talinum 49
 Taraxacum 32
 Tarchonanthes 32
 Targionia 18
 TARGIONIACEAE 18
 Teedia 54
 Tephrosia 41
 Tetrachne 73
 Tetraria 60
 Teucrium 44
 Thalictrum 50
 Thamnocalamus 73
 Themeda 73
 Thesium 52
 THUIDIACEAE 17
 Thuidium 17
 THYMELAEACEAE 55
 TILIACEAE 56
 Tolpis 32
 Tortella 16
 Trachyandra 58
 Trachypogon 73
 Tragopogon 32
 Tragus 73
 Tribulus 56
 Trichoneura 73
 Trichostomum 16
 Trifolium 41
 Trimeria 41
 Tripteris 32
 Triquetrella 17

Triraphis 73
 Tristachya 73
 Tristichium 14
 Tritonia 63
 Troglophyton 32
 Tulbaghia 57
 Turritis 34
 Typha 73
 TYPHACEAE 73

U

Urochloa 73
 Ursinia 32
 Urtica 56
 URTICACEAE 56
 Utricularia 44

V

Valeriana 56
 VALERIANACEAE 56
 VELLOZIACEAE 73
 Verbascum 54
 Verbena 56
 VERBENACEAE 56
 Vernonia 32
 Veronica 54
 Vicia 41
 Vigna 41
 VISCACEAE 56
 Viscum 56
 VITACEAE 56
 Vulpia 73

W

Wahlenbergia 5, 34
 Watsonia 5, 63
 Weissia 17
 Wijkia 17
 Withania 55
 Woodsia 20
 WOODSIACEAE 20
 Wurmbea 58

X

Xanthium 32
 Xerophyta 73
 XYRIDACEAE 73
 Xyris 73
 Xysmalobium 7, 23

Z

Zaluzianskya 54, 84
 Zantedeschia 57
 Zea 73
 Zehneria 37
 Zinnia 32
 Ziziphus 50
 Zygodon 15
 ZYGOPHYLLACEAE 56

The National University of Lesotho Herbarium and Botanical Garden

National University of Lesotho Herbarium (ROML) was established for two main purposes—teaching and research.

The Herbarium now acts mainly as a source and facilitator by offering botanical services to university students, government departments, NGOs, researchers, schools, and the public. It serves as a focal point for the international network of herbaria to enhance research on the flora of Lesotho and the subregion. The Botanical Garden is a flourishing plant sanctuary, as well as an educational centre for students, scientists, and the public. It strives to promote a better understanding and knowledge of the flora of Lesotho—especially the adaptable alpine flora—through propagation, cultivation, and conservation of indigenous plants.

The National University of Lesotho Herbarium—also known as Roma Herbarium (ROML)—is a unit for research and a repository of information on the indigenous flora of Lesotho. The Herbarium was started as part of Pius XII University College and owes its inception to Amy Jacot Guillarmod, who was appointed as lecturer in the Botany Department in 1956.

At its founding, the Roma Herbarium acquired a number of duplicates from Amy Jacot Guillarmod's own collections. In addition, in 1958, the construction of the Department's first glasshouse under the supervision of Jacot Guillarmod formed the nucleus of the future botanical garden. Dr A.V. Roberts formally established the Botanical Garden in 1962. The emphasis was on Lesotho plants; in addition, representatives of families not readily available from Lesotho were obtained from South Africa.

Dr F. Zeijlemaker (who collected the first known species of *Psilotum nudum* in the Roma Valley of Lesotho) succeeded Amy Jacot Guillarmod in 1957. Marthe Schmitz joined the Department in 1958. She was a very active plant collector and contributed many reference specimens to the herbarium from both the lowlands and mountains of Lesotho. To these she added her European collections and some specimens collected in southern Africa outside the Lesotho borders. Marthe Schmitz gave up full-time teaching in 1966, but her quest for botanising did not end there. She was appointed Honorary Curator of the Herbarium in 1972.

In the 1970s, Marthe worked on a handbook on grasses of Lesotho lowlands and foothills that was published locally in 1976. Dr Bruce Hargreaves, lecturer in the Biology Department at the time, produced a more comprehensive version that was published in 1984; this version is still an in-

valuable guide to the grasses of Lesotho. Marthe tragically died in a car accident in April 1982 and did not see the only illustrated book on the Lesotho flora, *Wild flowers of Lesotho*, published. In 1983, Hilliard & Burt named *Zaluzianskya schmitziae* after her. Of all the collections housed in the Roma Herbarium, Marthe's is the largest.

In 1975, the Roma campus separated from the three-country University of Botswana, Lesotho, and Swaziland, and became the National University of Lesotho. The herbarium underwent a period of inactivity, because personnel were not specifically charged with routine herbarium work.

After support from SABONET in 1996, however, both the Roma Herbarium and the Botanical Garden have grown from strength to strength. The provision of the project vehicle, project staff, and funding of field excursions has facilitated more plant collections. The herbarium now boasts 20,000 specimens, compared to about 15,000 at the start of the project. The Lesotho Highlands Water Project has contributed significantly to the herbarium holdings through baseline studies carried out by various botanical consultants in the project areas.

The Botanical Garden has also benefited from these routine collections and, in particular, from the recent plant rescue missions undertaken in the Mohale Dam inundation area. The Botanical Garden now grows over 300 shrubs, herbs, and grasses of Lesotho—largely of alpine origin. After the completion of a new Science Block for the National University of Lesotho in 2000, the Herbarium now has sufficient space to mount exhibits and to provide a major reference collection. This checklist was compiled in conjunction with two smaller sister herbaria—the Agricultural Research Station Herbarium (MASE) and Sehlabathebe National Park Herbarium (SNPH).

The Biology Department in the Faculty of Science and Technology of the National University of Lesotho administers Roma Herbarium and Botanical Garden. These are situated about 35 km southeast of Maseru in the Roma Valley.

The National University of Lesotho Herbarium
Biology Department
National University of Lesotho
P.O. Roma 180
LESOTHO
Tel.: (266) 22 213452/340601
Fax: (266) 22 340 000

About SABONET

This publication is a product of the Southern African Botanical Diversity Network (SABONET), a programme aimed at strengthening the level of botanical expertise, expanding and improving herbarium and botanic garden collections, and fostering closer collaborative links among botanists in the southern African subcontinent.

The main objective of SABONET is to develop a strong core of professional botanists, taxonomists, horticulturists, and plant diversity specialists within the ten countries of southern Africa (Angola, Botswana, Lesotho, Malawi, Mozambique, Namibia, South Africa, Swaziland, Zambia, and Zimbabwe). This core group will be competent to inventory, monitor, evaluate, and conserve the botanical diversity of the region in the face of specific development challenges, and to respond to the technical and scientific needs of the Convention on Biological Diversity.

To enhance the human resource capacity and infrastructure available in the region, SABONET offers training courses, workshops, and collaborative expeditions in under-collected areas. The programme produces a newsletter, *SABONET News*, and a series of occasional publications, the Southern African Botanical Diversity Network Report Series, of which this publication is part.

SABONET is co-funded by:

- The United States Agency for International Development (USAID/World Conservation Union—Regional Office for southern Africa (IUCN-ROSA))
- The Global Environment Facility (GEF)/United Nations Development Programme (UNDP)

For more information about our projects in southern Africa contact one of the following addresses:

General enquiries about SABONET
SABONET Coordinator
c/o South African National Biodiversity
Institute
Private Bag X101
Pretoria 0001
South Africa
Tel: (27) 12 804 3200
Fax: (27) 12 804 3211/5979
E-mail: info@sabonet.org
<http://www.sabonet.org>

ANGOLA
Luanda Herbarium
(Prof. Esperança Costa)
Universidade Agostinho Neto
Rua Fernando Pessoa No. 103
Villa Alice
Caixa Postal 3244
Tel: (244) 2 336 168
Fax: (244) 2 336 168
E-mail: esperancacosta@yahoo.com

BOTSWANA
Botswana National Museum
National Herbarium
(Mr Nonofa Mosesane)
Private Bag 00114
Gaborone
Tel: (267) 3973860/3974616
Fax: (267) 311186/3902797
E-mail: nmosesane@gov.bw

LESOTHO
National Environment Secretariat
(Mr Thulo Qhotsokoane)
Ministry of Environment
Private Bag A23
Maseru 100
Tel: (266) 311 767
Fax: (266) 310 506/321505
E-mail: tghotsokoane@ilesotho.com

MALAWI
National Herbarium and Botanic Gardens of
Malawi
(Dr Zacharia Magombo)
P.O. Box 528
Zomba
Tel: (265) 525 388/118/145
Fax: (265) 524164/108
E-mail: zlkmagombo@hotmail.com

MOZAMBIQUE
LMA Herbarium (Ms Samira Izidine)
Instituto Nacional de Investigação
Agronómica
Caixa Postal 3658
Mavalane
Maputo
Tel: (258) 1 460 255/130/190/097
Fax: (258) 1 460 074
E-mail: sizidine@yahoo.com

NAMIBIA
National Herbarium
(Dr Gillian Maggs-Kölling)
National Botanical Research Institute
Private Bag 13184
Windhoek
Tel: (264) 61 202 2020
Fax: (264) 61 258 153
E-mail: gmk@mweb.com.na

SOUTH AFRICA
National Herbarium
(Prof. Gideon Smith)
South African National Biodiversity Institute
Private Bag X101
Pretoria 0001
Tel: (27) 12 804 3200
Fax: (27) 12 804 3211/5343
E-mail: gfs@nbipre.nbi.ac.za

SWAZILAND
National Herbarium
(Mr Titus Dlamini)
Malkerns Agricultural Research Station
P.O. Box 4
Malkerns
Tel: (268) 52 82111/83017/83038
Fax: (268) 52 83360/83490
E-mail: sdnh@africaonline.co.sz

ZAMBIA
Herbarium
(Dr Patrick Phiri)
Department of Biological Sciences
University of Zambia
P.O. Box 32379
Lusaka
Tel: (260) 1 293 158
Fax: (260) 1 294806/253952
E-mail: Pphiri@natsci.unza.zm

ZIMBABWE
National Herbarium and Botanic Garden
(Ms Nozipo Nobanda)
P.O. Box A889
Avondale
Harare
Tel: (263) 4 708 938/744170/745230
Fax: (263) 4 708 938
E-mail: srgh@mweb.co.zw