

3660 3010 2070 2830 2070 2240 3680

1 1 2 3 4 5 6 7

B



CONCRETE NOTES :

1. CONCRETE GRADE: 30 MPa/19mm.
2. CONCRETE SURFACE TO BE FINISHED WITH 30MM THICK 1:4 SMOOTH CEMENT SAND SCREED

3. The Contractor shall adhere to the following codes during construction as applicable:

- SANS 201:2001 Construction Works:
- Part CC1: Concrete Works (Structural)
- Part CC2: Concrete Works (Minor Works)
- Part CG1: Installation of Glazing in Window and Door Frames
- Part CM1: Masonry Walling
- Part CS1: Structural Steelwork
- Part CT1: Structural Timberwork (Flooring)
- Part CT2: Structural Timberwork (Roofing)
- Part EM1: Cement Plaster

SANS 10155: Accuracy in Buildings

Grade II permissible deviation / tolerance shall apply unless otherwise noted.

One copy of each of these codes shall be kept on site and shall be available to The Engineer on request.

[illegible]

ZULS ARCHITECTURAL CONSULTING (Pty) Ltd/PROJECTS/BA28 – SANBI Projects/BA28 – Mokopane Bio Diversity Centre/Revit/Mokopane - Office Block.rvt