

SANBI

Biodiversity for Life

South African National Biodiversity Institute



SANBI BOOKSHOP

Biodiversity Books

2020 CATALOGUE



CONTACT INFORMATION

South African National Biodiversity Institute, Private Bag X101, Pretoria, 0001
South Africa

+27 12 843 5000

✉ sanbibookshop@sanbi.org.za

Or visit our website: <http://biodiversityadvisor.sanbi.org/literature>

CONTENTS

<i>African Biodiversity and Conservation</i>	1
<i>Bothalia</i>	1
<i>Flora of southern Africa</i>	8
<i>Flowering Plants of Africa</i>	9
<i>SANBI Biodiversity Series</i>	12
<i>Strelitzia</i>	19
<i>Suricata</i>	30
Ad hoc publications	33
Posters	36
Calendars	36
Bookshop products	37

All publications listed published by the South African National Biodiversity Institute (formerly NBI) (unless indicated otherwise)

New publications



The SANBI Bookshop sells books produced and published by SANBI Graphics & Editing, as well as biodiversity books from other publishers, such as Briza, Jacana and Struik Nature.

The Bookshop is located at the National Herbarium in the Pretoria National Botanical Garden. Come and visit the Bookshop for all your popular and scientific biodiversity publications in one place.

The bookshop is open from 08:00 to 16:00, Monday to Friday (excluding public holidays).

AFRICAN BIODIVERSITY AND CONSERVATION

Bothalia has changed its name and expanded its scope. It is now called *African Biodiversity and Conservation* and it covers both plants and animals. It accepts research papers on: biosystematics and biogeography; nomenclature and taxonomy; conservation and population genetics; threatened species; climate change; conservation planning; ecosystem functioning and rehabilitation; biodiversity monitoring and indicators; invasive species biology; commentaries on policy relating to conservation imperatives; biodiversity research trends; and socio-economic considerations and capacity building.

Visit our new site to browse published papers (full papers freely available online) and/or submit your own: abcjournal.org

BOTHALIA

Bothalia published original papers and short notes dealing with the flora and vegetation of southern African and related subjects. Contributions to the *Flora of southern Africa* were also published in this series.

Vol. 43,2 (Oct. 2013)

Nine articles, including: The Cape genus *Micranthus* (Iridaceae: Crocoideae), nomenclature and taxonomy; New taxa of *Hesperanthes* (Iridaceae: Crocoideae) from the southern African winter rainfall region and a review of the *H. pilosa* complex; Eight new species of *Moraea* (Iridaceae) from southern African with range extensions and morphological notes in the genus; FSA Contribution 22: Asteraceae: Calenduleae: *Garuleum*; The native and naturalised species of *Peltocalathos* and *Ranunculus* (Ranunculaceae: Ranunculaceae) in southern Africa; and A new infrageneric classification for *Mesembryanthemum* (Aizoaceae: Mesembryanthemoideae). Nineteen new species of *Albuca*, *Hesperanthes*, *Isoëtes*, *Lessertia*, *Micranthus*, *Moraea*, and *Pelargonium*.

Price SADC R120.00

Vol. 43,1 (May 2013)

Eleven articles, including: A taxonomic review of the dry-fruited species of *Anemone* (Ranunculaceae) in southern Africa; Pollen morphology of members of southern African *Boerhavia* and *Commicarpus* (Nyctaginaceae); A revised infrageneric classification and synopsis of the Afro-Eurasian genus *Moraea* (Iridaceae: Irideae); Review of chromosome cytology in *Moraea* (Iridaceae: Irideae): what chromosomes reveal about the evolution of the genus; Exsiccatae in the bryophyte collection of the National Herbarium, Pretoria. New species of *Chenolea* and *Lasiosiphon*.

Price SADC R120.00

Vol. 42,2 (Oct. 2012)

Ten articles, including: The emerging invasive alien plants of the Drakensberg Alpine Centre, southern Africa; Systematics of the southern African genus *Ixia* (Iridaceae: Crocoideae): 4. Revision of sect. *Dichone*; Systematics of the hypervariable *Moraea tripetala* complex (Iridaceae: Iridoideae) of the southern African winter rainfall zone; A taxonomic revision of the southern African native and naturalized species of *Silene* (Caryophyllaceae); Nomenclature and typification of southern African species of *Euphorbia*. Eighteen new species and eight new subspecies of *Babiana*, *Euphorbia*, *Ixia*, *Moraea* and *Silene*.

Price SADC R120.00

Vol. 42,1 (May 2012)

Seven articles, including: Revision of the genus *Sphenostylis* (Fabaceae: Phaseoleae) in South Africa and Swaziland; anatomy of myxospermic diaspores of selected species in the Succulent Karoo, Namaqualand, South Africa; recircumscription and distribution of elements of the '*Ceterach cordatum*' complex (*Asplenium*: Aspleniaceae) in southern Africa; new species of *Bauhinia*, *Berkheya*, *Cyanella*, and *Osteospermum*.

Price SADC R120.00

Vol. 41,2 (Oct. 2011)

Fourteen articles, including: *Ornithoglossum pulchrum* (Colchicaceae: Colchiceae), a new species from southern Namibia; taxonomic revision of the genus *Thereianthus* (Iridaceae: Crocoideae); review of the genus *Xenoscapa* (Iridaceae: Crocoideae), including *X. grandiflora*, a new species from southern Namibia; phytosociological description of norite koppies in the Rustenburg area, North-West Province, and refinement of the distribution of the Norite Koppies Bushveld on the national vegetation classification map of South Africa; the extended occurrence of Maputaland Wood Grassland further south in KwaZulu-Natal, South Africa; new species of *Albuca*, *Ammocharis*, *Lachnospermum*, *Ornithoglossum*, *Rhynchosia*, *Romulea*, *Thereianthus*, *Xenoscapa*, and *Xiphotheca*. A tribute to the outgoing technical editor, Beverley Momberg, is also included.

Price SADC R120.00

Vol. 41,1 (May 2011)

Eight articles, including: Systematics and biology of the African genus *Ferraria*; annotated catalogue of the flowering plants of São Tomé and Príncipe; a conspectus of *Combretum* in southern Africa; generic status of *Quisqualis*; new liverwort distribution records in South Africa; a review of the medicinal ethnobotany of Lesotho; new pteridophyte records for the flora of Swaziland; new species of *Adenogramma*, *Ferraria*, *Ixia*, *Metathelypteris*, *Pilularia*, *Tritonia* and *Wahlenbergia*; new subspecies of *Cheilanthes*, *Ferraria*, *Gasteria*, and *Ixia*. A tribute to the outgoing scientific editor, Gerrit Germishuizen, is also included.

Price SADC R120.00

Vol. 40,2 (Oct. 2010)

Nine articles, including: Taxonomic notes on the Clathraceae (Phallales: Phallomycetidae) and Bottomly's species of *Lycoperdon* (Lycoperdaceae–Gasteromycetes); checklist of ferns and seed plants of the Golden Gate Highlands National Park; discussion on the perceived homogeneity of West Coast Renosterveld and the implication for conservation; new species of *Berkheya*, *Bulbinella*, *Colchicum*, *Didymosalpinx*, *Geosiris*, *Helictotrihon*, *Heterorhachis*, *Moraea*, *Nemesia*, *Oxyanthus*, *Pentameris*, and *Senecio*.

Price SADC R120.00

Vol. 40,1 (May 2010)

Eight articles, including: A generic classification of the Restioneae of southern Africa; pollen and reproductive morphology of *Rhigiophyllum* and *Siphocodon*; floristic composition of wetlands of the South African section of the Maloti-Drakensberg Transfrontier Park; an ecological review of harvesting impacts on wetland plants; new species of *Aloe*, *Babiana*, *Brunia*, *Elegia*, *Ixia*, *Restio*, *Rhodocoma*, *Thamnea*, *Trieenia* and *Zaluzianskya*; new subspecies of *Babiana*.

Price SADC R120.00

Vol. 39,2 (Oct. 2009)

Nine articles, including: Taxonomy of the genus *Keetia* (Rubiaceae–Ixoroideae); *Aloe* names, with notes on nomenclature and typification; the botany of the Cunene-Zambezi expedition with notes on Hugo Baum; new species of *Acacia*, *Albuca*, *Drimia*, *Euphorbia*, *Geissorhiza*, *Panicum* and *Pseudogaltonia*; new subspecies of *Pseudoprospero* and *Trichoneura*.

Price SADC R120.00

Vol. 39,1 (May 2009)

Twelve articles, including: *Aloe* in Angola; a revision of Fumariaceae in southern Africa; a review of the genus *Curtisia*; taxonomy and phylogeny of two subgroups of *Pelargonium* section *Otidia* (Geraniaceae); closing bodies in the capsular fruits of Aizoaceae–Ruschioideae; new species of *Aloe*, *Diascia*, *Gladiolus*, *Moraea*, and *Nemesia*; new subspecies of *Cysticapnos*.

Price SADC R120.00

Vol. 38,2 (Oct. 2008)

Ten articles, including: Systematics of the southern African *Ixia* (Iridaceae); updates and corrections in Asteraceae; developmental variation in a species of *Isoglossa* (Acanthaceae–Ruellioideae); species delimitation in *Carvalhoa campanulata* (Apocynaceae–Rauvolfioideae); diversity and species turnover on an altitudinal gradient in the Western Cape, South Africa: baseline data for monitoring range shifts in response to climate change; new species of *Aponogeton*, *Drosera*, *Gymnosporia*, *Ixia* and *Selaginella*.

Price SADC R120.00

Vol. 38,1 (May 2008)

Nine articles, including: Systematics of the southern African *Ixia* subgenus *Morphixia* (Iridaceae); the genus *Solanum* (Solanaceae) in southern Africa: subgenus *Leptostemonum*, section *Giganteiformia*; the genus *Wellstedtia* (Boraginaceae: Wellstedioideae) in southern Africa; vegetation and vegetation-environment relationships at Grootbos Nature Reserve, Western Cape; resource demand estimates for sustainable forest management in Mngazana Mangrove Forest, South Africa; new species of *Asparagus*, *Babiana*, *Drimiopsis*, *Euclea*, *Huernia*, *Ixia*, *Metalasia*, *Oxalis*, *Romulea*, and *Tripteris*; new subspecies of *Ixia*.

Price SADC R110.00

Vol. 37,2 (Oct. 2007)

Eleven articles, including: A revision of *Ornithogalum* subgenus *Aspasia* section *Aspasia*, the chinchinchees; name changes in the Old World *Rhus* and recognition of *Searsia*; invasive, naturalized and casual alien plants in southern Africa; stem diameter and bark surface area of the fluted trunk of *Balanites maughamii*; seasonal variation in soil seed bank size in Maputaland; new species of *Aristea*, *Ceraria*, *Dewinteria*, *Drimia*, *Hesperantha*, *Nivenia* and *Ornithogalum*; new genus: *Dewinteria*.

Price SADC R110.00

Vol. 37,1 (May 2007)

Eleven articles, including: the medicinal use of shrubby legumes in Lesotho; threatened Limestone Fynbos plant communities; the proposal to conserve the name *Acacia* at the 17th International Botanical Congress; tribute to Elsie Esterhuysen; new species of *Aspalathus*, *Cliffortia*, *Commiphora*, *Cyrtanthus*, *Huernia*, *Lachenalia*, *Rabdosiella*, *Trachyandra* and *Vigna*; new variety in *Cliffortia*.

Price SADC R110.00

Vol. 36,2 (Oct. 2006)

Eleven articles, including: Patterns of plant diversity and endemism in Namibia; comparisons of invasive plants in southern African originating from southern temperate, northern temperate, and tropical regions; new species of Iridaceae from the Hantam-Roggeveld Centre of Endemism, and the Bokkeveld, Northern Cape, South Africa; new species of *Corchorus*, *Ixia*, *Lachenalia*, *Moraea*, *Pentaschistis*, *Romulea* and *Spiloxene*.

Price SADC R110.00

Vol. 36,1 (May 2006)

Eleven articles, including: a taxonomic revision of *Merciera* (Campanulaceae); *Hypoxis*: list of species and infraspecific names; Sesotho names for exotic and indigenous edible plants in southern Africa; reappraisal and identification of *Olinia rochetiana* (Oliniaceae) in South Africa; floristic composition of gold and uranium tailings dams on South Africa's deep-level mines; new species of *Aloe*, *Commiphora*, *Drimia*, *Erica*, *Maerua*, *Nemesia*, and *Ornithogalum*; new variety in *Clivia*.

Price SADC R110.00

Vol. 35,2 (Oct. 2005)

Nine articles, including: Ovule and seed structure in *Scolopia zeyheri* (Scolopiaceae), with notes on the embryology of Salicaceae; taxonomic notes on the genus *Erica* (Ericaceae) in southern Africa; *Eremiolirion*, a new genus of southern African Tecophilaeaceae and taxonomic notes on *Cyanella alba*; new species of *Acacia*, *Aeollanthus*, *Erica*, *Gasteria*, *Namaquanula*, *Oscularia*, and *Plectranthus*; new subspecies in *Cyanella*; new genus: *Eremiolirion*.

Price SADC R110.00

Vol. 35,1 (May 2005)

Twelve articles, including: Ovule-to-seed development in *Dovyalis caffra* (Salicaceae: Flacourtiaceae) with notes on the taxonomic significance of the extranucellar embryo sac; the systematic value of the leaf indumentums in *Lobostemon* (Boraginaceae); *FSA* contributions 18: Salicaceae s. str.; new species of *Aristea*, *Chrysocoma*, *Commiphora*, *Ferraria*, *Harveya*, *Leucadendron*, *Senecio*, and *Strumaria*; new varieties in *Clivia* and *Ornithogalum*; new subfamily: Codonoideae.

Price SADC R110.00

Vol. 34,2 (Oct. 2004)

Nine articles, including: Vegetation of high-altitude fens and restio marshlands of the Hottentots Holland Mountains, Western Cape, South Africa; Cape heaths in European gardens: the early history of South African *Erica* species in cultivation, their deliberate hybridization and the orthographic bedlam; extrafloral nectaries in Combretaceae: morphology, anatomy and taxonomic significance; new species of *Acacia*, *Babiana*, *Cliffortia* and *Thereianthus*.

Price SADC R95.00

Vol. 34,1 (May 2004)

Eight articles, including: Grass assemblages and diversity of conservation areas on the coastal plain south of Maputo Bay, Mozambique; functional and taxonomic significance of seed structure in *Salix mucronata* (Salicaceae); the genus *Cliffortia* (Rosaceae) in KwaZulu-Natal; studies in the genus *Riccia* (Marchantiales) from southern Africa; new species of *Acacia*, *Cliffortia*, *Dryopteris*, *Erica*, *Plectranthus*, *Riccia* and *Romulea*; new subspecies in *Adromischus*; new tribe: Drosanthemeae.

Price SADC R95.00

Vol. 33,2 (Oct. 2003)

Ten articles, including: Vegetation of the rock habitats of Sekhukhuneland Centre of Plant Endemism, South Africa; embryology and systematic relationships of *Kiggelaria* (Flacourtiaceae); inflorescences of *Cliffortia* (Rosaceae) and related vegetative branching patterns; new species of *Cyrtanthus*, *Jamesbrittenia* and *Sauteria*; new genus: *Brianhuntleya*.

Price SADC R110.00

Vol. 33,1 (May 2003)

Eleven articles, including: A comparison of Mopaneveld vegetation in South Africa, Namibia and Zimbabwe; studies in the liverwort family Aneuraceae (Metzgeriales) from southern Africa; taxonomy of the genus *Passerina* (Thymelaeaceae); an annotated checklist of the pteridophyte flora of Swaziland; a revision of *Ledebouria* (Hyacinthaceae) in South Africa; new species of *Albuca*, *Cliffortia*, *Crassula*, *Drimia*, *Ornithogalum*, *Passerina*, *Philyrophyllum* and *Tetradenia*; new subspecies in *Brachystelma*.

Price SADC R95.00

Vol. 32,2 (Oct. 2002)

Eleven articles, including: The grasslands and wetlands of the Sekhukhuneland Centre of Plant Endemism, South Africa; a study of ovule-to-seed development in *Ceratiosicyos* (Achariaceae) and the systematic position of the genus; systematics of the genus *Daubenya* (Hyacinthaceae–Massonieae); the genus *Trichodesma* (Boraginaceae–Boraginoideae) in southern Africa; new species of *Arctotheca*, *Erica*, *Felicia*, and *Lachenalia*; new subspecies in *Erica* and *Trichodesma*.

Price SADC R95.00

Vol. 32,1 (May 2002)

Fifteen articles, including: A checklist of the plants of Mahwaqa Mountain, KwaZulu-Natal; pollen morphology and biometry of the genus *Androcymbium* (Colchicaceae) in southern Africa, including taxonomic and biogeographic considerations; the taxonomic significance of trichome type and distribution in *Melolobium* (Fabaceae); revision of the *Tarchonanthus camphorates* complex (Asteraceae–Tarchonantheae) in southern Africa; new species of *Brachystelma*, *Clivia*, *Erica*, *Gnidia*, *Merciera*, *Passerina*, and *Tarchonanthus*; new subspecies in *Erica* and *Passerina*.

Price SADC R90.00

Vol. 31,2 (Oct. 2001)

Twelve articles, including: Taxonomic significance of inflorescences, floral morphology and anatomy in *Passerina* (Thymelaeaceae); three new species of *Tritoniopsis* (Iridaceae–Crocoideae) from the Cape Region of South Africa; studies in the genus *Riccia* (Marchantiales) from southern Africa; new species of *Androcymbium*, *Encephalartos*, *Erica*, *Freesia*, *Ixia*, *Riccia*, *Sebaea* and *Tritoniopsis*.

Price SADC R90.00

Vol. 31,1 (May 2001)

Eleven articles, including: Patterns of endemism in the Karoo National Park, South Africa; thirty years of change in the fynbos vegetation of the Cape of Good Hope Nature Reserve, South Africa; a lexicon of plants traded in the Witwatersrand *umuthi* shops, South Africa; leaf anatomy of the genus *Passerina* (Thymelaeaceae): taxonomic and ecological significance; new species of *Brunsvigia*, *Cyrtanthus*, *Ehretia*, *Emilia*, *Erica*, *Fossombronia* and *Oedera*; new subspecies in *Ehretia* and *Plectranthus*.

Price SADC R110.00

Vol. 30,2 (Oct. 2000)

Twelve articles, including: Wetland vegetation in the North-eastern Sandy Highveld, Mpumalanga, South Africa; wetland vegetation of southern KwaZulu-Natal; combining floristic and growth form composition in a gradient-directed vegetation survey of Matjiesrivier Nature Reserve, Western Cape, South Africa; *FSA* contributions 17: Casuarinaceae; new species of *Erica*.

Price SADC R85.00

Vol. 30,1 (May 2000)

Fourteen articles, including: Vegetation of the coastal fynbos and rocky headlands south of George, south Africa; the epidermis in *Passerina* (Thymelaeaceae): structure, function and taxonomic significance; *FSA* contributions 15: Piperaceae; *FSA* contributions 16: Sphenocleaceae; new species of *Brownanthus*, *Erica*, *Frithia* and *Scopelogenia*; new genus: *Kogelbergia*.

Price SADC R85.00

Vol. 29,2 (Oct. 1999)

Fifteen articles, including: The presence of synaptic and chromosome disjunction mutants in *Cenchrus ciliaris* (Poaceae–Paniceae); ordination and classification of vegetation of Songimvelo Game Reserve in the Barberton Mountainland, South Africa for the assessment of wildlife habitat distribution and quality; the floristics of Sand Forest in northern KwaZulu-Natal, South Africa; *FSA contributions* 13: Ulmaceae; *FSA contributions* 14: Cannabaceae; new species from *Cyrtanthus*, *Gladiolus*, *Linconia*, *Serruria* and *Zygophyllum*.

Price SADC R85.00

Vol. 29,1 (May 1999)

Sixteen articles, including: Vegetation of the Sileza Nature Reserve and neighbouring areas, South Africa, and its importance in conserving the woody grasslands of the Maputaland Centre of Endemism; flora of the Kap River Reserve, Eastern Cape, South Africa; montane flora of the southern Langeberg, South Africa: a checklist of the flowering plants and ferns; revision of the genus *Faucaria* (Aizoaceae–Ruschioideae) in South Africa; revision of the genus *Calpurnia* (Sophoreae–Leguminosae); new species from *Amphiglossa*, *Calpurnia*, *Erica*, *Fossombronia*, *Ixia*, *Ophioglossum*, *Pavetta*, *Salvia* and *Sparaxis*; new variety in *Ophioglossum*.

Price SADC R85.00

Vol. 28,2 (Oct. 1998)

Fourteen articles, including: Cytogenetic studies in the genus *Pentaschistis* (Poaceae–Arundinoideae); wetland plant communities in the Potchefstroom Municipal Area, North West, South Africa; *FSA contributions* 12: Plantaginaceae; a revision of *Lachenalia* (Hyacinthaceae) in the Eastern Cape, South Africa; new species of *Amaryllis*, *Fossombronia*, *Lachenalia* and *Ledebouria*.

Price SADC R65.00

Vol. 28,1 (May 1998)

Fifteen articles, including: Invasive woody plants of the southern and southwestern Cape region, South Africa; meiotic chromosome behaviour in *Cenchrus ciliaris* (Poaceae–Panicoideae); a taxonomic revision of *Maurocena* (Celastraceae), a Western Cape monotypic endemic; *FSA contributions* 10: Trapaceae; *FSA contributions* 11: Zingiberaceae; new species of *Astroloba*, *Fossombronia*, *Lachnaea*, *Ledebouria*, *Ornithogalum*, *Pearsonia* and *Rhynchosia*; many new combinations in *Antimima*.

Price SADC R65.00

Vol. 27,2 (Oct. 1997)

Fifteen articles, including: A floristic classification of the vegetation of a forest–savanna boundary in southeastern Zimbabwe; a survey of the mycobiota of a natural Karoo pasture; taxonomic notes on the Geastraceae, Tulostomataceae, Nidulariaceae, and Sphaerobolaceae (Gasteromycetes), *sensu* Bottomley in southern Africa; *FSA* contributions 8: Ceratophyllaceae; *FSA* contributions 9: Onagraceae; new species of *Nivenia*, *Zygophyllum*, and *Erica*.

Price SADC R65.00

Vol. 27,1 (May 1997)

Eleven articles, including: Comparative field performance of three different gas exchange systems; cytogenetic studies in some representatives of the subfamily Pooideae (Poaceae) in South Africa; composition and biogeography of forest patches on the inland mountains of the southern Cape; new species of *Lachenalia*, *Fossombronina*, *Leucadendron*, *Vangueria* and *Rhoicissus*.

Price SADC R65.00

Vol. 26,2 (Oct. 1996)

Eleven articles, including: Morphological and biochemical genetic evidence for hybridization in the genus *Centella* (Apiaceae), with notes on phylogenetic and taxonomic implications; a synopsis of *Peristrophe* (Acanthaceae) in southern Africa; *FSA* contributions 6: Orchidaceae: *Holothrix*; *FSA* contributions 7: Verbenaceae: *Vitex*; new species of *Serruria* and *Exormotheca*.

Price SADC R65.00

Vol. 26,1 (May 1996)

Ten articles, including: Cytogenetic studies in some representatives of the subfamily Pooideae (Poaceae) in South Africa; saxicolous species of the genus *Rinodina* (lichenized Ascomycetes, Physciaceae) in southern Africa; *FSA* contributions 4: Agavaceae; *FSA* contributions 5: Buxaceae; new species of *Lachenalia* and *Centella*; new subspecies in *Lachenalia*.

Price SADC R110.00

Vol 25,2 (Oct. 1995)

Thirteen articles, including: The psocid *Liposcelis bostrychophilus* (Psocoptera–Liposcelidae): an occasional herbarium pest; the taxonomic history of the Ricciaceae (1937–1995) and a classification of sub-Saharan Ricciae; an annotated list of Urediniomycetes (rust fungi) from South Africa; a systematic study of the genus *Pseudopentameris* (Poaceae–Arundinoideae); new species of *Brachystelma* and *Erica*.

Price SADC R67.00

Vol 25,1 (May 1995)

Fifteen articles, including: Vegetation structure and small-scale pattern in Miombo Woodland, Marondera, Zimbabwe; preliminary ethnobotanical studies of the Rwenzori Mountain forest area in Bundibugyo District, Uganda; the generic delimitation of *Lachnaea* and *Cryptadenia* (Thymelaeaceae); *FSA* contributions 2: Asphodelaceae/Aloaceae: *Chortolirion*; *FSA* contributions 3: Asphodelaceae/Aloaceae: *Poellnitzia*; new species of *Ophioglossum*, *Erica*, *Trichogyne*, *Cliffortia* and *Clerodendrum*.

Price SADC R68.00

FLORA OF SOUTHERN AFRICA**Vol. 5, Part 1, Fascicle 2 Asphodelaceae (First part): *Kniphofia***

L.E. Codd (2005)

One recently described species was added to the 47 original species treatments by the late Dr L.E. Codd, former Director of the Botanical Research Institute (1963–1973). 48 line drawings by Cythna Letty and Gillian Condy and 25 distribution maps. Soft cover. pp. 106. ISBN 1-919976-03-5.

Price SADC R80.00

FLOWERING PLANTS OF AFRICA

Full-colour plates and descriptions of plants appear in this biennial series, which has become a collector's item of the South African flora. Published by the South African National Biodiversity Institute (SANBI).

Vol. 66. Plates 2341–2360 (June 2019)

Flowering Plants of Africa is a peer-reviewed biennial series containing colour plates with descriptions of flowering plants of Africa and its neighbouring islands. The journal has become a collector's item of the African and specifically South African flora. Twenty full colour plates and descriptions of plants appear in volume 66, which is dedicated to Gillian [Gill] Condy, SANBI's recently retired resident botanical artist, in recognition of her passionate and unsurpassed documentation of indigenous flora. Contributions to this colourful edition include *Moraea spathulata*, *Aloidendron barberae* (artwork featured on the cover), *Protea parvula*, *Agathosma adenandriiflora*, *Chironia baccifera* and *Orbea namaquensis*. Five new taxa (*Cyrtanthus pondoensis* Van Jaarsv., *Albuca heydenrychii* Van Jaarsv., *Eucomis sonnetteana* N.R.Crouch, Mart.-Azorin & J.E.Burrows, *Acanthopsis pagodiformis* H.M.Steyn and *Senecio voigtii* Van Jaars.) are published in this volume. The botanical art is mainly the work of Gillian Condy; other artists who contributed to this volume are Marieta Visagie, Ellaphie Ward-Hilhorst, Angela Beaumont and Daleen Roodt. A guide for authors and artists, and an index to species are also included.

Soft cover. 250 × 190 mm. pp. 183. ISBN 978-1-928224-32-7

Price SADC R350.00

Vol. 65. Plates 2321–2340 (June 2017)

Twenty full colour plates and descriptions of plants appear in volume 65, which is dedicated to Abraham Erasmus [Braam] van Wyk, in recognition of his inspiring teaching, considerable research outputs and substantial community service. Contributions to this colourful edition include *Ipomoea bolusiana*, *Caesalpinia bracteata*, *Protea namaquana*, *Gladiolus crassifolius*, *Aloe braamvanwykii* and *Codonorhiza azurea*. Two new taxa (*Esterhuysenia lucilleae* and *Ruellia kaokoensis*) are published in this volume. The botanical art is mainly the work of SANBI resident artist, Gillian Condy; other artists contributing to this volume are Ellaphie Ward-Hilhorst, John Manning, Marieta Visagie and Susan Abraham. A guide for authors and artists, and an index to species are also included.

Soft cover. 254 × 191 mm. pp. 163. ISBN 978-1-928224-20-4

Price SADC R150.00

Vol. 64. Plates 2301–2320 (June 2015)

Twenty full colour plates and descriptions of plants appear in this biennial series, which has become a collector's item of the African and specifically South African flora. This volume is dedicated to Auriol Batten, one of South Africa's finest botanical artists. Contributions to this colourful edition include *Kniphofia caulescens*, *Aloe succotrina*, *Adansonia za*, *Acanthopsis deisperma*, *Vaccinium exul* and *Zoutpansbergia caerulea*. Three new species (*Ceropegia terebriformis*, *Othonna globosa* and *O. pumilio*) and one new name combination (*Curio muiirii*) are published in this volume. The botanical art is mainly the work of SANBI resident artist, Gillian Condy; other artists contributing to this volume are Mark Fothergill, Marieta Visagie and Sandie Burrows. A guide for authors and artists, and an index to species is also included.

Soft cover. 254 × 191 mm. pp. 172. ISBN 978-1-928224-03-7

Price SADC R185.00

Vol. 63. Plates 2281–2300 (June 2013)

Twenty full colour plates and descriptions of plants appear in this biennial series, which has become a collector's item of the African and specifically South African flora. This volume is dedicated to Kirstenbosch National Botanical Garden, which celebrates its centenary this year. Contributions to this colourful edition include *Erica verticillata*, *Eulophia ensata*, *Aloe pavelkae*, *Gasteria croucheri* subsp. *pondoensis*, *Lachenalia*

pearsonii, *Turnera oculata* and many more. The botanical art is mainly the work of SANBI resident artist, Gillian Condy; other artists contributing to this volume are Tracy McLellan, Marieta Visagie, Wilna Eloff, Vicki Thomas and Susan Abraham. A guide for authors and artists and an index to species are also included.

Soft cover. pp. 148. ISBN 978-1-919976-82-2

Price SADC R190.00

Vol. 62. Plates 2261–2280 (June 2011)

This volume is dedicated to Brian J. Huntley and includes, among others, recently described species of *Prototulbaghia* and *Aloe*. Other contributions to this colourful edition includes *Sclerochiton triacanthus*, *Ficus sur*, *Jensenobotrya lossowiana*, *Millettia grandis*, *Xysmalobium pedifoetidum*, *Gladiolus cataractarum*, *Albuca spiralis* and many more. The botanical art is mainly the work of SANBI resident artist, Gillian Condy; other artists contributing to this issue are Jeanette Loedolff, Elise Buitendag, Vicki Thomas, Angela J. Beaumont and Jenny Hyde-Johnson. There is a guide for authors and artists and an index to species.

Soft cover. 250 × 190 mm. pp. 151. ISBN 978-1-919976-61-7

Price: SADC R190.00

Vol. 61. Plates 2241–2260 (June 2009)

This issue includes, among others, a new species of *Thorncroftia*, a pineapple lily (*Eucomis zambesiaca*), a beautiful bulbous plant called *sandui* (*Veltheimia bracteata*), *Begonia homonyma*, a handsome South African species that has been in cultivation for over 150 years, the bladder-nut (*Diospyros whyteana*) – a fast-growing tree that will thrive in shady gardens in areas with cool or warm summers, the succulent *Lavrania haagnerae* of northwestern Namibia where it is endemic to the border area between the Damaraland and Kaokoveld regions, *Dewinteria petrophila* which grows in crevices in granite cliffs of the western Otjihipa Mountains in northwestern Kaokoveld of northern Namibia, and *Ixora foliicalyx*, a Malagasy tree with beautiful white, sweetly scented flowers. The botanical art is mainly the work of SANBI resident artist, Gillian Condy; other artists contributing to this issue are Barbara Pike, Marieta Visagie, Sibonelo Chiliza, Vicki Thomas and Omer van de Kerckhove. There is a guide for authors and artists and an index to species.

Soft cover. 250 × 190 mm. pp. 154. ISBN 978-1-919976-50-1

Price: SADC R190.00

Vol. 60. Plates 2221–2240 (June 2007)

This issue includes, among others, a new species of *Hypoxis* and a new subspecies of *Ledebouria ovatifolia*, an *Ornithogalum* from sheer cliff faces in the Eastern Cape, a beautiful yellow arum lily, two ginger called *Siphonochilus kirkii* and *Costus afer*, the parasite *Viscum crassulae* and the mangrove *Bruguiera gymnorhiza*. Also included are two pelargoniums and *Stenostelma umbelluliferum*, which was re-discovered after more than 100 years. The botanical art is mainly the work of SANBI resident artist, Gillian Condy; other artists contributing to this issue are Tamlin Blake, Angela Beaumont, Auriol Batten, Elsa Pooley and Sibonelo Chiliza. There is a guide for authors and artists and an index to species.

Soft cover. 250 × 190 mm. pp. 144. ISBN 978-1-919976-34-1

Price: SADC R190.00

Vol. 59. Plates 2201–2220 (June 2005)

This issue includes a new combination and new status of *Hibiscus*, a cliff-dwelling species of *Aloe* from Namibia, an *Ixia* with glorious sprays of bright sea-green flowers, four members of the orchid family and one of various species of *Hoodia* said to have been used for centuries by the San and other peoples in southern Africa to curb the effects of hunger and thirst. Features the work of botanical artists such as Gillian Condy, Sandie Burrows and Andrew Kamiti.

Soft cover. 250 × 190 mm. pp. 145. ISBN 1-919976-15-9

Price SADC R190.00

Vol. 58. Plates 2181–2200 (June 2003)

Includes: a few new taxa, three aloes from East Africa, two members of the *Amaryllis* family and various plants of ethnomedicinal value such as *Siphonochilus aethiopicus*, two species of *Dicerocaryum* and *Monotes glaber*. Featuring work of botanical artists such as Gillian Condy, Vicki Thomas and Andrew Kamiti.

Soft cover. 250 × 190 mm. pp. 147. ISBN 1-919795-70-7

Price SADC R190.00

SANBI BIODIVERSITY SERIES

No. 29: Guidelines for collecting living plant specimens from the field

N. Mabuya et al. (2019)

This illustrated plant collecting guide is a manual aimed at horticulturists to supply basic information and guidelines on conducting fieldwork for living plant collection. The different aspects described include trip planning, plant collection, data collection and handling of plant material. The combination of theory and some practical experience will equip the reader with the essential knowledge required to successfully conduct plant collection from the field.

Soft cover, A5, pp. 44. ISBN 978-1-928224-37-2

Price SADC R45.00

No. 28: Guidelines for mapping wetlands in South Africa

N. Job, N. Mbona, A. Dayaram & D. Kotze (2018)

Wetlands provide important ecosystem services in both rural and developed parts of South Africa, but are one of the country's most threatened habitats. Therefore, there is a need to understand, conserve and restore them. Repeatable standards and accurate methods for collecting data can help achieve these goals. The purpose of this manual is to act as a resource to all wetland practitioners so that data collected can contribute to national and local projects through a standard and strategic process. This manual is a tool for wetland practitioners, at all levels, to improve procedures for mapping wetlands using a set of standards for data collection and storage, so that data feeds into national level databases such as the National Wetland Inventory, and informs national policy tools such as National Freshwater Ecosystem Priority Areas.

The manual begins with an explanation of what a wetland is, and the different types of wetlands that one may encounter in the South African landscape. It then outlines an approach for designing a wetland mapping project and capturing data that has been tested and refined by several experts in the discipline. This section is followed by tips on recognising, digitising and classifying wetlands and human impacts on wetlands from desktop imagery and in the field. Examples of wetlands that have been mapped and classified are provided with searchable co-ordinates to enable the user to locate the wetland using a geobrowser such as Google Earth and further explore it from various angles. Several additional tools such as datasheets and checklists are provided. A step by step guide to basic delineation using free and licensed mapping software is shared in the appendices.

Soft cover, A4, pp. 100. ISBN 978-1-928224-23-5

Price SADC R150.00

No. 27: Gardens for the nation: 1994–2014. Serving and supporting South Africa's social and economic development for 20 years.

Compiled by C. Willis (2015)

South Africa's national botanical gardens, with the support of government, non-governmental organisations, corporates and civil society over the past 20 years (1994–2014), have, and will continue, to serve as urban-based windows into South Africa's biodiversity. As nature-based tourism destinations, South Africa's national botanical gardens have supported local communities and provided education, recreational, research and work opportunities to thousands of South Africans and international visitors.

Soft cover, A4, pp. 78. ISBN 978-1-928224-07-5

Price SADC R75.00

No. 26: Strategy for plant taxonomic research in South Africa 2015–2020

J.E. Victor, G.F. Smith & A.E. van Wyk (2015)

This document addresses primarily the plant taxonomic research in South Africa, but includes discussions on herbarium collections and associated data, capacity for conducting research, and implementation of the strategy. During the development of this Strategy, the authors consulted taxonomists from most universities of South Africa, as well as abroad (Royal Botanic Gardens Kew, Missouri Botanical Garden, and University of Zurich), to share, and where appropriate, incorporate views beneficial to strategy development and implementation in South Africa. The vision of the strategy is to document and provide predictive classifications for South African plant species, enabling users to identify and access knowledge about them, so that all can understand, conserve and benefit from biodiversity.

Soft cover. A5. pp. 44. ISBN 978-1-928224-09-9

Out of print; available as a downloadable PDF from <http://biodiversityadvisor.sanbi.org/literature>.**No. 25: SANBI Herbaria: a decade of foundational botanical excellence and collections management (2004–2014)**

M.S. Mothogoane, R.R. Klopper, C.N. Cupido, E. Josias, M.A. Mothapo, A.M. Ngwenya, N. Phaliso, J.A. Ready, M.S. Serumula, Y. Singh & E. Van Wyk (2015)

There exists a need to promote the value of natural science collections, and to have a strategic approach to their expansion, use and application. This requires reflection on the past to understand how the collections were established and how they have been used, a critical assessment of the current situation and planning for the future. This booklet celebrates the achievements over the past ten years, recognising the historical aspects of SANBI's collections. Looking ahead, the importance of research, herbarium services and herbarium specimen collections as a source of information is highlighted.

Soft cover. A5. pp 44. ISBN 978-1-928224-01-3

Out of print; available as a downloadable PDF from <http://biodiversityadvisor.sanbi.org/literature>.**No. 24: Wasps and bees of southern Africa**

S.K. Gess & F.W. Gess (2014)

In order to maintain essential populations of organisms, be they plant or animal, it is necessary to have an understanding of their requirements. In this work, the authors have compiled all that is known for southern Africa of the biology of wasps and bees, important pollinators and predators, and have shown how agricultural land use and coastal development impact on the diversity of wasps and bees. The principal focus is the semi-arid to arid areas – the authors' main study areas over the past 40 years. The work is intended for all who are interested in natural history, conservation and farming, and as a starting point for further observations and research.

Soft-cover. A4. pp. 320. ISBN 978-1-919976-73-0

Price SADC R350.00

No. 23: A biosystematics research strategy for the Algae, Animals, Bacteria and Archaea, Fungi and Plants of South Africa 2013–2018

J.E. Victor, M. Hamer & G.F. Smith (2013)

Research in the fields of taxonomy and biosystematics is fundamental to all other biodiversity research, including conservation biology, agriculture and sustainable use. Following wide consultation, this Strategy for Biosystematics Research in South Africa, the first comprehensive one covering all the major biota occur-

ring in the country, was produced by the South African National Biodiversity Institute. The Strategy provides clear guidelines to taxonomic researchers and funding agencies regarding where research effort and resources should be focused over the 2013–2018 period to produce maximum benefits to society.

Soft cover. A5. pp 44. ISBN 978-1-919976-90-7

Out of print; available as a downloadable PDF from <http://biodiversityadvisor.sanbi.org/literature>.

No. 22: Classification system for wetlands and other aquatic ecosystems in South Africa. User manual: Inland Systems.

D. Ollis, K. Snaddon, N. Job & N. Mbona (2013)

This user manual (compiled by the Freshwater Consulting Group) aims to provide user-friendly guidance for application of the classification system to inland aquatic ecosystems of South Africa. The manual has been produced in a format that can be used in the field and is designed to appeal to a wide range of user-groups, including both non-specialists and experts. The types of inland systems, and basis and overall structure of the classification system are clearly explained. The various spatial scales (regional setting, landscape setting, hydrogeomorphic unit, hydrological regime and descriptors) are discussed in detail with notes on the application of the classification system. A glossary of important terms and a series of dichotomous keys for the classification of inland systems are included to facilitate consistent classification of inland aquatic ecosystems throughout the country. Worked examples of how to apply the classification system are also provided.

Soft cover. A4. pp. 124. ISBN 978-1-919976-75-4

Price SADC R40.00

No. 21: Water dancers of South Africa's National Botanical Gardens. An illustrated dragonfly and damselfly checklist.

C.K. Willis & M.J. Samways (compilers) (2011)

After birds, butterflies, and bees, dragonflies and damselflies are among the most conspicuous groups of animals observed in South Africa's National Botanical Gardens. They are particularly prevalent around rivers, streams, dams and other aquatic habitats. The title of this book – water dancers – is a literal translation of the Zulu word 'jigamanzi' that has been used to describe dragonflies, an apt description as adults swirl about water bodies engaged in their daily business. Part of the reason for publishing this illustrated checklist is to create greater public awareness and appreciation of the importance and value of conserving dragonfly diversity as a valuable component of our natural habitats and ecosystems, as dragonflies serve as excellent indicators of terrestrial and aquatic environmental change. Not only are dragonflies good indicators of environmental health and ecological integrity, they also act as flagship species for other aquatic invertebrates in the biodiversity debate. This book represents the third in a series of Sappi-sponsored illustrated checklists of biodiversity recorded in South Africa's National Botanical Gardens.

Soft cover. A5. pp. 108. ISBN 978-1-919976-68-6

Price SADC R40.00

No. 20: Fundraising and marketing tools for biodiversity conservation and development projects

Cape Action for People and the Environment (compilers) (2011)

The majority of people working in the field of biodiversity conservation, whether paid or voluntarily, generally have backgrounds in the natural sciences, or do so due to their passion for sustaining and conserving all life forms. They rarely have experience in fundraising, and with an estimated 110 000 non-profit organisations (NPOs) in South Africa, the competition for donated money is tough, especially in times of global recession. This book follows the real flow of marketing and fundraising processes: from the setting-up of a new biodiversity conservation organisation, project identification and potential donor research, to planning

as broad an income base as possible. This book provides a guide through the key steps in fundraising and marketing. Where practical and applicable, experiences and advice from established organisations active in biodiversity conservation are provided.

Soft cover. A4. pp. 104. ISBN 978-1-919976-67-9

Out of print; available as a downloadable PDF from <http://biodiversityadvisor.sanbi.org/literature>.

No. 19: Ensuring a future for South Africa's frogs: a strategy for conservation research

G.J. Measy (ed.) (2011)

South Africa, particularly the eastern part of the country, is home to a spectacular diversity of frogs (order Anura). However, the very survival of many species is in danger due to various factors causing habitat loss. This book represents the outcomes of a reassessment of all threatened species – roughly a third of all South African frogs. Strategic research priorities regarding taxonomy, conservation, monitoring and public awareness are extensively covered and guidelines for all future amphibian studies are established. Appendix 1 provides an update of the Red List with IUCN criteria for all reassessed amphibians. The species accounts are illustrated with maps and images and contain detailed information on every species' geographic range, population, habitat, ecology as well as current and historical Red List status. Further information includes notes on conservation actions currently in place and major threats to their survival. This book is a must-have for all conservationists, policy makers and amphibian or natural history enthusiasts.

Soft cover. A4. pp. 84. ISBN 978-1-919976-63-1

Price SADC R60.00

No. 18: Pollen wasps and flowers in southern Africa

S.K. Gess & F.W. Gess (2010)

Pollen wasps are different to other wasps as, like bees, they provision their nests with pollen and nectar, rather than with hunted insects and spiders, as other wasps do. Western southern Africa is particularly rich in pollen wasps where they are important as flower pollinators, and they have interesting and close associations with the plants visited. This book covers world distribution, southern African distribution, morphology, taxonomy, life history (including behaviour), as well as associated organisms of these wasps and presently recognised species. The sections on behaviour include: flower visiting, water visiting, nesting, nest provisioning, sleeping and sheltering, and male behaviour. Details of the various 21 plant families visited are given, and there is a section on the impact of land use practices on pollen wasps. Colour photographs of the genera, flowers and vegetation types are provided, and line drawings depict the various nest types and distribution maps. This publication will interest entomologists, conservationists, ecologists, botanists, as well as amateurs wanting to know more about these insects.

Soft cover. A4. 147 pp. ISBN 978-1-919976-60-0

Price SADC R80.00

No. 17: Environmental and Resource Economics Conference Synthesis Report. Environment & Economy: mind the Gap.

Compiled by A. Nahman (2010)

This synthesis report came about through a collaborative effort that started with the decision to stage a national conference on Environmental Resource Economics in Cape Town, May 2009. After the Cape Action for People and the Environment (C.A.P.E.) Resource Economics Task Team decided to lead the process of staging the event, partnerships were quickly formed with others keen to contribute. The objectives of this

report are: 1. To review and document the progress, current status and future trends with regard to ERE research and development in SA; 2. To collate and document the outcomes of the conference with regard to implementation, including that which focused on Payments for Ecosystem Services and other key topics in the field; and 3. To understand the key areas within ERE that should reward future effort and investment, particularly from an implementation perspective.

Soft cover. A4. pp. 26. ISBN 978-1-919976-62-4

Price SADC R40.00

No. 16: Butterflies of South Africa's National Botanical Gardens: an illustrated checklist

C. Willis & S. Woodhall (2010)

Butterflies have formed one of the more visible, but not always noticed components of the biodiversity of South Africa's national botanical gardens since Kirstenbosch was established in 1913. This consolidated checklist of the butterflies found in the (then) nine botanical gardens of the South African National Botanical Institute is a first attempt to provide a comprehensive list of butterflies known to occur in each of the national botanical gardens. Information was supplied by university students and members of the Lepidopterists' Society of Africa (LepSoc). English and Afrikaans common names, scientific names, wingspan, some notes of behaviour and flight period and a photograph are provided for each butterfly presented. There is also an indication of which national botanical gardens the species has been found in.

Soft cover. A5. pp. 238. ISBN 978-1-919976-57-0

Out of print; available as a downloadable PDF from <http://biodiversityadvisor.sanbi.org/literature>.

No. 15: The introduced terrestrial Mollusca of South Africa

D.G. Herbert (2010)

The alien terrestrial mollusc fauna of South Africa is comprehensively reviewed in this publication. A total of 34 species are considered to have been introduced to the country, of which 28 are considered established and 13 of these invasive. The history of introduction and recording is summarised and patterns of introduction are analysed. Each species is discussed in terms of its distinguishing features, habitat preferences, date of introduction and first record, native range and global distribution, distribution in South Africa, pest status, and similarity with indigenous species. Further taxonomic notes and biological observations relating to behaviour, reproduction and parasite transmission are included where relevant. In addition, some consideration is given to potentially pestiferous species, which are not yet known to occur in South Africa, but which represent a significant future introduction risk of levelling off.

Soft cover. A4. pp. 108. ISBN 978-1-919976-56-3

Price SADC R50.00

No. 13: South African Red Data Book – Butterflies

G.A. Henning, R.F. Terblanche & J.B. Ball (eds) (2009)

This publication, produced in cooperation with the Lepidopterists' Society of Africa, fulfils the need for a revised South African Red Data Book for butterflies as well as for an improved proposed Red List of butterflies in South Africa. It highlights the presence of threatened species, provides a rationale for the listing of such taxa, and then identifies the actual threats facing these butterfly species. A review of the ecology of each species, if known, is given, enabling appropriate conservation action to be directed towards these threats. Research priorities that promote conservation management strategies for the species are also identified. A most useful tool for students, workers, managers, and decision-makers in conservation-related fields.

Soft cover. A4. pp. 158. ISBN 978-1-919976-51-8

Price SADC R60.00

No. 12: Amphibians of the Taita Hills

G.S. Measey, P.K. Malonza & V. Muchai (2009)

This book describes the amphibians (frogs) of the Taita Hills in south-eastern Kenya. It will help demystify what amphibians are, and their importance in conservation, as well as make readers aware of the importance of their environment, especially the indigenous forest upon which they depend. Included in the book is information on the biodiversity and the climate (temperature and rainfall) of the area. Each species account has a graph depicting the different months of the year that the frogs call, eggs and tadpoles hatch, and the adult phase. It also shows where to find them, their size (compared to a human hand), and has a coloured photograph of the species. The book is in two languages (English one half, and Swahili the other half).

Soft cover. A5. pp. 75. ISBN 978-1-919976-49-5

Price SADC R100.00

No. 11: Monitoring and evaluation: tools for biodiversity conservation and development projects

Cape Action for People and the Environment (compilers) (2008)

This is the second in a series of project management handbooks, and deals with monitoring and evaluation (M&E). It is aimed at people working in the biodiversity conservation sector and focuses on a particular set of activities integral to the process of project implementation. These are the activities that make up project monitoring and evaluation, and what is associated with it: clear objectives, a particular form of support or intervention, a set time frame, a defined target group and beneficiaries. It aims to provide you with an overview of some of the key issues in project M&E, a guiding framework within which you can develop your M&E plans, and tools, concepts and exercises to build your own M&E practice.

Soft cover. A4. pp. 126. ISBN 978-1-919976-47-1

Price SADC R50.00

No. 10: User profiles for the South African offshore environment

L. Atkinson & K. Sink (2008)

This document was commissioned by the Offshore Marine Protected Areas, South African National Biodiversity Institute, World Wildlife Fund and the Department of Environmental Affairs and Tourism, to serve as an overview of existing information pertaining to offshore marine resource users of South Africa's exclusive economic zone. It outlines petroleum activities, mineral prospecting and mining, commercial fishing, shipping, dumping of waste, submarine cables, naval activities and scientific research in the offshore zone; giving background information, history, general operation and the areas of activity. Known and potential biodiversity impacts as well as overlap and issues of conflict between various resource users are also identified.

Soft cover. A4. pp. 66. ISBN 978-1-919976-43-3

Price SADC R30.00

No. 9: Guidelines for Offshore Marine Protected Areas in South Africa

K. Sink & C. Attwood (2008)

The Offshore Marine Protected Areas (OMPA) project aims to facilitate the establishment of a protected offshore area with broad support from the various offshore sectors. It will span three years, and will develop objectives and guidelines for the establishment of these areas, collate scientific data and other information, and identify priority areas for protection. This document specifically addresses the guidelines for the establishment of offshore protected areas, and is aimed at the government departments using marine resources, industry stakeholders such as fishing, mining, petroleum, shipping, waste disposal and marine research, as well as the general public.

Soft cover. A4. pp. 18. ISBN 978-1-919976-43-3

Price SADC R45.00

No. 8: Bird checklist for South Africa's National Botanical Gardens

C. Willis, O. Curtis & M. Anderson (2008)

This publication of a bird checklist for South Africa's National Botanical Gardens is the first in a series of SANBI publications to be produced in collaboration with Sappi. The checklist covers birds occurring in nine of the National Botanical Gardens in South Africa, and apart from the common names of birds (old and new) and scientific names, it includes information such as the endemic status of the birds, their movements and migration habits, and their threat status. Birds recorded in each Garden are listed in dedicated columns, with open circles that can be filled in by visitors when birds are seen in a particular garden. Colour photographs of some of the birds are also included.

Soft cover. A4 ring-bound. pp. 40. ISBN 978-1-919976-41-9

Price SADC R20.00

No. 6: Invasive alien flora and fauna in South Africa: expertise and bibliography

C.F. Musil & I.A.W. MacDonald (2007)

This inventory arose as an outcome of an earlier national survey sponsored by the Southern African Biodiversity Support Programme aimed at determining user needs in the field of alien invasive species management and research.

Soft cover. A4. pp 176. ISBN 978-1-919976-35-8

Price SADC R80.00

No. 5: A plan for phylogenetic studies of southern African reptiles: proceedings of a workshop held at Kirstenbosch, February 2006

W.R. Branch, K.A. Tolley, M. Cunningham, A.M. Bauer, G. Alexander, J.A. Harrison, A.A. Turner & M.F. Bates (2006)

The Southern African Reptile Conservation Assessment (SARCA) was launched in May 2005. Its primary aim is to produce a conservation assessment of the reptiles of South Africa, Lesotho and Swaziland over a four-year period (2005–2009). It has the distinction of being the first faunal project of the newly constituted South African National Biodiversity Institute (SANBI) which, previously – as the National Botanical Institute (NBI) – was concerned only with plants. This report brings together a comprehensive set of guidelines for a whole section of southern Africa's biodiversity research, and should remain relevant for at least a decade. Areas under study include priorities for systematic studies on southern African reptiles; taxonomic units relevant to conservation planning; mismatches between morphology and genetics; methods, techniques and protocols for phylogenetic studies on southern African reptiles; and a sampling and implementation strategy for phylogenetic studies on southern African reptiles.

Soft cover. A4. pp. 48. ISBN 1-919976-33-7

Price SADC R50.00

No. 4: Fynbos Fynmense: people making biodiversity work

A. Ashwell, T. Sandwith, M. Barnett, A. Parker & F. Wisani (2006)

This publication illustrates the results achieved on the ground and the lessons learnt as a result of the Cape Action for People and the Environment (C.A.P.E.) programme. Topics covered include: Introducing C.A.P.E.; Unleashing the potential of protected areas; Managing watershed wisely; Enabling conservation stewardship; Building the biodiversity economy; Supporting conservation education; Strengthening institutions; Co-ordinating C.A.P.E.; and Looking ahead.

Soft cover. A4. pp. 263. ISBN 1-919976-29-9

Out of print; available as a downloadable PDF from <http://biodiversityadvisor.sanbi.org/literature>

Available on disk

Price SADC R50.00

STRELITZIA

No. 42: Iridaceae of southern Africa

P. Goldblatt & J.C. Manning (2020)

This is the first complete taxonomic treatment for Iridaceae in southern Africa (including Botswana, Lesotho, Namibia, South Africa and Eswatini) since the publication of J.G. Baker's account in *Flora capensis* (1896). It treats a total of 1 210 species in 36 genera, classified in the four subfamilies **Aristeoideae** (*Aristea* 46 spp.), **Nivenioideae** (*Nivenia* 11 spp., *Klattia* 3 spp. and *Witsenia* 1 sp.), **Crocoideae** tribe Tritoniopsidae (*Tritoniopsis* 23 spp.), tribe Watsonieae (*Watsonia* 53 spp., *Pillansia* 1 sp., *Thereianthus* 11 spp., *Micranthus* 7 spp., *Codonorhiza* 7 spp., *Schizorhiza* 1 sp., *Lapeirousia* 27 spp. and *Afrosolen* 11 spp.) and tribe Ixieae subtribes Gladiolinae (*Gladiolus* 169 spp.), Melasphaerulinae (*Melasphaerula* 1 sp.), Freesiinae (*Xenoscapa* 3 spp., *Freesia* 16 spp., *Crocospia* 7 spp. and *Devia* 1 sp.), Hesperanthinae (*Geissorhiza* 104 spp. and *Hesperantha* 87 spp.), Tritoniinae (*Babiana* 93 spp., *Chasmanthe* 3 spp., *Sparaxis* 16 spp., *Duthiastrum* 1 sp., *Dierama* 37 spp., *Tritonia* 30 spp. and *Ixia* 100 spp.), subtribe Radinosiphoninae (*Radinosiphon* 2 spp.) and Crocinae (*Romulea* 84 spp., *Afrocrocus* 1 sp. and *Syringodea* 7 spp.), and Iridoideae (*Dietes* 5 spp., *Bobartia* 17 spp., *Ferraria* 15 spp. and *Moraea* 209 spp.). A revised, phylogeny-based tribal and subtribal classification is presented here for Crocoideae, correlating with corm ontogeny and seed characteristics. Keys are provided to subfamilies, tribes and genera (and in the case of larger genera to subgenera or sections) as well as to species and infraspecific taxa. Each species is fully described with complete nomenclature, geographic range and a distribution map. Genera are illustrated with line drawings, and nearly half of the species are illustrated with colour photographs. Four new species are described, **Bobartia vlokii** Goldblatt & J.C.Manning, **Geissorhiza adriaanii** Goldblatt & J.C.Manning, **Hesperantha mtamvunae** Goldblatt & J.C.Manning and **Romulea fuscumontana** Goldblatt & J.C.Manning, and a number of names are synonymised.

Hard cover. A4. pp. 1168. ISBN 978-1-928224-35-8

Price SADC R1 075.00

No. 41: A Flora of the Eastern Cape Province

C.L. Bredenkamp (2019)

A Flora of the Eastern Cape Province is a comprehensive book, the first to describe the vascular plants occurring in the Eastern Cape Province. From an evolutionary perspective, this flora evolved during the formation of the Karoo Supergroup and reached a phase of maturity in the latter half of the Cretaceous. Geology and soils, together with climate, form the basis for the existence of plants and animals, a symbiosis that can rightfully be described as a symphony. The introduction to the *Flora* leads the reader through the 12 bioregions and the lustre thereof is reflected in the twelve accompanying photographic plates. A broad perspective of the bioregions in the Eastern Cape is provided by Prof. Richard Cowling in the chapter *Vegetation of the Eastern Cape: navigating a transition zone*. This *Flora* contains descriptions of all families (226), genera (1 440) and species (6 611) occurring in the Eastern Cape Province, compiled by 77 contributors, of whom many are specialists on specific taxa.

Hard cover. 170 x 255 mm. pp. 2 208. ISBN 978-1-928224-28-0

Volume 1: R456.00

Volume 2: R418.00

Volume 3: R362.00

Full set: R1 200.00

No. 40: Systematics of *Drimia* Jacq. (Hyacinthaceae: Urgineoideae) in southern Africa

J.C. Manning & P. Goldblatt (2018)

A taxonomic revision of the genus *Drimia* in southern Africa, in which we recognise 70 species with 61 endemic to the region. The account includes the new combination *D. basutica* for the illegitimate *D. angustifolia* Baker (1897) plus additional combinations for names that were invalidly published. Also described are eight new species: *D. barbata*, *D. ciliolata*, *D. decipiens*, *D. juncifolia*, *D. khususensis*, *D. monophylla* and *D.*

schizobasoides from the Greater Cape Floristic Region, and *D. vespertina* from northern Namibia and southern Angola. Four taxa are synonymised: *Albuca reflexa* is included in *D. indica*, *D. loedolffiae* in *D. calcarata*, *D. saniensis* in *D. depressa*, and *D. macrocarpa* in *D. basutica*; and *D. ecklonii* is recognised as an earlier name for *D. ligulata*. *Drimia nitida* is confirmed as the earliest name for *Ledebouria concolor* (Baker) Jessop and the necessary new combination and synonymy in *Ledebouria* is provided. A detailed infrageneric classification for southern African *Drimia* is provided in which 19 morphologically coherent sections diagnosed by a combination of traditional and novel characters is recognised. The account includes full species descriptions, notes on ecology, distribution maps and identification keys to the sections and species, and line drawings of almost half of the species.

Soft cover. 180 x 240 mm. pp. 180. ISBN 978-1-928224-25-9

Price SADC R200.00

No. 39: A taxonomic revision of *Calobota* (Fabaceae, Crotalariaeae)

J.S. Boatwright, P.M. Tilney and B.-E. van Wyk (2018)

A taxonomic revision of the genus *Calobota* Eckl. & Zeyh. (Fabaceae, Crotalariaeae) is presented. Sixteen species are recognised in the genus. Among these, *Calobota namibensis* Boatwr. & B.-E. van Wyk is described as new from southwestern Namibia. The anatomy of the leaves, stems and fruit walls was studied and revealed important characters to distinguish *Calobota* from other genera of the tribe Crotalariaeae. These include isobilateral leaves (palisade parenchyma both adaxially and abaxially) as opposed to dorsiventral leaves (e.g. in *Wiborgia* Thunb. and *Wiborgiella* Boatwr. & B.-E. van Wyk), and thick-walled fruit with gelatinous fibres in some species. The absence of mucilage cells in the epidermis of the leaves is also an important distinguishing character for the genus with respect to *Aspalathus* L., *Lebeckia* Thunb., *Rafnia* Thunb., *Wiborgia* and *Wiborgiella*. *Calobota* differs from other closely related genera in the tribe in the following combination of characters: late bark formation, uni- or trifoliolate to simple, laminar leaves, hairy petals (*C. cuspidosa* (Burch.) Boatwr. & B.-E. van Wyk and *C. psiloloba* (E.Mey.) Boatwr. & B.-E. van Wyk are exceptions), anther configuration of 4+5+1 and laterally compressed or terete, usually pubescent pods. A detailed taxonomic study of the genus is presented here, including a key to the species, descriptions, typifications, distributions, phylogenetic relationships and illustrations.

Soft cover. 180 x 240 mm. pp. 100. ISBN 978-1-928224-27-3

Price SADC R70.00

No. 38: Plants of the Free State: inventory and identification guide

E. Retief & N.L. Meyer (2017)

Plants of the Free State: inventory and identification guide seeks to assist in the identification of plants, to provide essential information as well as pleasure and to stimulate and promote an interest in the plants of the Free State. It is aimed at professional botanists, nature conservationists, students, amateur botanists and informed laymen. The three largest families in the region are the Asteraceae, Poaceae and Fabaceae. Family descriptions, keys to the relevant genera in a family, keys to the species of genera and species descriptions are provided. Descriptions include habit, height, distinguishing characters, flowering time, habitat, common names and distribution in the region according to six subregions. A comprehensive, illustrated glossary concludes this treatise.

Hard cover. 170 x 255 mm. pp. 1 246. ISBN 978-1-928224-15-0

Price SADC R550.00

No. 37: Beeplants of South Africa: sources of nectar, pollen, honeydew and propolis for honeybees

M.F. Johannsmeier (2016)

While the crop grower is reliant on the beekeeper for the pollination service his honeybees provide during the flowering season, the beekeeper in turn depends on variable forage resources and habitats to sustain

his honeybee colonies throughout the year, and to provide him with a honey crop. *Beeplants of South Africa: sources of nectar, pollen, honeydew and propolis for honeybees* attempts to furnish beekeepers with information on the nectar and pollen value of South African beeplants, whether indigenous or exotic, grown in orchards or plantations, or whether ornamentals or weeds. Additionally, flowering times are documented and the pollination needs of crop plants are addressed.

The applicable beeplant values can assist gardeners, farmers, beekeepers, or practitioners in environmental impact assessments or rehabilitation projects, in deciding which plants to utilise, conserve or grow for multi-purpose usage. This book contributes to the outcomes of the Global Pollination Project and the Honeybee Forage Project, both implemented by the South African National Biodiversity Institute (SANBI). It contains an extensive index to the scientific as well as English and Afrikaans common names used in the publication.

Hardcover, A4, pp. 556. ISBN 978-1-928224-17-4

Price SADC R450.00

No. 36: Identification guide to the southern African grasses. An identification manual with keys, descriptions and distributions.

L. Fish, A.C., Mashau, M.J. Moeaha & M.T. Nembudani (2015)

This identification guide to grasses of southern Africa relies primarily on the use of keys and descriptive information to aid the used in identifying grass species. It contains some of the best information needed to identify southern African grasses. Keys to grass genera and species are provided, and in some instances also to easily confused taxa. For each species, a combination of useful characters is provided, and where applicable, line drawings of the spikelet or parts thereof accompany the identification key and description. Species descriptions and distribution maps are important and add to the identification of grasses. One or more line drawings or a scanned herbarium specimen accompany the description of each genus known to occur in southern Africa. Anatomy vouchers and voucher specimens are listed for each species discussed.

Hard cover. A4, pp. 807. ISBN 978-1-928224-00-6

Price SADC R500.00

Also available on disc

Price SADC R100.00

No. 35: Systematics and biology of *Lapeirousia*, *Codonorhiza*, *Psilosiphon* and *Schizorhiza* in southern Africa

P. Goldblatt & J.C. Manning (2015)

Plastid and nuclear DNA sequence analyses show that the sub-Saharan African genus *Lapeirousia* Pourr. is paraphyletic as presently circumscribed. Species of *Lapeirousia* are retrieved as a clade in which are nested the tropical African genera *Cyanixia* Goldblatt & J.C.Manning and *Savannosiphon* Goldblatt & Marais as sister to *Lapeirousia* sect. *Paniculatae* Goldblatt plus the taxonomically isolated *L. neglecta* Goldblatt. To preserve taxonomic monophyly we dismember *Lapeirousia*, recognising the new genera *Codonorhiza* Goldblatt & J.C.Manning for *L. sect. Fastigiatae* Goldblatt (7 spp.) and *Schizorhiza* Goldblatt & J.C.Manning (1 sp.) for *L. neglecta*, both from the Cape Floristic Region, as well as *Psilosiphon* Welw. ex Goldblatt & J.C.Manning (15 spp.) for *L. sect. Paniculatae*, all from tropical and eastern southern Africa. This leaves *Lapeirousia* (27 species) centred in western southern Africa, but also represented in south tropical Africa. We revise the infrageneric taxonomy of *Lapeirousia* in light of the molecular phylogeny, recognising sect. *Chasmato callis* (R.C.Foster) Goldblatt & J.C.Manning, sect. *Lapeirousia* and sect. *Sophronia* (Licht. ex Roem. & Schult.) Goldblatt & J.C.Manning. We provide dichotomous keys to the four genera in southern Africa and full revisions of all four genera. Six new species, two of *Codonorhiza*, three of *Lapeirousia* and one *Psilosiphon* are recognised; two subspecies are raised to species rank, and *L. angustifolia* Schltr., currently included in *L. pyramidalis* (Lam.) Goldblatt, is also recognised at species rank. Four new subspecies are described.

Soft cover. 180 × 240 mm. pp. 151. ISBN 978-1-928224-02-0

Price SADC R200.00

No. 34: The Apocynaceae of Namibia

P.V. Bruyns (2014)

The Flora of Namibia is dominated by the families Poaceae, Asteraceae and Fabaceae. Here, an account of the Apocynaceae, the seventh largest family in Namibia, is presented. A total of 153 species belonging to 46 genera are recorded as occurring naturally for the country and 19 of these species are endemic to Namibia, with two endemic genera. More than half of these 153 species belong to the tribe Ceropegieae, with the highly succulent group, the stapeliads, represented by 58 species. It is shown that the family is most diverse in the extreme south of the country, in the Rosh Pinah and in the Karasburg districts. The distribution of each species is mapped and, for many genera, one species is illustrated with line drawings. Lectotypes are selected for several species.

Soft cover. 180 × 240 mm. pp. 164. ISBN: 978-1-919976-98-3

Price: SADC R200.00

No. 33: Vegetation field atlas of continental South Africa, Lesotho and Swaziland

L. Mucina, M.C. Rutherford, L.W. Powrie, A. van Niekerk & J.H. van der Merwe (Editors) (2014)

This booklet is a product of the National Vegetation Mapping Project that gave South Africa a comprehensive classification and description of more than 400 vegetation types and a new, modern vegetation map. Chapter 18 of the manual to the vegetation map is republished here in an atlas format for use in the field. The Field Atlas features the vegetation of South Africa (excluding the sub-Antarctic islands), Lesotho and Swaziland on 46 sheets. As a new addition, an original detailed map of the vegetation of the Cape Peninsula has been added to mark the direction of further development of fine-scale vegetation mapping in South Africa. The Field Atlas is printed on water-proof paper to make it fit to withstand adverse weather conditions during field work.

Hard cover. A4 ring-bound. pp. 52. ISBN: 978-1-919976-97-6

Price: SADC R200.00

No. 32: Systematics and biology of the Cape genus *Sparaxis* (Iridaceae)

P. Goldblatt & J.C. Manning (2013)

The South African genus *Sparaxis* Ker Gawl., a member of tribe Ixieae of subfamily Crocoideae of the Iridaceae, is endemic to the western half of the winter rainfall zone of southern Africa. The genus, described by John Ker Gawler in 1802 for species until then referred in *Ixia* L. or *Gladiolus* L., includes 16 species in this monographic account. One of them from lime-enriched habitats near Saldanha Bay, *S. calcicola*, is new to science. All species are corm-bearing, seasonal geophytes with horticultural potential, and one species, *S. tricolor*, is widely available in the horticultural trade. Molecular systematic study using nuclear and plastid DNA loci confirms morphological study that the genus *Synnotia* Sweet is nested in *Sparaxis* and provides the basis for an infrageneric classification subdividing the genus into two sections.

The molecular phylogeny is largely consistent with relationships inferred from morphology and shows that radial symmetry of the perianth probably evolved at least twice from ancestors with bilaterally symmetric (zygomorphic) flowers. These shifts in floral symmetry are pollinator-driven and are correlated with shifts from ancestral pollination by large-bodied anthophorine bees to either generalist pollination by multiple pollinator groups or to pollination dominated by hopliine beetles.

Based on relationships inferred from molecular phylogenetic studies, pollination dominated by hopliine beetles evolved three times in the genus and long-proboscid fly pollination twice. We review the floral biology of the genus and provide full taxonomic accounts for all species, accompanied by illustrations, distributional information, conservation status and taxonomic history.

Soft cover. 180 × 240 mm. pp. 80. ISBN: 9978-1-919976-89-1

Price: SADC R80.00

No. 31: Guide to Plant Families of southern Africa

M. Koekemoer, H.M. Steyn & S.P. Bester (2014, 2n ed)

Southern Africa has a total of 225 plant families with the 52 largest families covering over 90% of the flora. The large number of plant species in this region (ca. 24 000) makes identification to species level relatively difficult and the first step is usually to determine the family to which a specimen belongs. Knowledge of plant families allows one to place unknown plants into broad categories and then to focus on a smaller search for the correct name. This book aims to introduce readers to the beauty and diversity of our fascinating flora, and to enable scholars, students, amateurs and professionals alike to identify plants to family level. The identification process is introduced in a predominantly visual way by providing images to identify the key diagnostic characters for each family. The beauty of, and variation within each family is comprehensively illustrated with images of a range of genera. Additional information is provided on the distribution and usefulness of each family. It is hoped that this book will inspire readers to appreciate our indigenous flora.

Soft cover. 210 x 250 mm. pp. 300. ISBN: 978-1-919976-83-9

Price: SADC R270.00

Also available on disc: ISBN 978-1-919976-95-2

Price SADC R100.00

No. 30: Plants of the Greater Cape Floristic Region volume 2: The Extra Cape Flora

Edited by D.A. Snijman (2013)

The Greater Cape Floristic Region of southern Africa, with an estimated 11 423 native vascular plant species, has one of the richest temperate floras in the world. The newly named Extra Cape Subregion comprises the northern, semi-arid part of the Region. Covering 98 900 km² and incorporating 92% of the Succulent Karoo Biome, the Extra Cape Subregion has an estimated 3 715 native vascular plant species – ferns, other spore-bearing vascular plants and flowering plants – of which 40% are endemic.

Hard cover. 170 x 255 mm pp. 552. ISBN 978-1-919976-77-8

Price SADC R200.00

No. 29: Plants of the Greater Cape Floristic Region volume 1: The Core Cape Flora

J.C. Manning & P. Goldblatt (2012)

The flora of the southwestern tip of Africa is one of the richest in the world. Recognized historically as the Cape Floristic Kingdom or Region, it encompasses a land area of 90 760 km² with some 9 400 species of vascular plants (ferns and other spore-bearing vascular plants, gymnosperms, and flowering plants), of which just over 68% are endemic. Nearly half of all vascular plant species recorded in southern Africa, and around one fifth of the species recorded in sub-Saharan Africa, occur here. This treatment is a concise account of all known species, arranged according to the most recent systems of classification.

Hard cover. 170 x 255 mm pp. 867. ISBN 978-1-919976-74-7

Price SADC R320.00

Also available on disc: ISBN 978-1-919976-94-5

Price SADC R100.00

No. 28: The aloe names book

O.M. Grace, R.R. Klopper, E. Figueiredo & G.F. Smith (2011)

The aloe names book contains an annotated list of names for the genus *Aloe*, and is intended to provide a quick reference for checking names and key information about aloes. Accepted names are used in part one, where some of the more common species are also illustrated, as well as etymology, synonyms and all the known common names (given in various South African languages). Part two deals with names for which the exact application is unknown, part three with references, and part four lists the synonyms and common names. Published by the South African National Biodiversity Institute (SANBI) and the Royal Botanic Gardens, Kew.

Hard cover. A5. pp. 239. ISBN 978-1-919976-64-8

Out of print; available as a downloadable PDF from <http://biodiversityadvisor.sanbi.org/literature>

No. 27: Botany and horticulture of the genus *Freesia* (Iridaceae)

J.C. Manning & P. Goldblatt (2011)

Freesias are well-known throughout the world as striking plants that add colour and fragrance to any garden or bouquet. Chapters include various aspects of botany such as the taxonomic history, phylogenetic relationships, systematics and a key to species. Additional useful information is provided on the ecology, biogeography, speciation patterns, horticultural history, and cultivation of *freesias*. A complete analysis of the floral scent chemistry of 13 taxa is also presented. This book is an essential addition to the library of any horticulturalist, taxonomist, biochemist, pollination biologist, biogeographer or interested plant enthusiast.

Soft cover. 180 × 240 mm. pp. 118. ISBN 978-1-919976-58-7

Price SADC R70.00

No. 26: Botanical exploration of southern Africa

H.F. Glen & G. Germishuizen (2010)

The first edition of 'Botanical Explorations' was written by M.D. Gunn and L.E.W. Codd, and was generally referred to as 'Gunn & Codd'. It was an invaluable source of information on the numerous collectors who have contributed to the world's knowledge of the plants of southern Africa. During the last 30 years many new botanists have added to the list of collectors, and a revised edition has thus been produced. The book surveys the history of plant collecting in southern Africa, from the earliest records to the present day. It contains information on each collector that has made a meaningful contribution to botany in this region, as well as numerous black and white illustrations and photographs.

Hard cover. A4. pp. 489. ISBN 978-1-919976-54-9

Price SADC R280.00

No. 25: Red Data List of South African Plants

D. Raimondo, L. Van Staden, W. Foden, J.E. Victor, N.A. Helme, R.C. Turner, D.A. Kamundi & P.A. Manyama (eds) (2009)

This Red List is a major milestone for South Africa in that it is the first data-driven, comprehensive assessment of the country's indigenous vascular flora. South Africa is among 17 megadiverse countries that collectively hold 70% of the world's plant species diversity. It is the first among these countries to do a comprehensive assessment of the status of its flora. This landmark publication indicates that 13% of South Africa's plant species are threatened with extinction and that one in every four plants is of conservation concern. This is the first South African plant Red List to include detailed information on all plant species of conservation concern as well as a comprehensive analysis of threats to the South African flora. Guidelines for the application of this Red List are provided for conservation practitioners. Many species are depicted in colour photographs scattered throughout the text.

Hard cover. A4. pp. 668. ISBN 978-1-919976-52-5

Price SADC R120.00

No. 24: Historical plant incidence in southern Africa

Compiled by C.J. Skead (2009)

This collection of observations by early southern African travellers presents a picture of the vegetation as they saw it, painted by the pens of the earliest European visitors to the Cape and by those who, coming after, penetrated the subcontinent. The review covers South Africa, with additional notes on the neighbouring Namibia, Botswana, Lesotho and Zimbabwe; the extracts taken from many diverse works. The partial picture given here should go some way towards helping ecologists and botanists to visualise early conditions and, at the same time, save themselves the chore of searching through many volumes for what might be no more than a minor item. The book will be of significant use to plant taxonomists, geographers, ecologists, envi-

ronmental historians and students of climate change. Seven early landscapes by various artists have been reproduced in colour to lend interest to the text.

Hard cover. A4. pp. 378. ISBN 978-1-919976-53-2

Price SADC R80.00

No. 23: Synopsis of the Lycopodiophyta and Pteridophyta of Africa, Madagascar and neighbouring islands

J.P. Roux (2009)

This is a modern account of the lycopod and fern diversity of the region and an essential tool for any future taxonomic or biogeographical study of its flora. Family and generic, as well as species and subspecific names are arranged alphabetically. Accepted names are followed by the author citation and the original publication. Basionyms, homotypic and heterotypic synonyms are provided. The provenance and, where known, the type location are provided for the names and their synonyms. Where available, the locality data, date of collecting, collector and collector's number are given. Many names have been lectotypified, with an indication of the lectotypifying author, year of publication and page number(s), where available. The chromosome number, with a reference, is provided in many cases. The listing of species distribution by country is based on literature surveys and on limited herbarium surveys. Mainly black-and-white, with eight pages of colour photos.

Hard cover. A4. pp. 255. ISBN 978-1-919976-48-8

Price SADC R70.00

No. 22: Plants of Angola/Plantas de Angola

E. Figueiredo & G.F. Smith (2008)

A comprehensive catalogue of the unusually rich, and poorly known botanical diversity of Angola, this book also provides extensive lists of scientific publications on the flora and on the floristic exploration of the country. The numerous botanical collectors who have operated there are listed and bibliographic references are given. The work presented in this book is the result of the effort of 32 researchers from nine countries who collaborated to produce a comprehensive list of the vascular plants of the country.

Hard cover. A4. pp. 279. ISBN 978-1-919976-45-7

Price SADC R140.00

No. 21: Molteno ferns: Late Triassic biodiversity in southern Africa

H.M. Anderson & J.M. Anderson (2008)

This monograph on the Molteno ferns is the fourth in a series describing the Late Triassic Molteno fossil flora. It gives a comprehensive description of the Filicophyta (ferns) from the Late Triassic Molteno Formation, Karoo Basin, South Africa. It is based on an overall collection over 27 000 catalogued slabs from 100 assemblages, with ferns being recovered from half of the assemblages. The fern fossils described include 18 species in seven genera based on fertile material and a further 18 species in eight genera known only from sterile fronds. The descriptions of the genera and species are supported by high-quality black-and-white photographs arranged in 100 plates and also by annotated line drawings. The volume benefits from the addition of 52 colour photographs, breaking into new territory in the series of Molteno volumes.

Soft cover. A4. pp. 260. ISBN: 978-1-919976-36-5

Price SADC R80.00

No. 20: Brief history of the gymnosperms: classification, biodiversity, phytogeography and ecology

J.M. Anderson, H.M. Anderson & C.J. Cleal (2007)

A global synthesis of gymnosperm families, fossil and extant; providing a new and distinctive perspective on the macroevolutionary biodiversity trends within this group through their 375 million year history. The

stratigraphic ranges of the 84 gymnosperm families are plotted according to their first and last appearances in the fossil record. A series of 30 full-page colour charts provide the holistic context in which to interpret gymnosperm history. Also included is a systematic coverage of floral kingdoms, biodiversity patterns, insect associations and other fields, traced period by period from the Devonian to Quaternary. The final chapter covers gymnosperm biodiversity trends at the microevolutionary (genera and species) level, taken from a selection of some 13 important localities scattered globally and through the geological column. Richly illustrated with line drawings, tables and charts.

Soft cover. A4. pp. 290. ISBN 978-1-919976-39-6

Price SADC R80.00

No. 19: The vegetation of South Africa, Lesotho and Swaziland

L. Mucina & M.C. Rutherford (eds) (2006)

An up-to-date and comprehensive overview of the vegetation of South Africa and the two small neighbouring countries of Lesotho and Swaziland. This account is based on a vegetation survey using appropriate tools of contemporary vegetation mapping and vegetation description. The aim was to draw a new vegetation map that depicts the complexity and macro-scale ecology and reflects the level of (and identifies and reveals gaps in) current knowledge of the vegetation of the region. This is an extensive account of the vegetation of a complex and biologically intriguing part of the world, offering not only insights into structure and dynamics of the vegetation cover, but containing a wealth of base-line data for further vegetation-ecological, biogeographical, and conservation-oriented studies. Included towards the back of the book is an atlas as a systematic series of A4 maps depicting the various vegetation types. The electronic version on the CD inside the front cover allows the user to zoom in at any scale to discern detail. The Map and the descriptive account of the vegetation of South Africa, Lesotho and Swaziland target not only scientific academia and the secondary and tertiary education sectors, but offers a powerful decision-making tool for conservationists, land and resource planners, and politicians as well as the interested public at large. The accompanying wall map is listed under 'Posters' and the electronic copy of the publication under 'CD's.

Hard copy. A4. pp 808. ISBN-13: 978-1-919976-21-1 (ISBN-10: 1-919976-21-3)

Price SADC R500.00

Also available on disc: ISBN 978-1-919976-66-2

Price SADC R150.00

No. 18: A revision of the southern African genus *Babiana*, Iridaceae: Crocoideae

P. Goldblatt & J.C. Manning (2007)

Babiana, as now constituted, is largely a genus of the winter rainfall zone of western South Africa and southwestern Namibia. Just two species occur in the southern African summer rainfall zone, *B. hypogaea* and *B. bainesii*, the latter widespread and extending from the Upper Karoo through Botswana and Namibia to Zimbabwe and southern Zambia. The authors recognise 88 species, a substantial increase over the 61 included in *Babiana* by G.J. Lewis in her 1959 monograph. This revision also presents a new infrageneric classification of *Babiana*, which is divided into three sections. Each species is described and 15 species are accompanied by line drawings, with 48 maps and 45 colour photographs. Excluded names, a list of references and an index to species and synonyms are provided at the back of the book.

Soft cover. A4. pp. 110. ISBN 978-1-919976-32-7

Price SADC R130.00

No. 17: National Spatial Biodiversity Assessment 2004: priorities for biodiversity conservation in South Africa

A. Driver, K. Maze, A.T. Lombard, J. Nel, M. Rouget, J.K. Turpie, R.M. Cowling, P. Desmet, P. Goodman, J. Harris, Z. Jonas, B. Reyers, K. Sink & T. Strauss (2005)

This full-colour report, with photographs, maps and graphs, presents the results and recommendations of South Africa's first National Spatial Biodiversity Assessment (NSBA), the first ever comprehensive assessment of biodiversity throughout the country. It has four components, dealing with the terrestrial, freshwater,

estuarine and marine environments. The NSBA should inform the policies, plans and day-to-day activities of a wide range of sectors, both public and private.

Soft cover. A4. pp. 46. ISBN 1-919976-20-5

Price SADC R40.00

No. 16: Common names of Karoo plants

L. Powrie (2004)

A listing of common names of some 850 of the about 5 000 plant species in the Karoo, aimed at enhancing communication between scientific workers and people who are unfamiliar with scientific names. The introduction discusses the resilient but fragile Karoo, its plant treasures and the use of common names. The four lists are respectively sorted by scientific names, by common names, by groups of ecological and grazing importance, and the fourth one reflecting changes in scientific names.

Soft cover. A5. pp. 199. ISBN 1-874907-16-1

Price SADC R55.00

No. 15: Heyday of the gymnosperms: systematics and biodiversity of the Late Triassic Molteno fructifications

J.M. Anderson & H.M. Anderson (2003)

This book is based on extensive fieldwork and collections in the Karoo Basin of South Africa. A key feature is the focus on fossil seed plant reproductive structures, which are represented by 35 genera and more than 80 species. The book paints a vivid picture of the diversity of life in the Molteno flood plain 230 million years ago and documents the habitats in which modern groups such as mammals, conifers and beetles started to emerge. Richly illustrated with black-and-white line drawings, photographs, maps and diagrams.

Hard cover. A4. pp. 398. ISBN 1-919795-98-7

Price SADC R70.00

No. 14: Plants of southern Africa: an annotated checklist

G. Germishuizen & N.L. Meyer (eds) (2003)

South Africa has the richest temperate flora in the world and encompasses a rich floristic diversity of approximately 24 000 taxa from 368 families, which represents more than 10% of the world's vascular plant flora on less than 2.5% of the Earth's land surface area. Accurate coverage of this remarkable flora has been made possible at the species level through the National Herbarium, Pretoria (*PRE*) Computerised Information System (PRECIS) The book includes data on life cycle, life form, height of plant and altitude, as well as updated information on literature references, synonyms and regional distribution. Families are primarily grouped into seven more-or-less natural assemblages: Bryophyta, Hepatophyta, Anthocerotophyta, Pteridophyta, Gymnosperms, Dicotyledons and Monocotyledons. Family, genus, species names and synonyms are given in alphabetical sequence. The index guides the reader to the main entries of genera and families. Also available on CD.

Hard cover. A4. pp. 1231. ISBN 1-919795-99-5

Price SADC R50.00

Also available on disc: ISBN 1-919795-99-5

Price SADC R50.00

No. 13: Medicinal and magical plants southern Africa: an annotated checklist

T.H. Arnold, C.A. Prentice, L.C. Hawker, E.E. Snyman, M. Tomalin, N.R. Crouch & C. Pottas-Bircher (2002)

This book provides an annotated checklist of the medicinal and magical plants of southern Africa, and is derived from the more important published works, including medicinal, toxicological, ecological, and floristic sources. Information on 215 plant families, 1 240 genera and 3 689 taxa – about 15% of the region's flowering plants, conifers and ferns, including 159 species that are Red Data Listed, is provided.

Hard cover. A4. pp. iv + 203. ISBN 1-919795-62-6

Price SADC R50.00

No. 11: The Cape genus *Lachnaea* (Thymelaeaceae): a monograph

J.B.P. Beyers (2001)

Taxonomic treatment of the 40 species and two subspecies now recognised. With 74 black-and-white illustrations (maps and line drawings).

Soft cover. A4. pp. 115. ISBN 1-919795-52-9

Price SADC R25.00

No. 10: Seed plants of southern Africa: families and genera

O.A. Leistner (ed.) (2000)

Completely revised version of: *The genera of southern African flowering plants*, by R.A. Dyer (1975, 1976). A taxonomic treatment of some 227 seed plant families and about 2 180 indigenous and naturalised genera, with a key to the families and keys to the genera in each family. Alphabetical arrangement within: gymnosperms, dicotyledons, and monocotyledons. Descriptions, chromosome numbers, notes on distribution and size, both local and worldwide. Literature references. Dendrograms reflecting the latest views on relationships of families. Classification of genera within the larger families. Comprehensive glossary.

Hard cover. A4. pp. 775. ISBN 1-919795-51-0

Price SADC R50.00

No. 9: Cape plants. A conspectus of the Cape flora of South Africa.

P. Goldblatt & J.C. Manning (2000)

A complete synoptic account of the Cape flora, including ferns and fern allies, gymnosperms, and angiosperms, with keys to families and genera. Species entries include a diagnostic description, flowering time, habitat, and distribution. Species are arranged alphabetically and grouped into natural clusters to facilitate identification. Cape plants follows the most recent available treatments for all plant groups and the accounts of several families and many genera have been contributed by specialists in those groups. An introductory essay describes the geology, climate, and the physical and floristic characteristics of the flora. Published by the National Botanical Institute (NBI) and the Missouri Botanical Garden. 12 colour plates.

Hard cover. 260 × 180 mm. pp. 744. ISBN 0-620-26236-2

Price SADC R20.00

No. 7: Preparing herbarium specimens

L. Fish (1999)

The book is aimed at those who have to prepare herbarium specimens as part of their job or during their studies. Collecting, pressing, drying, and mounting techniques, enabling present and future users to obtain the maximum from specimens in a herbarium collection, are described. Twenty-nine line drawings illustrating various requirements and procedures.

Soft cover. A4. pp. 57. ISBN 1-919795-38-3

Price SADC R20.00

No. 5: Taxonomic literature of southern African plants

N.L. Meyer, M.Mössmer & G.F. Smith (eds) (1997)

A list of the most important southern African literature is provided for all the indigenous genera. The references are those that will be most useful for plant identification at the species and infraspecific levels. The currently recognized number of genera, species and infraspecific taxa are also listed for each family.

Hard cover. A4. pp 164. ISBN 1-874907-35-8

Price SADC R25.00

No. 4: Red Data List of southern African plants

C. Hilton-Taylor (1996)

A list is provided of 4 149 plant taxa, which conservation status has been assessed in southern Africa, the region south of (but excluding) Angola, Zimbabwe and Mozambique. The current name of each taxon is given, along with an indication of its known distribution in southern Africa, its conservation status in each country and province, whether it is endemic to the region, and its global conservation status. A brief analysis and discussion of the results is presented.

Hard cover. A4. pp. 120. ISBN 1-874907-29-3

Price SADC R10.00

No. 3: Cederberg vegetation and flora

H.C. Taylor (1996)

This book is an introduction to a study of the vegetation of the Cederberg, an important catchment in the drier northern part of the Western Cape. The geology, physiography, soils, climate, land use, bioto and historical background are described. The discussion provides a broad contextual and environmental framework for the subsequent vegetation classification. Floristic analysis, and comparison with two mountain floras in the southwestern Cape (Cape Hangklip area and Cape of Good Hope Nature Reserve), reveal that the Cederberg flora has links not only with the fynbos of the Cape Floristic Region, but also with the dry winter rain shrubland of Namaqualand and the western Karoo. A checklist of 1 778 species that occur in the area is included.

Soft cover. A4. pp. 76. ISBN 1-874907-28-5

Price SADC R20.00

SURICATA

No. 5: Manual of Afrotropical Diptera. Volume 2. Nematocerous Diptera and lower Brachycera.

Edited by A.H. Kirk-Spriggs & B.J. Sinclair (2017)

True flies, or Diptera, constitute one of the largest orders of insects in the biosphere, with over 160,000 described species worldwide, more than 20,000 of which occur in the Afrotropical Region. They are as diverse morphologically and biologically as they are numerous and many groups have evolved spectacular structural adaptations that are commensurate with their environment and biology. During their long evolutionary history, virtually every terrestrial niche has been occupied by the Diptera, making them one of the most successful groups of organisms on Earth. Many have co-evolved in association with other organisms and become highly specialised parasites or parasitoids of a range of disparate groups of plants and animals. Whether focusing on their systematics, biology, biogeography, conservation, or the more applied aspects, the Diptera remain a fascinating and intriguing group. This four volume book, a collaboration of over 90 international experts on Diptera, is the first-ever synopsis of the 108 families of flies known from the Afrotropical Region and includes discussions on biology and immature stages, economic importance, classification, identification to the genus level, as well as a synopsis of each genus. This work provides the basics for understanding the diversity of a major order of insects in a large tropical and sub-tropical region and is the first such synopsis of its kind for any major insect order occurring in the Afrotropics.

Volume 2 includes family chapters dealing with 43 of the 108 families of flies that occur in the region and covers the nematocerous Diptera and lower Brachycera (sometimes termed the lower Diptera). Each chapter includes a diagnosis of the family, sections dealing with biology and immature stages, classification and identification, an identification key to genera (if more than one) and a synopsis of the fauna section, arranged genus by genus alphabetically. The text is richly illustrated with over 2,900 illustrations, including 1,360 colour and 130 black and white images and 1,430 line drawings of flies.

Hard cover, 215 x 275 mm, pp. 440. ISBN 978-1-928224-11-2

Price SADC R520.00

No. 4: Manual of Afrotropical Diptera. Volume 1. Introductory chapters and keys to Diptera families.

Edited by A.H. Kirk-Spriggs & B.J. Sinclair (2017)

True flies, or Diptera, constitute one of the largest orders of insects in the biosphere, with over 160,000 described species worldwide, more than 20,000 of which occur in the Afrotropical Region. They are as diverse morphologically and biologically as they are numerous and many groups have evolved spectacular structural adaptations that are commensurate with their environment and biology. During their long evolutionary history, virtually every terrestrial niche has been occupied by the Diptera, making them one of the most successful groups of organisms on Earth. Many have co-evolved in association with other organisms and become highly specialised parasites or parasitoids of a range of disparate groups of plants and animals. Whether focusing on their systematics, biology, biogeography, conservation, or the more applied aspects, the Diptera remain a fascinating and intriguing group. This four volume book, a collaboration of over 90 international experts on Diptera, is the first-ever synopsis of the 108 families of flies known from the Afrotropical Region and includes discussions on biology and immature stages, economic importance, classification, identification to the genus level, as well as a synopsis of each genus. This work provides the basics for understanding the diversity of a major order of insects in a large tropical and sub-tropical region and is the first such synopsis of its kind for any major insect order occurring in the Afrotropics.

Volume 1 includes 11 general introductory chapters dealing with the history of Afrotropical dipterology, collection and preservation, morphology and terminology, natural history, agricultural and veterinary, medical, forensic and phytosanitary significance, biogeography, conservation and the phylogeny of flies. The volume also includes identification keys to all Afrotropical fly families for both adult and larval stages. The text is richly

illustrated with over 1,600 illustrations, including 40 colour maps, 800 colour and 60 black and white images and 690 line drawings of flies.

Hard cover, 215 × 275 mm, pp. 948. ISBN 978-1-928224-11-2

Price SADC R350.00

No. 3: A Bilingual Field Guide to the Frogs of Zululand

Fortunate M. Phaka, Edward C. Netherlands, Donnavan J.D. Kruger, & Louis H. du Preez (2017)

Frogs are in general poorly known and highly misunderstood; yet they are among the most important members of the animal kingdom. These harmless creatures are as colourful and melodious as birds and they have outlived dinosaurs, but are currently under threat of extinction. Their presence or absence can tell us a lot about an environment and their presence is vital to the functioning of many ecosystems. Frogs are an unusual group of animals as they live in two different environments; water and land. Being unusual is what makes them important and it unfortunately also contributes to them being misunderstood.

Soft cover. A5. English: 87 pp. Zulu: 89 pp. ISBN 978-1-928224-19-8

Price SADC R100.00

No. 2: Manual of Freshwater Assessment for South Africa: Dragonfly Biotic Index

M.J. Samways & J.P. Simaika

Overall, freshwater ecosystems are the most threatened ecosystem type in the world. The scarce South African freshwaters are threatened by alien organisms, high volumes of water abstraction, and pollution. Yet some South African freshwaters are being restored to their former condition. It is important to monitor these systems and note whether they are declining or improving. One way to do this is to use the Dragonfly Biotic Index, which is based on dragonfly biogeography, their sensitivity to change, and the degree to which they are threatened. This index is sensitive and robust and is suitable for assessing and monitoring freshwaters across the country. This manual explains how to use and apply the Dragonfly Biotic Index, while also providing guidelines for species identification.

Soft cover. A4. pp. 224. ISBN 978-1-928224-05-1

Price SADC R200.00

Also available on disc: ISBN 978-1-928224-16-7

Price SADC R100.00

No. 1: Atlas and Red List of the Reptiles of South Africa, Lesotho and Swaziland

Edited by M.F. Bates, W.R. Branch, A.M. Bauer, M. Burger, J. Marais, G.J. Alexander and M.S. de Villiers

This Atlas and Red List details the outcomes of the Southern African Reptile Conservation Assessment (SARCA), the most thorough reptile assessment project ever conducted in Africa. The conservation status of the 422 recognised species and subspecies of reptiles of South Africa, Lesotho and Swaziland was evaluated against IUCN guidelines, based on detailed distribution maps, published literature and the collective expertise of leading herpetologists. Maps were based on records from museums, conservation agencies, published literature, targeted fieldwork, and an online virtual museum.

The assessment revealed that one-fifth of all species and subspecies are of conservation concern, mainly because of habitat alteration. Two species are now extinct, whereas 36 are classified as threatened (five Critically Endangered, 10 Endangered and 21 Vulnerable). As much as 45% of the region's indigenous taxa are endemic, including most taxa of conservation concern.

This important publication includes, for the first time, colour photographs of all snakes, lizards, tortoises, terrapins, turtles and crocodiles of the region, as well as detailed maps illustrating their ranges. Accounts for each taxon also include details on taxonomic and conservation status, habitat, and threats. Introductory chapters discuss project design, data management, taxonomy, evolutionary relationships, conservation status, endemism, threats, and diversity hotspots.

The Atlas will appeal not only to herpetologists, but also to other biologists, naturalists, conservation planners and managers, environmental consultants, legislators, and members of the public.

Hard cover. A4. pp. 504. ISBN 978-1-919976-84-6

Price SADC R475.00

Also available on disc: ISBN 978-1-919976-96-9

Price SADC R100.00

AD HOC PUBLICATIONS

South Africa's New Marine Protected Areas

K. Sink et al. (2019)

In 2019 the South African Minister of Environmental Affairs approved the declaration of 20 new Marine Protected Areas (MPAs). This proclamation was the culmination of over 12 years of research by scientists from DEA, SANBI and a network of research institutions. The research identified areas of ecological and biodiversity importance in the South African EEZ. Through careful Marine Spatial Planning, ocean industries such as fishing, mining and shipping can co-exist with marine protected areas, and in the case of fisheries, even benefit. The government's initiative of Operation Phakisa, meaning 'hurry up', fast-tracked the implementation of the planning of these MPAs. In this book each of the new MPAs will be introduced, highlighting their special features and why they are important.

Soft cover, A5, pp. 56. ISBN 978-1-928224-31-0

Price SADC R60.00

The sand forest of Maputaland

Francois du Randt (2018)

Maputaland in the northeast corner of KwaZulu-Natal lies at the southern end of one of the largest coastal plains in Africa. It is a beautiful area and incredibly species rich, with high levels of plant and animal endemism. The sand forest of Maputaland is especially unique in its biological diversity, geological history and vegetation dynamics. This book provides a comprehensive natural historical overview of Maputaland, covering subjects such as: early explorers and inhabitants, topography and hydrology, climate, geology, soils, effect of fires, the biotic environment and vegetation. The sand forest of Maputaland is discussed in detail, with information about the differences between the various forest types, the soils of the sand forest, allelopathy, the origin of sand forest, the surrounding vegetation, as well as the fauna and flora of the sand forest. Information about the fauna and flora of the Maputaland Sand Forest is given in a narrative format, where interesting plants and animals are discussed in chapters titled, amongst others, 'The magical ordeal tree', 'Torches in the forest', 'Sherbets and bushbabies', 'The deadman's tree', 'Climbers and owls' and 'The winged-fruited ones'. Information is also provided about marine sediments and fossils, as well as about accommodation, reserves and leopards of the region. Information for plants and animals discussed includes a short description, the scientific and vernacular names (and origin or meanings of these names), as well as interesting uses and interactions.

Hard cover. 250 x 250 mm. pp. 428. ISBN 978-1-928224-26-6

Price SADC R785.00

invasive alien plant species of Gaborone

M.K. Marumo (2018)

Invasive alien plants are a real problem in Botswana. They impose negative impacts such as the choking of rivers, lowering crop yields, spoiling the natural beauty of landscapes and they use a lot of underground water, thus reducing the available amount of water for other plants and humans. A lot of funds are needed to control and eradicate them, so early detection and control of these species are imperative. These plants are usually introduced intentionally as ornamentals and crops, or unintentionally through dispersal of seeds by wind, water, humans and animals. This book is an outcome of observation or monitoring of invasive alien plants in Gaborone, the capital city of Botswana. Several invasive alien plants have been observed in Gaborone. They have been recorded from riverbeds, beside roads, in disturbed areas, in open spaces, around residential areas, around business areas and other places in the city. The purpose of this booklet is to help members of the community, law enforcers and researchers interested in management of invasive alien plants with these species' identification. This book documents 16 invasive alien plants observed in Gaborone from 2013 to 2017. Continuous monitoring is necessary to gather more data on these and other invasive alien species.

Soft cover. 180 x 260 mm. pp. 28. ISBN 978-1-928224-24-2

Price SADC R50.00

Grasses of the Botswana National Botanical Garden

A.M. Isaiyah & T. Komi (2015)

Thirty-three grass species found to occur in the Botswana National Botanical Garden during a three-month long survey in the summer of 2012 are presented in this guide. Each species is illustrated by a photograph of a herbarium specimen, supplemented by some short notes on its morphology, its habitat and the frequency with which the species occur in the garden. The species are arranged alphabetically according to scientific names and English and Tswana common names are also provided. All specimens illustrated in this guide are available in the National Herbarium of Botswana (GAB) in Gaborone.

Soft cover. A4. pp. 36. ISBN 978-1-928224-10-5

Price SADC R50.00

South Africa's Strategy for Plant Conservation

D. Raimondo (editor) (2015)

South Africa is signatory to the Convention on Biological Diversity and is committed to the implementation of a national strategy to conserve plants that aligns with the Global Strategy for Plant Conservation (GSPC). With 6% of the world's plant diversity and strong botanical and conservation capacity, South Africa is well placed to make a significant contribution to plant conservation globally. This document presents South Africa's National Strategy for Plant Conservation. It includes 16 outcome oriented targets, each of which, if implemented well, will help lead to improved conservation of South Africa's plants. The targets include work that ranges from the description, assessment and conservation (*in situ* and *ex situ*) of South Africa's plants; to work on the sustainable utilisation of plant species. In South Africa, plant conservation is not done in isolation of other biodiversity conservation work. This National Strategy for Plant Conservation aligns with South Africa's updated National Biodiversity Strategy and Action Plan. Each of the outcomes in this plant strategy is either directly represented or nested under one of the activities of the NBSAP. Under the leadership of the South African National Biodiversity Institute (the focal point for the implementation of the GSPC nationally), and with support from the Botanical Society of South Africa, a network of botanists and conservationists has been developed that includes conservation agencies, NGOs and academic institutions. It is this strong network that will ensure that South Africa's National Strategy for Plant Conservation is implemented by 2020.

Soft cover. A4. pp. 84. ISBN 978-1-928224-04-4

Price SADC R85.00

Plants in Peril

D. Raimondo, K. Grieve, N. Helme, R. Koopman & I. Ebrahim (2013)

South Africa has the highest documented number of extinct plant species of any country in the world. As a result of human destruction of natural areas for agriculture and urban development, as well as the spread of invasive alien plants and illegal harvesting of plants for horticultural and medicinal trade, 2 553 plant species are currently threatened with extinction. This publication focuses on 100 of these plants, some of which are on the brink of extinction, with the aims of highlighting the factors threatening their survival and raising awareness of the actions required for their conservation.

Hard cover. 257 × 254 mm. pp. 215. ISBN: 978-1-919976-87-7

Price SADC R395.00

Distribution of plant diversity in the Core Cape Floristic Subregion

M. Freiberg & J. Manning (2013)

The Core Cape Floristic Region comprises an estimated 9 383 species of vascular plants in 997 genera and 178 families. Available literature provides some guidance on roughly where to go to best explore this remarkably diverse and charismatic flora, but until now it has been nearly impossible to get a more exact idea of where to find the richest concentrations of species. This collection of floristic maps visualises the dis-

tribution of the Cape Flora at the taxonomic levels of family and genus, making it simpler for conservationists, botanists and tourists to identify centres of diversity and species richness within the region.

Soft cover. 297 x 148 mm. 195 pp. ISBN: 978-1-919976-85-3

Out of print; available as a downloadable PDF from <http://biodiversityadvisor.sanbi.org/literature>

Medicinal and Charm Plants of Pondoland

S. Zukulu, T. Dold, T. Abbott & D. Raimondo (2012)

Pondoland is a region of exceptional natural beauty and a wealth of endemic plant species, some of which have significant importance to local inhabitants. After introducing the participants who provided information on the 60 plants described in the book, the region's natural history is outlined briefly. Sixty *amayeza* (traditional Mpondo medicines and charms) plants and their uses are described in this book. Information for each species includes the common and scientific names, followed by a short description, and its medicinal and cultural uses. Colour photographs illustrate the plants and their uses. The information presented in this book, is primarily aimed at school pupils, but it will also be of interest to everyone interested in plants in the region. The primary focus is not only to support scholars in their curriculum requirements, but also aims to reawaken indigenous cultural knowledge and encourage the youth of Pondoland to engage with their unique biodiversity to ensure a sustainable future. The book further provides a useful glossary, references for further reading, and an index of the 60 plants listed and described.

Soft cover, A5, pp. 79. ISBN 978-1-919976-71-6

Out of print; available as a downloadable PDF from <http://biodiversityadvisor.sanbi.org/literature>

National Biodiversity Assessment 2011: an assessment of South Africa's biodiversity and ecosystems

A. Driver, K.J. Sink, J.L. Nel, S. Holness, L. van Niekerk, F. Daniels, Z. Jonas, P.A. Majiedt, L. Harris & K. Maze (2012)

This report presents the results of South Africa's National Biodiversity Assessment 2011. The NBA 2011 follows on the National Spatial Biodiversity Assessment 2004, broadening the scope of the assessment to include key thematic issues as well as a spatial assessment. It fulfils a core aspect of SANBI's mandate: to monitor and report on the state of South Africa's biodiversity. The assessment covers the terrestrial, freshwater, estuarine and marine environments, as well as species of special concern and invasive alien species. The NBA provides headline indicators of the state of South Africa's ecosystems, and highlights the crucial role of ecological infrastructure in providing ecosystems services that underpin social and economic development. It presents new work on geographic areas that contribute to climate change resilience, and reflect the enormous progress made since 2004 in mapping and assessing biodiversity in aquatic environments. It includes a summary of spatial biodiversity priority areas that have been identified through systematic biodiversity plans at national, provincial and local level. The NBA is led by the South African National Biodiversity Institute in partnership with a range of organisations. It represents a collaborative effort to translate best available science into policy-relevant indicators and information that can inform action and support wise decision-making in the biodiversity sector and beyond.

Soft cover. A4. pp. 198. ISBN 978-1-919976-72-3

Price SADC R120.00

National Protected Area Expansion Strategy for South Africa 2008. Priorities for expanding the protected area network for ecological sustainability and climate change adaptation

Prepared by the Government of South Africa (2010)

South Africa's protected area network falls short of sustaining biodiversity and ecological processes. In this context, the goal of the National Protected Area Expansion Strategy is to achieve cost-effective protected

area expansion for ecological sustainability and increased resilience to climate change. This document highlights ways in which we can become more efficient and effective in allocating the scarce human and financial resources available for protected area expansion. It sets targets for protected area expansion, provides maps of the most important areas for protected area expansion, and makes recommendations on mechanisms for protected area expansion.

Soft cover. A 4. pp. 47. ISBN 978-1-919976-55-6

Price SADC R40.00

Also available on disc

Price SADC R20.00

POSTERS

Vegetation Map of South Africa, Lesotho and Swaziland 1:1 000 000 scale sheet maps

L. Mucina, M.C. Rutherford & L.W. Powrie (eds) (2005)

This 1:1 000 000 wall map shows the 435 vegetation units in South Africa, Lesotho and Swaziland, and five mapped units for the Prince Edward Islands in full colour. It is available as a set of four map sheets of 1.06 × 0.77 m, giving a mounted map size of 2.09 m wide and 1.52 m high. This map accompanies *Strelitzia* 19.

ISBN 1-919976-22-1

Price SADC R160.00

Trees of the year poster 2019

The 2019 trees of the year are *Sclerocarya birrea* (Marula) and *Philenoptera violacea* (apple-leaf). This full colour, double-sided poster, which folds up into an A5 brochure, provides descriptions and photographs of these trees including their common names and the meanings of their scientific names. Detailed information on the general appearance, distribution and habitat, horticultural notes, ecology and other uses are discussed for each tree. The posters are distributed for free and can be obtained from the SANBI Bookshop, e-mail: sanbibookshop@sanbi.org.za.

CALENDARS

Harmony Flats Nature Reserve Birthday Calendar

I. Ebrahim, T. Goldman, J. Geldenhuys & Helderberg Nature Reserve

Six beautiful photographs of the flora and fauna of the Harmony Flats Nature Reserve grace this birthday calendar. Subjects covered include *Ammocharis longifolia* (malgas lily / *malgasleyie*), *Psammobates geometricus* (geometric tortoise / *suurpotjie*), *Lampranthus filicaulis* (*langsteelvylie*), *Moraea villosa* subsp. *villosa* (*blouflap-pie/uiltjie*), *Ixia versicolor* (*blouoog-kalossie*) and *Corymbium africanum* (*heuningbossie* / plampers).

Price SADC R70.00

BOOKSHOP PRODUCTS

A5 Notepads

Assorted covers with 25 sheets per notepad, ideal for workshops and conferences.

Price SADC R15.00

Set of stainless steel straws with cleaning brush in drawstring bag

Single-use plastic items such as straws – as well as stirrers, bags and cups – are convenient, but convenience can come at an environmental cost if they aren't disposed of properly or recycled.

Many marine animals mistake these and other plastic items for food. Plastic has been found in an estimated 90% of all seabirds and in all sea turtle species. Within the next decade there could be a pound of plastic for every three pounds of fish in the ocean.

Recycling and proper waste disposal help reduce the plastic trash that ends up in our landfills and seas, but there is another action you can take. By refusing a straw, you can help prevent plastic pollution. Switch to non-plastic options, such as a set of stainless steel straws that will last for years. And ask your local restaurants to provide straws only upon request, or to change to paper or other non-plastic options.

Imagine the impact if we all gave up the habit of single-use plastics.

So say no to the straw, and help change the future for our oceans.

Price SADC R65.00

ORDER FORM

2020

SANBI Bookshop
Private Bag X101
Pretoria
0001 South Africa

Tel.: +27 12 843 5000
Fax: +27 12 804 3211
E-mail: sanbibookshop@sanbi.org.za
Website: www.sanbi.org

Personal Details:

Title: Initials: Surname:

Business/Organisation:

Account No.: Student No.: BOTSOC card No.:

Postal Address:

Postal Code: Country:

Tel. no. (W): (H):

Fax: Cell:

E-mail (if you'd like to be included on the mailing list):

Where did you hear about the Bookshop?

Payment:

A. Enclosed is my cheque/money order no..... for the amount of R payable to the South African National Biodiversity Institute

B. Please charge my credit card:

Visa MasterCard American Express

Expiry date:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Signature: Date:

--	--	--

Quantity	Title	Vol., Part or Fascicle	Item price:	Total price:
Shipping costs/postage will depend on the weight and quantity of the parcel/s- see Proforma Invoice				
Bank details: Bank: Nedbank, Cheque Account no.: 1046 361 635, Branch code: 104609, branch at: Claremont, Holder: SANBI, Please use reference: NEDSZAJJ				
SUBTOTAL				
TOTAL				